


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	1	0	1	0	28.338 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2	Creation of Accounting Books for custom templet	30	9	1	20	28.332 s
	Module						

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the GL2 Module

FAILED	DURATION - 28.338 s	Scenarios		Steps	
		Total - 1		Total - 30	
/ 6:05:22.111 pr	m // 6:05:50.449 pm /	Pass - 0	1	Pass - 9	30
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 20	

(S)- Creation of Accounting Books for custom templet



#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	12.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
	The Contraction of the Contracti		
2	And Click on Accounting Setup module	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		

3 Then Click sub module Accounting book definition AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And Click on Add Icon AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.545 s AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.503 s Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.758 s AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.758 s O.758 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And Click on Add icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) D.758 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) D.168 s		The control of the		
Screenshot 4 And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	3	-	PASSED	
4 And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.503 s 0.758 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.758 s 0.768 s			PASSED	0.340 s
4 And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 0.503 s PASSED 0.758 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 0.168 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.503 s 0.758 s 0.758 s 0.168 s				
Screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.758 s 0.168 s	4	And Click on Add icon	PASSED	0.545 s
5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.758 s PASSED O.768 s O.168 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.503 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot			_	
screenshot	5	Then Choose the Template Type of Custom Template	PASSED	0.758 s
The state of the s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
© Surrey (screenshot		
6 And Enter Another Book Name PASSED 0.445 s	6	And Enter Another Book Name	PASSED	0.445 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	E C HOLDENSTER BY AND		
7	Then Select system date as Effective date	PASSED	2.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
	The Contraction of the Contracti		
8	And Choose the Book Type what you Need	PASSED	0.463 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot **********************************		
9	Then Enter the Remark	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Viviant of the step	PASSED	0.204 s
10	And Save the Record	FAILED	1.225 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" slot="end"></ion-buttons> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		

#	Step / Hook Details	Status	Duration
	name: Windows 10, os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [0a48ee8a30ef81faf4901ecb421b67d5, clickElement [id=2901964d-3c1d-4f05-ab03-d206816f98]] Capabilities { acceptinsecureCerts: false, browserName: chrome, browserVersion: '99.0.4844.51, chrome: { chromedriverVersion: '98.0.4758.80 (7f0488e8ba0d8, userDataDir: CAUSersININIDC-1AppDataL), goog:chromeOptions: { debuggerAddress: localhost:62767, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp. ws./flocalhost:62767/devtoo, se.cdpVersion: 99.0.4844.51, setWindowRect: true, strictFielnteractability: false, timeouts: { implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: frue) Element. [[ChromeDriver: chrome on WINDOWS (0a48ee8a30ef81faf4901ecb421b67d5]] -> xpath: //dw[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 0a48ee8a30ef81faf4901ecb421b67d5] -> xpath: //dw[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 0a48ee8a30ef81faf4901ecb421b67d5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelgatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.Constructor.newInstanceVihtCaller(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstanceVihtCaller(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstanceConstructor.java:490) at org.openga.selenium.remote.codec.w3c.W3C-HttpResponseCodec.createException(W3C-HttpResponseCodec.java:53) at org.openga.selenium.remote.service.DriverCommandExecutor.java:140) at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExe		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.242 s


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
11	Then Goto The Notification Icon	SKIPPED	0.001 s
12	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
13	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
14	Given Navigate as a Reviewer	SKIPPED	0.000 s
15	Then click on Notify icon	SKIPPED	0.000 s
16	And Click First record Action icon	SKIPPED	0.001 s
17	Then Approve the record in Reviewer	SKIPPED	0.000 s
18	And Give Remark and Submit	SKIPPED	0.000 s
19	Given Navigate as a Checker	SKIPPED	0.000 s
20	Then Click module security management	SKIPPED	0.000 s
21	And Claim the Record in Checker	SKIPPED	0.000 s
22	Then Goto the Checker notification Icon	SKIPPED	0.000 s
23	And Click the First Action Icon	SKIPPED	0.001 s
24	Then Approve the Record in checker stage	SKIPPED	0.000 s
25	And Give the Remark and Submit it	SKIPPED	0.000 s
26	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
27	And Click on Accounting Setup module	SKIPPED	0.000 s
28	Then Click sub module Accounting book definition	SKIPPED	0.000 s
29	Then Click on Table Row First Eye Icon	SKIPPED	0.002 s
30	And System should Generate unique code	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

