

Cucumber Report

Mar 2, 2022, 10:13:30 AM

Start : Mar 02, 10:12:46.159 AM

End : Mar 02, 10:13:30.050 AM

Duration : 43.891 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 11
FAILED - 1
SKIPPED - 9







#	Feature Name	T	P	F	S	Duration
1	<u>Checking the Acount Payable functionality</u>	1	0	1	0	43.891 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Payable functionality	Verify creating PO against contract is allowed if total QTY of previous	21	11	1	9	43.886 s


(F)- Checking the Account Payable functionality





FAILED	DURATION - 43.891 s	Scenarios		Steps	
/ 10:12:46.159 AM // 10:13:30.050 AM /		Total - 1		Total - 21	
		Pass - 0		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	



(S)- Verify creating PO against contract is allowed if total QTY of previous

<div>FAILED</div> <div>DURATION - 43.886 s</div>			Steps		
/ 10:12:46.164 AM // 10:13:30.050 AM /			Total - 21		
Checking the Account Payable functionality			Pass - 11		
@KUBS_AR/AP_UAT_013_TC_02 @MultiAuth			Fail - 1		
			Skip - 9		

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.543 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
			
2	Then Click on Direction icon	PASSED	2.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Account Payable	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
			
4	Then Click on purchase order Eye Icon	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		
			
5	Then Click on purchase order Add button	PASSED	0.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
			
6	Then enter the PO service type details	PASSED	6.049 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Click on Account Payable Save button	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
			
8	Then Click on purchase order Add button	PASSED	0.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
			
9	Then fill the item details PO Amount is equal or lesser than contract Amount	PASSED	2.231 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		
			
10	Then Click on Account Payable Save button	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then fill Beneficiary Details	PASSED	0.779 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot 		
12	Then Click on Account Payable Save button	FAILED	13.415 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b9f172384429e3dd2572f00c314199fd, findElement {using=xpath, value=("//ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52248}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:52248/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b9f172384429e3dd2572f00c314199fd</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) </pre>		


#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.AccountPayable_VendorPurchaseOrder.click_on_account_payable_save_button(AccountPayable_VendorPurchaseOrder.java:156) at ?.Click on Account Payable Save button(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountPayable_VendorPurchaseOrder.feature:56) * Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b9f172384429e3dd2572f00c314199fd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome\chrome\chromeOptions: {debuggerAddress: localhost:52248}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52248/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b9f172384429e3dd2572f00c314199fd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)</p>	FAILED	4.016 s

#	Step / Hook Details	Status	Duration
13	Then Click on Account Payable Notification	SKIPPED	0.000 s
14	Then Select the record from Notification	SKIPPED	0.000 s
15	And Submit the Selected record	SKIPPED	0.000 s
16	Then log in to the reviewer account	SKIPPED	0.001 s
17	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
18	Then log in to the Checker Account	SKIPPED	0.000 s
19	And then checker claim the record	SKIPPED	0.000 s
20	Then click on the checker Notification	SKIPPED	0.000 s
21	And select the record and Approve by checker	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.243 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b9f172384429e3dd2572f00c314199fd, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52248}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52248/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b9f172384429e3dd2572f00c314199fd</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous


(F) Checking the Account Payable
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous


(F) Checking the Account Payable
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous


(F) Checking the Account Payable
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous

(F) Checking the Account Payable
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous

(F) Checking the Account Payable
functionality

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

PO creation

PO Details

* Entity Branch Azentio Main Branch * BP Name Bonton Agency Reference Type

* PO Type Services Contract * PO Sub Type Cleaning Services Transaction Date 19-Oct-2022

PO Number PO Date 02-Mar-2022 * PO Delivery Date 22-Oct-2022

* Cost Center INR FINANCE

Upload PO Choose File No file chosen

* PO Status Active Transaction Status

Download

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous

(F) Checking the Account Payable
functionality

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

PO creation

PO Details

* Entity Branch Azentio Main Branch * BP Name Bonton Agency Reference Type

* PO Type Services Contract * PO Sub Type Cleaning Services Transaction Date 19-Oct-2022

PO Number PO Date 02-Mar-2022 * PO Delivery Date 22-Oct-2022

* Cost Center INR FINANCE

Upload PO Choose File No file chosen

* PO Status Active Transaction Status

Download

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous

(F) Checking the Account Payable
functionality

The screenshot shows the 'PO creation' form in the Kastle Universal Banking application. The form is titled 'PO creation' and has a 'PO Details' section. The form includes fields for 'Entity Branch' (Azentio Main Branch), 'BP Name' (Bonton Agency), 'Reference Type' (Transaction Date: 19-Oct-2022), 'PO Type' (Services Contract), 'PO Sub Type' (Cleaning Services), 'PO Date' (02-Mar-2022), 'PO Delivery Date' (22-Oct-2022), 'Cost Center' (INR x FINANCE), and 'PO Status' (Active). There is a 'Transaction Status' field and a 'Download' button. The form also has a 'Vendor contracts' section with a 'Vendor purchase orders' link. The bottom of the form shows '22 Appro...' and '11 Messa...'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous

(F) Checking the Account Payable
functionality

The screenshot shows the 'Item Details' form in the Kastle Universal Banking application. The form is titled 'Item Details' and has a 'PO Creation' section. The form includes fields for 'HSN Code', 'Expense Code', 'Quantity', 'Unit', 'Rate Per Unit', 'Shipped From (Location)', 'Delivery Location', and 'Auto Generate Bill'. There is a 'Description' field with the text 'Enter description here...'. The bottom of the form shows '22 Appro...' and '11 Messa...'. A green notification bar at the bottom states 'PO Creation created successfully.'

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous

(F) Checking the Account Payable
functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

PO Creation Item Details Beneficiary Details

Item Details

* HSN Code	* Expense Code	* Quantity
999459- Cleaning Ser	EXP11CEANINGEXP	5

* Unit	* Rate Per Unit	* Total Value
Boxes	2000	10,000.00 INR

* Shipped From: [REDACTED] SUCCESS to Generate Bill

INDIA - Maharashtra Azentio Main Branch No

Description
Enter description here...

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous

(F) Checking the Account Payable
functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

PO Creation Item Details Beneficiary Details

Item Details

* HSN Code	* Expense Code	* Quantity
999459- Cleaning Ser	EXP11CEANINGEXP	5

* Unit	* Rate Per Unit	* Total Value
Boxes	2000	10,000.00 INR

* Shipped From: [REDACTED] SUCCESS to Generate Bill

INDIA - Maharashtra Azentio Main Branch No

Description
Enter description here...

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous

(F) Checking the Account Payable
functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

PO Creation Item Details **Beneficiary Details**

ViewSummary Submit Cancel

* Mode of Payment * Bill Financing Arrangement * Beneficiary Name
Cheque x No Bonton Agency x

Beneficiary Bank Account Details * Auto Payout
ICI87643830922 x No x

* Credit Period(in Days)
3

Vendor contracts Vendor purchase orders Goods received note (GRN) Invoice booking Payment settlement Payment settlement cancellation

22 Appro... 11 Messa...

Item Details created successfully.