


FEATURES SUMMARY -- 2 --



| # | Feature Name                           | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | Checking the Fixed Asset functionality | 1 | 0 | 1 | 0 | 55.764 s |

SCENARIOS SUMMARY -- 3 --




| # | Feature Name                           | Scenario Name                                      | T  | P | F | S  | Duration |
|---|--|--|----|---|---|----|----------|
| 1 | Checking the Fixed Asset functionality | Creation of the registered asset with full details | 22 | 6 | 1 | 15 | 55.760 s |

DETAILED SECTION -- 4 --

## **(F)- Checking the Fixed Asset functionality**

| FAILED           | DURATION - 55.764 s   | Scenarios |   | Steps      |    |
|------------------|-----------------------|-----------|---|------------|----|
|                  |                       | Total - 1 |   | Total - 22 |    |
| / 8:33:28.534 AI | M // 8:34:24.298 AM / | Pass - 0  | 1 | Pass - 6   | 22 |
|                  |                       | Fail - 1  |   | Fail - 1   |    |
|                  |                       | Skip - 0  |   | Skip - 15  |    |

## (S)- Creation of the registered asset with full details



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Maker Navigate to UAT URL login  | PASSED | 9.640 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.375 s  |
|   | screenshot   |        |          |
|   |  |        |          |
| 2 | Then Click on the Direction  | PASSED | 2.334 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.147 s  |
|   | screenshot   |        |          |

| 3 Then Click on Fixed Asset  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.114 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.122 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on the add button to add new record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.223 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.233 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.233 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.233 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.238 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.238 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.243 s  | # | Step / Hook Details  | Status | Duration |
|--|---|--|--------|----------|
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Click on Asset Creation Eye button  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 Then Click on the add button to add new record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then Click on the add button to add new record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Fill Form  PASSED  0.115 s  0.122 s  0.223 s  0.223 s  0.223 s  |   | © Management () () () () () () () () () () () () ()  |        |          |
| Screenshot   Scr   | 3 | Then Click on Fixed Asset  | PASSED | 0.114 s  |
| Then Click on Asset Creation Eye button  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on the add button to add new record  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then Click on the add button to add new record  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ATER_STEP - stepdefinitions.HooksC |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.115 s  |
| Then Click on Asset Creation Eye button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on the add button to add new record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  APASSED  O.122 s  PASSED  O.252 s  O. |   | screenshot   |        |          |
| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  Then Click on the add button to add new record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  Then Fill Form  PASSED  0.252 s   |   | The state of the   |        |          |
| Screenshot  Then Click on the add button to add new record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Fill Form  PASSED  0.197 s  0.223 s  0.223 s  1.061 s   | 4 | Then Click on Asset Creation Eye button  | PASSED | 0.122 s  |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Fill Form  PASSED  0.223 s  PASSED  1.061 s   |   | screenshot   | PASSED | 0.252 s  |
| Screenshot    Then Fill Form   PASSED   1.061 s  | 5 | Then Click on the add button to add new record   | PASSED | 0.197 s  |
|  |   | Screenshot    Screenshot   Scre | PASSED | 0.223 s  |
| ASTER OTER 1 1 5 77 11 1 01 1 10 1 1 10 1 10 1 10  | 6 | Then Fill Form   | PASSED | 1.061 s  |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED   0.130 s  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.130 s  |
| screenshot   |   | screenshot   | ]      |          |


|  | Status | Duration |
|--|--------|----------|
|  |        |          |
| 7 Then Save the filled form  | FAILED | 34.398 s |
| org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Mrindows 10', os.acht' amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e87a0b01c7daadb6709ad898ec7b66, indellement (using=xpath, value=/lion-header[1]/ion-tootloar[1]/ion-buttons[1]/io |        |          |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.FixedAsset_AssetCreation.save_the_filled_form(FixedAsset_AssetCreation.java:82) at ?.Save the filled form(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/ FixedAsset_AssetCreation.feature:14) * Not displayable characters are replaced by '?'.   |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | FAILED  | 4.016 s  |
|    | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: Je87a0b0fc7daa4b670f9ad8985ee7b6d, screenshot {}] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.65, chrome: {bromedriverVersion: 96.0.4664.45} (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:53182}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platforn: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53182/devtoo, se:cdp\version: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: e87a0b0fc7daa4b670f9ad8985ee7b6d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:233) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.comen.decodec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(PriverCommandExecutor.java: |         |          |
| 8  | Then Click on Fixed Asset Notification  | SKIPPED | 0.000 s  |
| 9  | Then Select the record which we saved   | SKIPPED | 0.001 s  |
| 10 | Then Click on Fixed Asset items   | SKIPPED | 0.000 s  |
| 11 | Then Click on the add button of asset items   | SKIPPED | 0.000 s  |
| 12 | Then fill the asset item details  | SKIPPED | 0.001 s  |
| 13 | Then Click on save button of item details   | SKIPPED | 0.000 s  |
| 14 | Then Click on Fixed Asset Notification  | SKIPPED | 0.000 s  |
| 15 | Then Select the record which we saved   | SKIPPED | 0.000 s  |
| 16 | Then Submit record  | SKIPPED | 0.000 s  |


DETAILED SECTION -- 8 --

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
| 17 | Then log in to the reviewer account  | SKIPPED | 0.000 s  |
| 18 | Then click on the Notification select the record and Approve   | SKIPPED | 0.000 s  |
| 19 | Then log in to the Checker Account   | SKIPPED | 0.000 s  |
| 20 | And then checker claim the record  | SKIPPED | 0.000 s  |
| 21 | Then click on the checker Notification   | SKIPPED | 0.000 s  |
| 22 | And select the record and Approve by checker   | SKIPPED | 0.001 s  |
|    | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)   | FAILED  | 0.245 s  |
|    | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e87a0b0fc7daa4b670f9ad8985ee7b6d, close {}] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: (chromedriverVersion: 96.0.4664.45), acception: (chromedriverVersion: 96.0.4664.45), acception: (chromedriverVersion: 96.0.4664.45), setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true) Session ID: e87a0b0fc7daa4b670f9ad8985ee7b6d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.ceateException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:140) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(PriverCommandExecutor.java:140) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openq |         |          |

EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

