

Cucumber Report

Feb 7, 2022, 7:19:09 PM

Start : Feb 07, 6:45:07.842 PM

End : Feb 07, 7:19:06.896 PM

Duration : 33 m 59.054 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 13
FAILED - 1
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	33 m 59.054 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Create a GRN</u>	20	13	1	6	33 m 59.044 s

(F)- Check the Functionality of Inventory


FAILED	DURATION - 33 m 59.054 s	Scenarios		Steps	
/ 6:45:07.842 PM // 7:19:06.896 PM /		Total - 1		Total - 20	
		Pass - 0		Pass - 13	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	





(S)- Create a GRN

<div>FAILED</div> <div>DURATION - 33 m 59.044 s</div>			<div>Steps</div> <div>Total - 20</div> <div>Pass - 13</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 6:45:07.852 PM // 7:19:06.896 PM /				
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_001_004				

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	13.398 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot		
			
2	Then Click on Finance	PASSED	0.004 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.369 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Direction	PASSED	0.427 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
			
4	Then Click on Accounts Payable	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.573 s
	screenshot		
			
5	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		
			
6	Then Click on Add button	PASSED	0.388 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Fill the form for GRN	PASSED	1.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot 		
8	Then Click on save button	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot 		
9	Then Select PO Number	PASSED	3.502 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot 		
10	Then Add qty received qty approved	PASSED	1.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then Click on GRN item save button	PASSED	0.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot 		
12	Then Click on Notification button	PASSED	0.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.444 s
	screenshot 		
13	And Select record which we saved	PASSED	0.450 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot 		
14	And Submit the record	FAILED	33 m 20.857 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [98ca56a4bfb8f86e3591b1f00ea3c8eb, findElement {using=xpath, value=//span[contains(text(),'Submit')]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45</p>		

#	Step / Hook Details	Status	Duration
	<p>(76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:61538}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61538/devtools, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 98ca56a4bfb8f86e3591b1f00ea3c8eb</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source)</p> <p>at java.base/java.lang.String.valueOf(String.java:4215)</p> <p>at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673)</p> <p>at java.base/java.lang.String.valueOf(String.java:4215)</p> <p>at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)</p> <p>at helper.WaitHelper.waitForElement(WaitHelper.java:79)</p> <p>at stepdefinitions.InventoryManagement.submit_the_record(InventoryManagement.java:187)</p> <p>at ?.Submit the record(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/InventoryManagement.feature:49)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [98ca56a4bfb8f86e3591b1f00ea3c8eb, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:61538}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61538/devtools, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,</p>	FAILED	0.032 s


#	Step / Hook Details	Status	Duration
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 98ca56a4bfb8f86e3591b1f00ea3c8eb at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
15	Then Open Reviewer account	SKIPPED	0.000 s
16	And Click on notification	SKIPPED	0.001 s
17	Then Approve the record which we submitted from maker stage	SKIPPED	0.000 s
18	Then Go to Checker account	SKIPPED	0.000 s
19	And Clam the record	SKIPPED	0.001 s
20	Then Click on notification and approve the record	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	4.087 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [98ca56a4bfb8f86e3591b1f00ea3c8eb, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61538}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61538/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 98ca56a4bfb8f86e3591b1f00ea3c8eb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
	AZENTMAIN - Azentio N	GRN-VENDOR-22-73-	Shisankar Sivanand Lah	07-Feb-2022	ACTIVE	admin	07-Feb-2022
	AZENTMAIN - Azentio N	GRN-VENDOR-22-72-	Shisankar Sivanand Lah	21-Jan-2022	ACTIVE	admin	21-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-71-21	DELUXE 001	21-Jan-2022	ACTIVE	admin	21-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-70-20	DELUXE 001	20-Jan-2022	ACTIVE	admin	20-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-69-18	DELUXE 001	18-Jan-2022	ACTIVE	admin	18-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-68-17	DELUXE 001	17-Jan-2022	ACTIVE	admin	17-Jan-2022
	BR0003 - East Zone	GRN-Dealer-18-67-121	Indian Oil Corporation	12-Jan-2022	ACTIVE	admin	12-Jan-2022
	AZENTMAIN - Azentio N	GRN-null-66-712022	Flutura Manufacturing C	07-Jan-2022	ACTIVE	admin	07-Jan-2022

73 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

22 Appro... 11 Messa...

GRN

* BP Name Shisankar Sivanand Lahari x GRN Number * Invoice Number 1243

* GRN Date 07-Feb-2022 GRN Amount INR x * Delivery Location East Zone x

Upload Delivery challan Choose File No file chosen DOWNLOAD

GRN Status Active TXT Status

Remark

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

22 Appro... 11 Messa...

GRN

* BP Name Shisankar Sivanand Lahari x GRN Number * Invoice Number 1243

* GRN Date 07-Feb-2022 GRN Amount INR x * Delivery Location East Zone x

Upload Delivery challan Choose File No file chosen DOWNLOAD

GRN Status Active TXT Status

Remark

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable

Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
Payment settlement
Payment settlement cancellation

22 Appro... 11 Messa...

GRN Item Details

ViewSummary Submit Cancel

* Po Number
Azentio_Soft-VENDOR-22-PO-4

Remove Item	Sr	Expense Code	HSN Code/SAC Code	PO Qty	Pending Qty	Qty Received	Qty Approved	Unit	Rate per Unit	Approved Amount
	1	SB - Savings Bank Chc	7138	100	100	<input type="text"/>	<input type="text"/>	Number	100	
1 total										

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable

Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
Payment settlement
Payment settlement cancellation

22 Appro... 11 Messa...

GRN Item Details

ViewSummary Submit Cancel

* Po Number
Azentio_Soft-VENDOR-22-PO-4

Remove Item	Sr	Expense Code	HSN Code/SAC Code	PO Qty	Pending Qty	Qty Received	Qty Approved	Unit	Rate per Unit	Approved Amount
	1	SB - Savings Bank Chc	7138	100	100	<input type="text"/>	<input type="text"/>	Number	100	
1 total										

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN Item Details

ViewSummary Submit Cancel

* Po Number
Azentio_Soft-VENDOR-22-PO-4

Remove Item	Sr	Expense Code	HSN Code/SAC Code	PO Qty	Pending Qty	Qty Received	Qty Approved	Unit	Rate per Unit	Approved Amount
	1	SB - Savings Bank Chk	7138	100	100	1	1	Number	100	100

1 total

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inbox

Actions

No data to display

0 total

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable

Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
Payment settlement
Payment settlement cancellation

22 Appro... 11 Messa...

Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	237	GRN_EVENT	MAKER	MAKER	1002435
✓	236	GRN_EVENT	MAKER	MAKER	1002435
✓	234	GRN_EVENT	MAKER	MAKER	1002435
✓	233	GRN_EVENT	MAKER	MAKER	1002435
✓	232	GRN_EVENT	MAKER	MAKER	1002435

518 total

1 2 3 4 5