

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Testing the AR/AP Module-Cancellation of Contract	1	1	0	0	25.901 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the AR/AP Module-Cancellation	verify accounting entries post bill is cancelled	16	16	0	0	25.897 s
	of Contract						

DETAILED SECTION -- 4 --

(F)- Testing the AR/AP Module-Cancellation of Contract

PASSED	DURATION - 25.901 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 5:23:26.295 PM	1 // 5:23:52.196 PM /	Pass - 1	1	Pass - 16	16
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- verify accounting entries post bill is cancelled



#	Step / Hook Details	Status	Duration
1	Given user navigate to azentio url and login as maker	PASSED	13.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		
2	When click the account payable main module	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		


#	Step / Hook Details	Status	Duration
	## O CONTINUES 1		
3	And click the eye icon of invoice bill booking	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot		
	The state of the s		
4	And click the search icon in list view	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	Screenshot ** ********************************		
5	And search invoice type as expense	PASSED	0.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
	Was and specific controlled an		
6	And search invoice status as cancelled	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		

7 And click the first eye icon in the list view of cancelled invoice bill AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 8 And get the invoice number from the bill viewed AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.404 s 4 And click the notes option in top AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.315 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.189 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 And get the invoice number from the bill viewed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And click the notes option in top AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.116 s 0.116 s				
8 And get the invoice number from the bill viewed AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And click the notes option in top AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And click the notes option in top AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s 0.404 s	7		PASSED	0.000 s
8 And get the invoice number from the bill viewed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.109 s O.404 s O.404 s O.404 s O.405 Screenshot O.405 Screenshot O.406 Screenshot O.407 Screenshot O.408 Screenshot O.408 Screenshot O.408 Screenshot O.408 Screenshot O.409 Screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
8 And get the invoice number from the bill viewed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And click the notes option in top AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And reflections.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And click the notes option in top AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.404 s 0.404 s		Comparison Com		
9 And click the notes option in top AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.315 s PASSED 0.189 s	8	And get the invoice number from the bill viewed	PASSED	0.109 s
9 And click the notes option in top AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.315 s 0.189 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.404 s
9 And click the notes option in top AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.315 s 0.189 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.189 s		1		
screenshot	9	And click the notes option in top	PASSED	0.315 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
* ** ** ** ** ** ** ** ** ** ** ** ** *		screenshot		
10 And click the enquiry module PASSED 0.099 s	10	And click the enquiry module	PASSED	0.099 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.147 s			PASSED	0.147 s
screenshot		screenshot		


And select the transaction from date AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinition	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 12 And select the branch code as azentio main branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 And select the transaction from date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 After_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED 0.171 s 0.17		7		
Screenshot Scr	11	And click the financial transaction edit icon	PASSED	0.158 s
Add select the branch code as azentio main branch screenshot And select the transaction from date ACTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Sc		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
12 And select the branch code as azentio main branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And select the transaction from date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And select the transaction form date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And select the transaction from date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And select the transaction from date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARSSED ARSS		O mark Section O mark O mark Section O mark O mark Section O mark Section O mark Section O mark O mar		
screenshot And select the transaction from date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And select the transaction to date And select the transaction to date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And select the transaction to date And select the transaction to date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.119 s	12	And select the branch code as azentio main branch	PASSED	0.171 s
And select the transaction from date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And select the transaction to date And select the transaction to date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And select the transaction to date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.487 s 0.173 s 2.487 s PASSED 0.173 s 2.464 s PASSED 0.119 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
And select the transaction from date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And select the transaction to date Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.119 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And select the transaction to date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.464 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.119 s		The state of the s		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And select the transaction to date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.464 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.119 s	12	And colors the transaction from date	DASSED	2 497 6
Screenshot 14 And select the transaction to date AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.119 s	13			
And select the transaction to date AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.119 s			1.7.0025	0.2100
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.119 s		A STORMAN CONTRACT TO		
	14	And select the transaction to date	PASSED	2.464 s
screenshot				0.119 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
15	And click the view option	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
16	Then verify that the invoice number get from bill matches with voucher id in report	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
	To the contraction of the contra		

EXPANDED SECTION --- 9 --




EXPANDED SECTION --- 10 --




EXPANDED SECTION


-- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

