


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	0	1	0	83 m 58.639 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	To verify system send notification to maker user once	30	14	1	15	83 m 58.632 s
	feature module	checker user approves/rejects the budget creation record					

DETAILED SECTION -- 4 --

## (F)- Check Budget Request and Allocation feature module

FAILED	DURATION - 83 m 58.639 s	Scenarios		Steps	
		Total - 1		Total - 30	
/ 5:49:47.113 p	om // 7:13:45.752 pm /	Pass - 0	1	Pass - 14	30
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

## (S)- To verify system send notification to maker user once checker user approves/rejects the budget creation record

FAILED DURATION - 83 m 58.632 s	5,000	1		-									-	1			Steps		
/ 5:49:47.120 pm // 7:13:45.752 pm /	4,000	1	- +	-	- + -	-	- + -	-	+		+		+ -	-1	+ -		Total - 30		
Check Budget Request and Allocation feature module	2,000	11 :	+	-	- + -		- + -						+ -	-!	 		Pass - 14 Fail - 1	30	
@KUBS_Checker_Send_Notification_to_Maker_B-P_BC_05_09	0	1	2	3	4	5	6	7	8 9	9 .	10 1	11	12	13	14	15	Skip - <b>15</b>		

#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Maker Url	PASSED	15.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
	The Contraction of the Contracti		
2	Then Click Transfer Icon	PASSED	0.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.399 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Then Click on Budget Sub module Near Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then Click on Budget Sub module Near Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.246 s		Total   Tota		
screenshot  4 Then Click on Budget Sub module Near Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Control of the Choose New Budget Code  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.288 S  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.288 S  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.288 S	3	And Click on Budget Module	PASSED	0.116 s
4 Then Click on Budget Sub module Near Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  5 And Click on Add icon in Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  6 Then Choose New Budget Code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.Ho		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
Then Click on Budget Sub module Near Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.253 s  0.253 s  0.253 s  0.267 s  0.267 s  0.267 s  0.267 s  0.267 s  0.268 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then Choose New Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.253 s  0.253 s  0.253 s  PASSED  0.413 s  PASSED  0.267 s				
screenshot  5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Choose New Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.528 s  PASSED  0.236 s	4	Then Click on Budget Sub module Near Eye Icon	PASSED	0.351 s
5 And Click on Add icon in Request and Allocation PASSED 0.413 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Choose New Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.528 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.528 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then Choose New Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.267 s  PASSED  0.268 s  PASSED  0.236 s		## Of Table - State   1940	_	
Screenshot  6 Then Choose New Budget Code  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.528 s  0.236 s	5	And Click on Add icon in Request and Allocation	PASSED	0.413 s
6 Then Choose New Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.236 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
6 Then Choose New Budget Code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.528 s  0.236 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s		© Month States		
	6	Then Choose New Budget Code	PASSED	0.528 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
Succession		screenshot		

#	Step / Hook Details	Status	Duration
	POST SQUARE MARKET MARK		
7	And Select Current Budget Year	PASSED	0.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
	## OF THE PROPERTY OF THE PROP		
8	Then Click on Branch	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
	PRODUCTION OF THE PRODUCTION O		
9	And Onclick one Branch in branch field	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
	The state of the		
10	Then Click on Branch ok button	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
		•	•

#	Step / Hook Details	Status	Duration
	## \$\tilde{\text{Pick (Market Market)}} \tilde{\text{Pick (Market Market)}} \text{Pick (Market		
11	Then Choose we Need currency	PASSED	0.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
	■ Q and contact the part of t		
12	And Enter Amount On Budget Show in Budget type	PASSED	5.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	Screenshot	_	
10		D. 10055	0.115
13	And click on save button	PASSED	2.115 s
	AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.125 s
14	Then Click on Maker Notification button	PASSED	0.882 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		


#	Step / Hook Details	Status	Duration
	## OF TAXABLE STATES OF TAXABL		
15	And Click on Record submit	FAILED	83 m 21.842 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=99.0.4844.51) Build info: version: 14.0.0-r-11, revision: 'bc5511cbda' System info: host: 'InMUVADP014547', ip: 10.1.47.111/, os.name: Windows 10; os.acrib: 'and64', os.version: '10.0', java.version: '10.0', java.'0', java.version: '10.0', java.'0', java.version: '10.0', java.'0', java.version: '10.0', java.vers		

#	Step / Hook Details	Status	Duration
	at ?.Click on Record submit(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/BUDGET_BudgetRequestandAllocation.feature:241)  * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [8fb1fc3c71ec3cfa3641541a77ae8564, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDatabir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:59363}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59363/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true; strictFileInteractability: false, timeoutis: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8fb1fc3c71ec3cfa3641541a77ae8564 at jdk.internal.reflect.GeneratedConstructorAccessorImpl.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:144) at org.openqa.selenium.remote.Betwice.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.Betwice.DriverCommandExecutor.execute(PriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.		
	at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
16	Given Navigate the Azentio Url login as Reviewer	SKIPPED	0.001 s
17	Then Click on Notification icon	SKIPPED	0.000 s
18	And OnClick Reviewer Action button icon	SKIPPED	0.001 s
19	Then OnClick Approve button in Reviewer stage	SKIPPED	0.000 s
20	And Submit reviewer Record	SKIPPED	0.000 s
21	Given Navigate the Azentio Url login as checker	SKIPPED	0.000 s
22	Then click on security management	SKIPPED	0.000 s
23	And Click on sub module open pool near Edit icon	SKIPPED	0.000 s
24	Then OnClick to the claim option button	SKIPPED	0.000 s
25	And OnClick on the checker notification icon in checker	SKIPPED	0.000 s
26	Then Onclick to checker action icon button	SKIPPED	0.001 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
27	And Once Checker Approve the Record	SKIPPED	0.000 s
28	Then then Submit the Approve Record in checker	SKIPPED	0.000 s
29	And Navigate the Azentio Maker Url	SKIPPED	0.000 s
30	Then Onclick Maker Notification	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	4.091 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [8h1fc3c71ec3cfa3641541a77ae8564, close {}] Capabilities (accepthsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: (chromedfiverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:59363}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), secicly: ws:/flocalhost:59363/devtoo, sec.cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8fb1fc3c71ec3cfa3641541a77ae8564 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native MotativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(PolegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.rem		


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION --- 16 --



EXPANDED SECTION -- 17 --

