# Cucumber Report

| Start : Mar 23, 5:43:33.376 pm | End : Mar 23, 5:44:19.652 pm | Duration : 46.276 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 20<br>FAILED - 0<br>SKIPPED - 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Check Budget Request and Allocation feature module | 1 | 1 | 0 | 0 | 46.276 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Check Budget Request and Allocation feature module | System should follow the flow as Record Rejecting in Reviewer | 20 | 20 | 0 | 0 | 46.270 s |

## (F)- Check Budget Request and Allocation feature module

| PASSED | DURATION - 46.276 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 20 | |
| / 5:43:33.376 pm // 5:44:19.652 pm / | | Pass - 1 | 1 | Pass - 20 | 20 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

## (S)- System should follow the flow as Record Rejecting in Reviewer

| PASSED | DURATION - 46.270 s | | Steps | |
|---|---|---|---|---|
| / 5:43:33.382 pm // 5:44:19.652 pm / | | | Total - 20 | |
| Check Budget Request and Allocation feature module | | | Pass - 20 | 20 |
| | | | Fail - 0 | |
| @KUBS_Reviewer_Rejecting_BP_BC_05_04 | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate the Azentio Maker Url | PASSED | 14.348 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.122 s |
| | screenshot | | |
| | | | |
| 2 | Then Click Transfer Icon | PASSED | 0.339 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.314 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And Click on Budget Module | PASSED | 0.099 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.146 s |
| | screenshot | | |
| |  | | |
| 4 | Then Click on Budget Sub module Near Eye Icon | PASSED | 0.381 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.266 s |
| | screenshot | | |
| |  | | |
| 5 | And Click on Add icon in Request and Allocation | PASSED | 0.248 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.276 s |
| | screenshot | | |
| |  | | |
| 6 | Then Select New Budget Code | PASSED | 0.386 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.166 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | And Select Current Budget Year | PASSED | 0.345 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.273 s |
| | screenshot | | |
| |  | | |
| 8 | Then Click on Branch | PASSED | 0.100 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.253 s |
| | screenshot | | |
| |  | | |
| 9 | And Select on one Branch | PASSED | 0.110 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.160 s |
| | screenshot | | |
| |  | | |
| 10 | Then Click on Branch ok button | PASSED | 0.107 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.232 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 11 | Then Select currency we need | PASSED | 0.221 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.167 s |
| | screenshot | | |
| |  | | |
| 12 | And Enter Amount which Budget Type Show in Budget type field | PASSED | 4.853 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.110 s |
| | screenshot | | |
| |  | | |
| 13 | And click on save button | PASSED | 2.117 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.159 s |
| | screenshot | | |
| |  | | |
| 14 | Then Click on Maker Notification button | PASSED | 0.836 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.251 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 15 | And Click on Record submit | PASSED | 3.028 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.188 s |
| | screenshot | | |
| |  | | |
| 16 | Given Navigate the Azentio Url login as Reviewer | PASSED | 8.192 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.162 s |
| | screenshot | | |
| |  | | |
| 17 | Then Click on Notification icon | PASSED | 0.185 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.409 s |
| | screenshot | | |
| |  | | |
| 18 | And Click Reviewer Action button | PASSED | 0.319 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.494 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 19 | Then Click on Reject button in Reviewer | PASSED | 0.154 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.174 s |
| | screenshot<br> | | |
| 20 | And Submit the reviewer Rejecting Record | PASSED | 1.565 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.206 s |
| | screenshot<br> | | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
|---|---|
| (S) System should follow the flow as Record Rejecting in Reviewer | |
| (F) Check Budget Request and Allocation feature module | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
|---|---|
| (S) System should follow the flow as Record Rejecting in Reviewer | |
| (F) Check Budget Request and Allocation feature module | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should follow the flow as
Record Rejecting in Reviewer

(F) Check Budget Request and Allocation
feature module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should follow the flow as
Record Rejecting in Reviewer

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) System should follow the flow as
Record Rejecting in Reviewer

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) System should follow the flow as
Record Rejecting in Reviewer

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should follow the flow as
Record Rejecting in Reviewer

(F) Check Budget Request and Allocation
feature module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should follow the flow as
Record Rejecting in Reviewer

(F) Check Budget Request and Allocation
feature module

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) System should follow the flow as Record Rejecting in Reviewer | |
| (F) Check Budget Request and Allocation feature module | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) System should follow the flow as Record Rejecting in Reviewer | |
| (F) Check Budget Request and Allocation feature module | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should follow the flow as
Record Rejecting in Reviewer

(F) Check Budget Request and Allocation
feature module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should follow the flow as
Record Rejecting in Reviewer

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should follow the flow as
Record Rejecting in Reviewer

(F) Check Budget Request and Allocation
feature module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should follow the flow as
Record Rejecting in Reviewer

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) System should follow the flow as Record Rejecting in Reviewer

(F) Check Budget Request and Allocation feature module

---

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) System should follow the flow as Record Rejecting in Reviewer

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should follow the flow as
Record Rejecting in Reviewer

(F) Check Budget Request and Allocation
feature module

| Kastle Universal Banking (Beta) | | | 31-Oct-2022 | English | Azentio Software | (BR0004) | VISHWA |

Configuration

← Inbox

| Actions | Reference Id | Event Code | Stage Code | Role Code | Employee Name |
|---|---|---|---|---|---|
| ✎ | 488 | BUDGET_CREATION | REVIEWER | REVIEWER | in00027 |
| ✎ | 496 | CONTRACTCREATION_EVT | REVIEWER | REVIEWER | in00027 |
| ✎ | 465 | BUDGET_SUPPLIMENT | REVIEWER | REVIEWER | in00027 |
| ✎ | 95 | ACCOUNTING_SCHEME_HD | REVIEWER | REVIEWER | in00027 |
| ✎ | 92 | ACCOUNTING_SCHEME_HD | REVIEWER | REVIEWER | in00027 |

183 total    |◁ ◁ 1 2 3 4 5 ▷ ▷|

- Entity maintenance
- Security management
- User management
- Job scheduler
- Reference data
- Tax configuration

22 Appro...   11 Messa...

---

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should follow the flow as
Record Rejecting in Reviewer

(F) Check Budget Request and Allocation
feature module

| Kastle Universal Banking (Beta) | | | 31-Oct-2022 | English | Azentio Software | (BR0004) | VISHWA |

Configuration

← Budget Req and Allocation      ViewSummary    Approve    Return    ✕ Reject

* Budget Code          * Budget Type          * Budget Year
BUD_0123 - BYK         MONTHLY                2022-2023

                       1,20,00,000.00  INR  × ▼

P A R

A [
p
r
i
l

M [
a
y

J [
u
n
e

- Entity maintenance
- Security management
- User management
- Job scheduler
- Reference data
- Tax configuration

22 Appro...   11 Messa...

Home        Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should follow the flow as Record Rejecting in Reviewer

(F) Check Budget Request and Allocation feature module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should follow the flow as Record Rejecting in Reviewer

(F) Check Budget Request and Allocation feature module