Cucumber Report

| Start : Mar 11, 5:51:33.781 pm	End : Mar 11, 5:52:00.477 pm	Duration : 26.696 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 16 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 17

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 94 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	26.696 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Verify Accounting entries post GRN is cancelled	17	16	1	0	26.689 s

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 26.696 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 5:51:33.781 pm // 5:52:00.477 pm /		Pass - 0	1	Pass - 16	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Verify Accounting entries post GRN is cancelled

| FAILED	DURATION - 26.689 s		Steps	
/ 5:51:33.788 pm // 5:52:00.477 pm /			Total - 17	
Check the Functionality of AR/AP Module			Pass - 16	17
@KUBS_AR_AP_UAT_003_003_TC_02			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	11.423 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click On Main module Accounts payable	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
4	Then Click On GRN Eye Icon	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot		
5	And Click On Search Icon	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
6	Then Enter the GRN status cancel	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And Get the Branchcode and Ref No	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
8	Then Third Segment report Icon	PASSED	0.337 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
9	And Choose Enquiry Module	PASSED	0.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
10	Then Click Note iCon near by financial transction	PASSED	0.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And choose branch code	PASSED	0.313 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
12	And click on transaction from date in calender	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
13	Then Select from date in calender	PASSED	0.401 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
14	And click on transaction to date in calender icon	PASSED	0.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then Select To date in calender	PASSED	0.790 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
16	And Click View HyperLink	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
17	Then Verify Accounting entries post GRN is cancelled	FAILED	1.092 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7ef32b0b78c94154da13f83559664d64, clickElement {id=50e1a91a-7cf8-4f12-9d38-4e0bbd2ee032}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51251}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51251/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (7ef32b0b78c94154da13f83559664d64)] -> xpath: (//i[@class='datatable-icon-right'])[2]] Session ID: 7ef32b0b78c94154da13f83559664d64
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable. verify_accounting_entries_post_grn_is_cancelled(ARAP_AccountsReceivable_AccountsPayable.java:681) at ?.Verify Accounting entries post GRN is cancelled(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_AccountsReceivable_AccountsPayable.feature:162) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.290 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

☰	🌐 Kastle Universal Banking (Beta)	26-Oct-2022 English ▾	Azentio Software ▾ (AZENTMAIN) 🔔 ▣	👤 ANANT

Finance ▾

🔧   ⬌   ▭

Welcome, anant

⊙ Business partner setup
⊙ General ledger configuration
⊙ Accounting setup
⊙ Expense/AR & AP configurati...
⊙ Budget configuration
⊙ Fixed assets configuration
⊙ Inventory maintenance
⊙ Bank recon
⊙ Petty cash configuration

22 Appro... ✕   11 Messa... ✕

▦ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

☰	🌐 Kastle Universal Banking (Beta)	26-Oct-2022 English ▾	Azentio Software ▾ (AZENTMAIN) 🔔 ▣	👤 ANANT

Finance ▾

🔧   ⬌   ▭

Welcome, anant

⊙ General ledger transaction
⊙ Budget
⊙ Accounts payable
⊙ Adjustments (AR and AP)
⊙ Accounts receivable
⊙ Fixed assets
⊙ Inventory management
⊙ Petty cash
⊙ Bank recon

22 Appro... ✕   11 Messa... ✕

▦ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounting entries post GRN is cancelled	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounting entries post GRN is cancelled	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is
cancelled

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is
cancelled

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module