


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	1	0	0	1 m 51.623 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Purchase Requisition Confirmation	21	21	0	0	1 m 51.617 s

DETAILED SECTION -- 4 --

## **(F)- Check the Functionality of Inventory**

PASSED	DURATION - 1 m 51.623 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 3:43:52.038 AM	1 // 3:45:43.661 AM /	Pass - 1	1	Pass - 21	21
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## **(S)- Purchase Requisition Confirmation**



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	25.725 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.931 s
	screenshot		
	We do not have a second of the first and the second of the		
2	And user should navigate to inventory management	PASSED	1.637 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)   AFSSED   7.556 s. AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)   AFSSED   AFSS	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And click on add button of purchase requisition confirmation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.556 s PASSED  0.223 s		Total   Tota		
screenshot  And click on add button of purchase requisition confirmation AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  7.556 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.223 s	3	·	PASSED	0.631 s
And click on add button of purchase requisition confirmation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.669 s
And click on add button of purchase requisition confirmation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.556 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.556 s  PASSED  0.223 s		© 100 more and 10		
screenshot  After Save and submit the purchase req confirmation  After Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  After Save and submit the purchase req confirmation  After Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  After Save and submit the purchase req confirmation  After Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.556 s  PASSED  0.223 s	4	And click on add button of purchase requisition confirmation	PASSED	0.949 s
And Fill the required fields to purchase req  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Save and submit the purchase req confirmation  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.556 s  PASSED  0.223 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.396 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then Save and submit the purchase req confirmation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.556 s  PASSED  0.167 s		10   10   10   10   10   10   10   10		
Screenshot  6 Then Save and submit the purchase req confirmation  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.556 s  0.223 s	5	And Fill the required fields to purchase req	PASSED	0.560 s
6 Then Save and submit the purchase req confirmation  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 7.556 s  0.223 s		screenshot	PASSED	0.167 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.223 s				
	6	Then Save and submit the purchase req confirmation	PASSED	7.556 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
		screenshot		


#	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	PASSED	13.919 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
	The Original State of the Control of		
8	Then Click on notification button in reviewer	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.492 s
	screenshot  * * * * * * * * * * * * * * * * * * *		
9	And approve the record by reviewer user	PASSED	3.948 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.193 s
10	Given User should go to the kubs url and login as a checker user	PASSED	7.565 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot	1	
		-	


#	Step / Hook Details	Status	Duration
	E Q CONTROLLEGORISMOST  TO STOT Upget: Annia Annie Q B Q COUNT  TO STOT Upget: Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Annie Annie Q B Q COUNT  TO STOT Upget: Annie Annie Annie Annie Q B Q COUNT  TO STOT Upget: Annie Ann		
	Section 2.		
11	And Click on security management in checker	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		
	© National Super - Analysis - Control Super - An		
	① horseper		
12	Then Click on open pool in checker	PASSED	0.174 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
	10 min		
	Num 8 Num 9		
13	And Click on claim button in checker	PASSED	0.076 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
	IN O TO THE CONTRACT OF THE CO	7	
	\$\tilde{\begin{array}{c c c c c c c c c c c c c c c c c c c		
14	And capture claimed status	PASSED	0.295 s
1	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot	7	

#	Step / Hook Details	Status	Duration
	10   10   10   10   10   10   10   10		
15	Then click on notification in checker	PASSED	0.246 s
13	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.452 s
	screenshot	TASSEB	0.432 3
	To the Contract Contr		
16	Then checker should approved the contract record	PASSED	5.237 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
	100 1 100 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
17	Given User should go to the kubs url and login as a maker user	PASSED	8.662 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		
	*** *** ******************************		
18	And user should navigate to inventory management	PASSED	15.878 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		


#	Step / Hook Details	Status	Duration
	■		
19	When click on eye button of purchase requisition confirmation	PASSED	0.370 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.235 s
20	Then click on first eye button to get the indent reference number	PASSED	2.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		
	S		
21	And maker should logout	PASSED	0.399 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		

EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --






EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

