

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	1	0	0	22.168 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget	User should be able to raise supplementary request for	6	6	0	0	22.165 s
	functionality	Monthly budget					

DETAILED SECTION -- 4 --

(F)- Checking the Supplementary Budget functionality

PASSED	DURATION - 22.168 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 12:18:22.499 A	M // 12:18:44.667 AM /	Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- User should be able to raise supplementary request for Monthly budget


PASSED DURATIO	N - 22.165 s	10 -	1			-	-			-	Steps		
/ 12:18:22.502 AM // 12:	18:ΛΛ 667 ΔM /	8 -	1			 - +	 				 Total - 6		
		4 -				 	 				 Pass - 6	- F	, "
Checking the Supplementa	ary Budget functionality	2 -	╢.			 	 				 Fail - 0		
@SupplementaryBudget_	BP_SB_08_02	0 -				 +	 <u> </u>				 Skip - 0		
				1	1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	9.818 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
	Prince Space Control Space Con		
2	And maker should navigate to the budget module	PASSED	0.296 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		


#	Step / Hook Details	Status	Duration
	Prince Super Control Super Con		
3	And maker click on budget field	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot		
4	When maker click on budget supplementary eye icon	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.126 s
5	And click on add button on budget supplementary view page	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Tex_stepdefinitions.HooksClass.addScreenshot(io.cu	PASSED	0.145 s
6	Then fill required data	PASSED	8.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot	1	

#	Step / Hook Details	Status	Duration
	Description Description		

EXPANDED SECTION -- 7



EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --

