Cucumber Report

Start : Nov 18, 3:11:10.528 pm	End : Nov 18, 3:11:39.653 pm	Duration : 29.125 s
Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 5
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 1

1

1

7

40 50 60
30 Pass % 70
20 80
10 90
0 % 0 100

40 50 60
30 Pass % 70
20 80
10 90
0 % 0 100

40 50 60
30 Pass % 70
20 80
10 90
71 % 0 100

#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	29.125 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type Purchases	7	5	1	1	29.119 s

(F)- AR/AP Module

FAILED	DURATION - 29.125 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 3:11:10.528 pm // 3:11:39.653 pm /		Pass - 0	1	Pass - 5	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Create a contract for an active vendor with expense type Purchases

FAILED	DURATION - 29.119 s		Steps	
/ 3:11:10.534 pm // 3:11:39.653 pm /			Total - 7	
AR/AP Module			Pass - 5	7
@AR/AP			Fail - 1	
@KUBS_AR/AP_UAT_001_001_TC_001_01			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	13.714 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
	+		
2	And user should navigate to accounts payable menu	PASSED	2.495 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
	+		
3	When click on eye button of vendor contract	PASSED	0.188 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.518 s
	screenshot		
4	And click on add button to create contract	PASSED	1.519 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
	screenshot		
5	And Updating Testdata Id for Vendor contract	PASSED	0.038 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
6	And Fill the required fields to create contract	FAILED	4.967 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	   at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)
	   at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.
	fill_the_required_fields_to_create_contract(ACCOUNTSPAYABLE_VendorContracts.java:182)
	   at ?.Fill the required fields to create contract(file:///C:/Users/inindc00072/git/AzentioAutomationFramework_KUBS/
	AzentioAutomationFramework/src/test/java/features/ArAp1_Excel.feature:10)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s

#	Step / Hook Details	Status	Duration
	screenshot 		
7	Then Save and submit the creation contract record	SKIPPED	0.000 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) Create a contract for an active vendor with expense type Purchases | |
| (F) AR/AP Module | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a contract for an active vendor with expense type Purchases	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Create a contract for an active vendor with expense type Purchases	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Create a contract for an active vendor with expense type Purchases	
(F) AR/AP Module	