Cucumber Report

Start : Mar 10, 4:27:03.325 pm	*End : Mar 10, 4:27:39.356 pm*	*Duration : 36.031 s*
Features	Scenarios	Steps

Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 7
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 9

1

1

17

40 50 60
30 Pass % 70
20 80
10 90
0 % 100
0

40 50 60
30 Pass % 70
20 80
10 90
0 % 100
0

40 50 60
30 Pass % 70
20 80
10 90
41 % 100
0

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	36.031 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Verify accounting entries post receipt cancellation	17	7	1	9	36.024 s

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 36.031 s		Scenarios		Steps	
			Total - 1		Total - 17	
/ 4:27:03.325 pm // 4:27:39.356 pm /			Pass - 0	1	Pass - 7	17
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 9	

(S)- Verify accounting entries post receipt cancellation

FAILED	DURATION - 36.024 s		Steps	
/ 4:27:03.332 pm // 4:27:39.356 pm /			Total - 17	
Check the Functionality of AR/AP Module			Pass - 7	17
			Fail - 1	
@KUBS_AR_AP_UAT_011_001_TC_03			Skip - 9	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.731 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And Click On Main module Accounts Receivable	PASSED	0.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
4	Then Click on the Receipt Reverels Eye Icon	PASSED	0.344 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
5	And Click On Search Icon	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
6	Then Enter Receipt Reversals type as Wire	PASSED	0.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Table Row First Eye Icon	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
8	Then Third Segment report Icon	FAILED	17.085 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-segment-button value="rpt" layout="icon-top" ng-reflect-value="rpt" ng-reflect-layout="icon-top" class="md in-segment in-segment-color segment-button-has-icon segment-button-has-icon-only segment-button-layout-icon-top ion-activatable ion-activatable-instant ion-focusable hydrated segment-button-after-checked">...</ion-segment-button> is not clickable at point (224, 51). Other element would receive the click: <ion-toolbar _ngcontent-vjp-c276="" color="light" ng-reflect-color="light" class="in-toolbar md toolbar-title-default ion-color ion-color-light hydrated toolbar-label toolbar-interactive toolbar-select toolbar-has-value toolbar-interactive-disabled toolbar-select-disabled">...</ion-toolbar> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1d1864d6fdb95a8737630515e7df49fe, clickElement {id=3d2c1179-a02f-4f30-88f0-7d8ce1576835}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56920}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56920/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (1d1864d6fdb95a8737630515e7df49fe)] -> xpath: //ion-segment-button[@ng-reflect-value='rpt']] Session ID: 1d1864d6fdb95a8737630515e7df49fe
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
		FAILED	17.085 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable.third_segment_report_icon(ARAP_AccountsReceivable_AccountsPayable.java:494) at ?.Third Segment report Icon(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_AccountsReceivable_AccountsPayable.feature:766) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.122 s
9	And Choose Enquiry Module	SKIPPED	0.000 s
10	Then Click Note iCon near by financial transction	SKIPPED	0.000 s
11	And choose branch code	SKIPPED	0.000 s
12	And click on transaction from date in calender	SKIPPED	0.000 s
13	Then Select from date in calender	SKIPPED	0.000 s
14	And click on transaction to date in calender icon	SKIPPED	0.001 s
15	Then Select To date in calender	SKIPPED	0.000 s
16	And Click View HyperLink	SKIPPED	0.000 s
17	Then Verify Accounting entries post receipt recording	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify accounting entries post receipt cancellation	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify accounting entries post receipt cancellation	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt cancellation

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt cancellation

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt cancellation

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt cancellation

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt cancellation

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt cancellation

(F) Check the Functionality of AR/AP Module