Cucumber Report

| Start : Jan 12, 5:53:02.906 PM	End : Jan 12, 5:53:39.221 PM	Duration : 36.315 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 24 FAILED - 0 SKIPPED - 0

1

1

24

Pass % 100 %

Pass % 100 %

Pass % 100 %

#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	36.315 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify checker can able to reject the budget code which is updated by reviewer	24	24	0	0	36.302 s

(F)- To check BudgetDefinition moduel feature

PASSED	DURATION - 36.315 s	Scenarios		Steps	
/ 5:53:02.906 PM // 5:53:39.221 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 24 Pass - 24 Fail - 0 Skip - 0	24

(S)- To verify checker can able to reject the budget code which is updated by reviewer

| PASSED	DURATION - 36.302 s		Steps	
/ 5:53:02.918 PM // 5:53:39.220 PM /			Total - 24	
To check BudgetDefinition moduel feature			Pass - 24 Fail - 0	24
@Updated_BudgetCode_Rejected_By_Reviewer			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		
	+		
2	Then click on budget configuration Menu	PASSED	0.656 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And click on budget definition sub menu and click on eye icon	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.460 s
	screenshot		
4	Then search the budget code want to update	PASSED	0.805 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
5	And select the budget code	PASSED	0.087 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
6	And update the budget code	PASSED	3.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then update the budget budget type	PASSED	0.239 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
8	Then update warning percentage	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
9	Then update budget name	PASSED	0.246 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
10	Then update remark	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And click on save after update all the details	PASSED	3.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot 		
12	Then Click on notification icon	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot 		
13	And select the first record	PASSED	0.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot 		
14	Then click on submit button	PASSED	0.699 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And enter remark in alert tab	PASSED	0.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
16	And click on submit	PASSED	0.049 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
17	When click on submit button save the reviewer id	PASSED	0.644 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
18	Given navigate to URL and login as a reviewer	PASSED	5.661 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	Then click on notification icon	PASSED	0.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		
20	When click on notification icon to check reviewer can get a record which is submited by maker	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot		
21	And click on action button	PASSED	0.065 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
22	Then verify the updated budget record is matched with maker submitted record	PASSED	0.063 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		

#	Step / Hook Details	Status	Duration
23	And reject the record in reviewer stage	PASSED	0.046 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot 		
24	Then enter remark then submit in reviewer stage	PASSED	1.617 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot 		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

| | Kastle Universal Banking | 21-Oct-2021 English | Azentio Software ▾ | (AZENT-MAIN) | ANANT |

Finance

Business partner setup
Accounting setup
General ledger configuration
Expense/AR & AP configurati...
Budget configuration
Budget definition
Fixed assets configuration
Inventory maintenance
Bank recon
Petty cash configuration

22 Appro... ✕   11 Messa... ✕

← Inbox

Actions	referenceId	eventCode	stageCode	roleCode	employeeName	eventDesc	workflowDesc
✏	407	BUDGET_REGISTER	MAKER	MAKER	1002435	Budget Defination	LIMIT
✏	381	BUDGET_CREATION	Test01	MAKER	1002435		
✏	406	BUDGET_REGISTER	MAKER	MAKER	1002435	Budget Defination	LIMIT
✏	371	BUDGET_SUPPLIMENT	MAKER	MAKER	1002435		Legal entity w
✏	370	BUDGET_SUPPLIMENT	MAKER	MAKER	1002435		Legal entity w

980 total |◀ ◀ **1** 2 3 4 5 ▶ ▶|

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

| | Kastle Universal Banking | 21-Oct-2021 English | Azentio Software ▾ | (AZENT-MAIN) | ANANT |

Finance

Business partner setup
Accounting setup
General ledger configuration
Expense/AR & AP configurati...
Budget configuration
Budget definition
Fixed assets configuration
Inventory maintenance
Bank recon
Petty cash configuration

22 Appro... ✕   11 Messa... ✕

← Budget Definition   ⓘ ViewSummary ➤ Submit ✕ Cancel

* Budget Code
BUDC4022

* Budget Type
MONTHLY   ✕ ▾

* Warning Percentage
25

* Budget Name
Office Expense

Remark
Budget Code Updated

Status
ACTIVE   ✕ ▾

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code which is updated by
reviewer

(F) To check BudgetDefinition moduel
feature

☰ 🌐 Kastle Universal Banking	21-Oct-2021 English ⌄ Azentio Software ⌄ (AZENT-MAIN) 🔔 ◧ 👤 ANANT

Record APPROVED
Successfully, and Current Stage is
REVIEWER with status PENDING
from 12345.

Finance

← Budget Definition

Business partner setup

Accounting setup

General ledger configuration

Expense/AR & AP configurati...

Budget configuration

▶ Budget definition ✏ 👁

Fixed assets configuration

Inventory maintenance

Bank recon

Petty cash configuration

* Budget Code: BUDC4022
* Budget Type: MONTHLY
* Warning Percentage: 25
* Budget Name: Office Expense
Remark: Budget Code Updated
Status: ACTIVE

22 Appro... ⊗   11 Messa... ⊗

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code which is updated by
reviewer

(F) To check BudgetDefinition moduel
feature

☰ 🌐 Kastle Universal Banking	21-Oct-2021 English ⌄ ⌄ (AZENT-MAIN) 🔔 ◧ 👤 SARVESH

No Module Mapped

Welcome, SARVESH

22 Appro... ⊗   11 Messa... ⊗

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	