
Duration: 15.089 s Start: Dec 22, 11:41:53.139 AM End: Dec 22, 11:42:08.228 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 17 17 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|----------|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 15.089 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|----|---|---|----|----------|
| 1 | AR/AP Module | Verify Advance to employee is adjusted against the selected | 17 | 0 | 0 | 17 | 15.083 s |
| | | bill and Net Adjusted Value is correctly displayed | | | | | |

DETAILED SECTION -- 4 --

(F)- AR/AP Module

| FAILED | DURATION - 15.089 s | Scenarios | | Steps | |
|-------------------|------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 17 | |
| / 11:41:53.139 AI | M // 11:42:08.228 AM / | Pass - 0 | 1 | Pass - 0 | 17 |
| | | Fail - 1 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 17 | |

(S)- Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

| FAILED DURATION - 15.083 s | 0.15 | ,][| | | | | | | | | | - | 1 | - | | | | Steps | | |
|--|------|------|------|-----|---|---|---|---|---|-----|--------|----|---------|----------|----|----|----|------------|----|--|
| / 11:41:53.145 AM // 11:42:08.228 AM / | 0.1 | + | | | | | | | | | | | - | | | | | Total - 17 | | |
| AR/AP Module | .05 | - | - - | - + | | | | | - | . ¦ | - - | | | | | | | Pass - 0 | 17 | |
| @AR/AP @KUBS_AR_AP_UAT_004_007_TC_01a | 0 | | | | | | | _ | | | | | <u></u> | <u> </u> | | | | Skip - 17 | | |
| @11020_7111_11 _0711_004_001_10_014 | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|-----------|
| | BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario) | FAILED | 15.006 s |
| | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 99 Current browser version is 108.0.5359.125 with binary path C:Program Files\Google\ChromeApplication\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.217', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities FbrowserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:156) at org.openqa.selenium.remote.BrotocolHandshake.createSession(ProtocolHandshake.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:166) | PAILED | 15.000 \$ |
| | at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:89)</init> | | |

DETAILED SECTION -- 5 --

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:99)</init> | | |
| | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:86)</init> | | |
| | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:41)</init> | | |
| | at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32) | | |
| 1 | Given User should go to the kubs url and login as a maker user | SKIPPED | 0.002 s |
| | · | | |
| 2 | Then select data set ID for advance to employee is adjusted against the selected bill | SKIPPED | 0.000 s |
| 3 | Then Choose the second Tab Segment | SKIPPED | 0.001 s |
| 4 | And Click On Main module Accounts Receivable | SKIPPED | 0.001 s |
| 5 | Then Click on Accounts Receive Advances Eye Icon | SKIPPED | 0.001 s |
| 6 | And Click Add icon button | SKIPPED | 0.001 s |
| 7 | Then Enter the Receivable Name as Advance to employee | SKIPPED | 0.000 s |
| 8 | And Enter Business partner Value For Employee | SKIPPED | 0.000 s |
| 9 | And Enter Payment mode | SKIPPED | 0.000 s |
| 10 | Then Enter Amount value | SKIPPED | 0.001 s |
| 11 | And Choose Needed Currancy | SKIPPED | 0.000 s |
| 12 | Then Choose cost center | SKIPPED | 0.000 s |
| 13 | And Enter Description value | SKIPPED | 0.001 s |
| 14 | Then Save the Advance Record | SKIPPED | 0.001 s |
| 15 | Then Goto The Notification Icon | SKIPPED | 0.000 s |
| 16 | And Store the Referance Id and Open the adjusted Record | SKIPPED | 0.000 s |
| 17 | Then Click submit button and Enter Remark submit it | SKIPPED | 0.000 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) | | |