


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT functionaliy	1	0	1	0	20.570 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT functionaliy	budget for Budgetcode type monthly	13	6	1	6	20.565 s

DETAILED SECTION -- 4 --

(F)- Check The Azentio UAT functionally

FAILED	DURATION - 20.570 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 2:07:30.286 pm	n // 2:07:50.856 pm /	Pass - 0	1	Pass - 6	13
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- budget for Budgetcode type monthly





#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	11.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
2	Then click the Two Direction Icon	PASSED	0.257 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AAd click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.181 s 0.273 s PASSED 0.238 s 0.218 s PASSED 0.209 s 0.209 s		Total Tota		
screenshot 4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.238 s 4 Tren_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.218 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.372 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.372 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.372 s	3	And click to the Budget	PASSED	0.116 s
4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) Screenshot 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) Screenshot 6 Then select the Budget Code AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.272 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then select the Budget Code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.273 s 0.288 s 0.28 s 0.288 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then select the Budget Code AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.218 s PASSED 0.209 s 0.372 s PASSED 0.372 s PASSED 0.161 s		## \$10 Part 100 Part		
screenshot 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then select the Budget Code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.372 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.161 s	4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.273 s
5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then select the Budget Code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.218 s 0.209 s 0.209 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then select the Budget Code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.218 s 0.209 s 0.209 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then select the Budget Code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.209 s PASSED 0.372 s PASSED 0.161 s		# Operation		
Screenshot 6 Then select the Budget Code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.372 s 0.161 s	5	And click on the Add icon in Request and Allocation	PASSED	0.218 s
6 Then select the Budget Code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.372 s 0.161 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
6 Then select the Budget Code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.372 s O.161 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.161 s		0 Max		
	6	Then select the Budget Code	PASSED	0.372 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
		screenshot		


#	Step / Hook Details	Status	Duration
	The state of the s		
7	And select the Budget Year	FAILED	0.101 s
	org.openqa.selenium.NoSuchElementException: Cannot locate option with text: 2022-2023 For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver. version: unknown at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:151) at helper.DropDownHelper.SelectUsingVisibleText(DropDownHelper.java:49) at stepdefinitions.Budget_BudgetRequestandAllocation_UAT.select_the_budget_year(Budget_BudgetRequestandAllocation_UAT.java:120) at ?.select the Budget Year(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ BUDGET_BudgetRequestandAllocation_UAT.feature:10) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
	# O SATION CONTROL OF THE SATION CONTROL OF		
8	Then click on the Branch	SKIPPED	0.000 s
9	And select to one Branch	SKIPPED	0.000 s
10	Then click on the Branch ok button	SKIPPED	0.000 s
11	Then select one currency we need	SKIPPED	0.000 s
12	And Enter the Amount for Monthly Budget type	SKIPPED	0.000 s
13	And click on the save button	SKIPPED	0.000 s

EXPANDED SECTION --- 7 -





EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

