

**Duration: 21.458 s** Start: Feb 16, 12:56:07.589 pm End: Feb 16, 12:56:29.047 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 11 SKIPPED - 0 SKIPPED - 0 SKIPPED - 24 36 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 30 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Asset Revaluation	1	0	1	0	21.458 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Asset	Alter the Value of an existing asset (Impared)	36	11	1	24	<i>21.453</i> s
	Revaluation						

DETAILED SECTION -- 4 --

## (F)- Check the functionality of Asset Revaluation

FAILED	DURATION - 21.458 s	Scenarios		Steps	
		Total - 1		Total - 36	
/ 12:56:07.589 pi	m // 12:56:29.047 pm /	Pass - 0	1	Pass - 11	36
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 24	

## **(S)-** Alter the Value of an existing asset (Impared)



#	Step / Hook Details	Status	Duration
1	Given Navigate the Maker Url	PASSED	12.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
	## 10 to 10		
2	Then Choose Second Segmant Icon	PASSED	0.337 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		

3 And fixed Asset Module PASSED 0.135 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Asset Impairment submodule Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed 0.466 s  PASSED 0.466 s  PASSED 0.256 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Asset Impairment submodule Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ###################################				
screenshot  4 Then Asset Impairment submodule Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +	3	And fixed Asset Module	PASSED	0.135 s
4 Then Asset Impairment submodule Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED 0.466 s  0.256 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
4 Then Asset Impairment submodule Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  +		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.256 s		* 6 *		
Screenshot  *** ********************************	4	Then Asset Impairment submodule Eye Icon	PASSED	0.466 s
Transfer age: continue service © E 0 continue service O E 0 continue		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
		# 0	-	
5 And Click Table Row first Eye Icon PASSED 0.147 s	5	And Click Table Row first Eye Icon	PASSED	0.147 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.359 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
screenshot		screenshot		
*** *** *** *** *** *** *** *** *** **				
6 Then Store the Referance No PASSED 0.095 s	6	Then Store the Referance No	PASSED	0.095 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.121 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
		screenshot		

Time   Asset Revaluation submodule Eye Icon	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And Add Icon button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Give Asset Impaired Referance Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then Give Asset Impaired Referance Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  triangle AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.228 s  PASSED  0.173 s				
screenshot  8 And Add Icon button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot  PASSED 0.252 s 0.187 s	7	·	PASSED	
And Add Icon button PASSED 0.252 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.187 s  Then Give Asset Impaired Referance Number PASSED Screenshot PASSED PASSE		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
8 And Add Icon button PASSED 0.252 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then Give Asset Impaired Referance Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED 0.187 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AND Select Asset Item Number  PASSED 0.228 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.228 s  10 And Select Asset Item Number  PASSED 0.173 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then Give Asset Impaired Referance Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And Select Asset Item Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.187 s  0.187 s  0.187 s  0.28 s  PASSED  0.228 s  PASSED  0.228 s  PASSED  0.173 s		Name		
screenshot  Then Give Asset Impaired Referance Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Select Asset Item Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Select Asset Item Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.228 s  PASSED  0.173 s	8	And Add Icon button	PASSED	0.252 s
9 Then Give Asset Impaired Referance Number PASSED 0.562 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And Select Asset Item Number PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.228 s  0.173 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
Then Give Asset Impaired Referance Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And Select Asset Item Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.562 s  0.121 s  0.228 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.228 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And Select Asset Item Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.121 s  PASSED  0.121 s  PASSED  0.123 s		***		
Screenshot  10 And Select Asset Item Number  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.228 s  0.173 s	9	Then Give Asset Impaired Referance Number	PASSED	0.562 s
10 And Select Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.228 s 0.173 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
10 And Select Asset Item Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.228 s  0.173 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.173 s		1		
	10	And Select Asset Item Number	PASSED	0.228 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
		screenshot		


#	Step / Hook Details	Status	Duration
	### OF THE PARTY O		
11	Then Alter the Impaired Book Value	PASSED	0.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.170 s
	*** *** *** *** *** *** *** *** *** **		
12	Then save the Revaluation record	FAILED	1.179 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button (lass="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" <="" aria-disabled="true" color="primary" disabled="" ii="" ng-reflect-color="primary" reflect-disabled="true"> <li>fon-button&gt; ion t clickable at point (1414, 88). Other element would receive the click: <ion-buttons class="buttons-last-slot sc-ion-buttons-md-s md hydrated" slot="end"> (Session info: chrome=98.0.4758.102)</ion-buttons></li> <li>Build info: version: '4.0.0-rc-1, revision: 'bc5511cbda' System info: host: 'INMUVADP014547; ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [956017d175ba02506a1be12a8b105852, clickElement [id=97a57552-055a-4964-b265-645a20c6c4a9]] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: (chromedriverVersion: 98.0.4758.80 (770488e8ba0d8, userDataDir: C.'Users\INNDC~1\AppData\l), goog:chromeOptions: (debuggerAddress: localhost:64872), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64872/devtoo, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true) Element: [[ChromeDriver: chrome on WINDOWS (956017d175ba02506a1be12a8b105852)] -&gt; xpath: //div[1]/ion-header[1]/ion-boltons[2]/ion-butt</li></ion-button>		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.FIXEDASSET_AssetRevaluvation.save_the_revaluation_record(FIXEDASSET_AssetRevaluvation.java:129) at ?.save the Revaluation record(file://IC:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ FIXEDASSET_AssetRevaluation.feature:134) * Not displayable characters are replaced by '?'.  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.111 s
	()		
13	And Go to Maker Notification	SKIPPED	0.000 s
14	Then Select the first Action icon	SKIPPED	0.000 s
15	And Submit Record in maker	SKIPPED	0.000 s
16	Then Give Remark and Submit it	SKIPPED	0.000 s
17	Given Launch Azentio Reviewer Url	SKIPPED	0.000 s
18	And Reviewer Notification icon	SKIPPED	0.000 s
19	Then submitted record from maker	SKIPPED	0.000 s
20	And Approve icon from Reviewer End	SKIPPED	0.000 s
21	Then Enter remark and submit Record	SKIPPED	0.001 s
22	Given Launch Azentio Checker Url	SKIPPED	0.000 s
23	Then Click the Security management	SKIPPED	0.000 s
24	And Click the open pool Note icon	SKIPPED	0.000 s
25	Then Claim the record from Checker	SKIPPED	0.000 s
26	And Checker Notification icon	SKIPPED	0.000 s
27	Then Action Icon from claimed record	SKIPPED	0.001 s
28	And Press Approve icon	SKIPPED	0.000 s
29	Then Submit Record from Checker	SKIPPED	0.000 s

DETAILED SECTION -- 9 --


#	Step / Hook Details	Status	Duration
30	Given Navigate the Maker Url	SKIPPED	0.000 s
31	Then Choose Second Segmant Icon	SKIPPED	0.001 s
32	And fixed Asset Module	SKIPPED	0.000 s
33	Then Asset Revaluvation submodule Eye Icon	SKIPPED	0.000 s
34	And Click search icon button	SKIPPED	0.000 s
35	Then Give the Asset Referance Number	SKIPPED	0.000 s
36	When capture Asset Grid view List	SKIPPED	0.000 s

EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

