

Cucumber Report

25-Feb-2022, 1:31:29 pm

Start : Feb 25, 1:30:20.064 pm

End : Feb 25, 1:31:22.282 pm

Duration : 1 m 2.218 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 5

FAILED - 1

SKIPPED - 9







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	1	0	1	0	1 m 2.218 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	<u>Cancellation of Advance (Against PO)</u>	15	5	1	9	1 m 2.210 s





(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 1 m 2.218 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 5 Fail - 1 Skip - 9	
/ 1:30:20.064 pm // 1:31:22.282 pm /					

(S)- Cancellation of Advance (Against PO)

FAILED	DURATION - 1 m 2.210 s		Steps Total - 15 Pass - 5 Fail - 1 Skip - 9	
/ 1:30:20.072 pm // 1:31:22.282 pm /				
Check the Functionality of AR/AP Module				
@KUBS_AR/AP_UAT_003_009_TC_02				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.717 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.335 s
	screenshot		
			
2	Then Choose the second Tab Segment	PASSED	0.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And Click On Main module Accounts Receivable	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot 		
4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
	screenshot 		
5	And Click On Search Icon	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot 		
6	Then Enter Cancelled Value In Advance Status	FAILED	30.347 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [394adb5f1b5dbc348920c73120786d3, findElement {using=xpath, value=//ion-col[2]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir:		

#	Step / Hook Details	Status	Duration
	<p>C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\DevTools\goog:chromeOptions: {debuggerAddress: localhost:60851}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60851/devtools, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 394adbf5f1b5dbc348920c73120786d3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.ARAP_CancellationOfGRN.enter_cancelled_value_in_advance_status(ARAP_CancellationOfGRN.java:623) at ?.Enter Cancelled Value In Advance Status(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:109) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [394adbf5f1b5dbc348920c73120786d3, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\DevTools\goog:chromeOptions: {debuggerAddress: localhost:60851}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:</p>	FAILED	12.149 s


#	Step / Hook Details	Status	Duration
	Proxy(), se:cdp: ws://localhost:60851/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 394adb5f1b5dbc348920c73120786d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
7	Then Click on Table Row First Eye Icon	SKIPPED	0.001 s
8	And Get The Business Partner and Advance Number	SKIPPED	0.001 s
9	And Click On Main module Accounts payable	SKIPPED	0.000 s
10	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.000 s
11	And Click Add icon button	SKIPPED	0.000 s
12	Then Enter payment option	SKIPPED	0.000 s
13	And Give stored Business partner Name	SKIPPED	0.000 s
14	Then Choose value date as System current date	SKIPPED	0.001 s
15	And find the Advance reference number for cancelled Advances is availabe at the billing queue	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [394adb5f1b5dbc348920c73120786d3, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:60851}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60851/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 394adb5f1b5dbc348920c73120786d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.243 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of Advance (Against PO)


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of Advance (Against PO)

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of Advance (Against PO)

(F) Check the Functionality of AR/AP
Module

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date (19-Oct-2022), language (English), software version (Azentio Software - (AZENTMAIN)), and user profile (ANANT). The left sidebar lists various modules: Finance, General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), and Accounts receivable. The Accounts receivable module is selected, showing sub-modules: Accounts receivable (Debit notes), Credit notes on invoice, Accounts receivable (Advances), and Receipts. The main content area displays a welcome message: "Welcome, anant". The bottom navigation bar includes "Home" and "Preference" buttons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of Advance (Against PO)

(F) Check the Functionality of AR/AP
Module

The screenshot shows the Kastle Universal Banking (Beta) interface with the "Advances" module selected. The top navigation bar is the same as the previous screenshot. The left sidebar lists the same modules, with "Accounts receivable" selected. The main content area displays a table of advances. The table has columns: Actions, Branch Code - Name, Receivable Name, ADV Number, BP Name, Amount, Date, and ADV Status. The table contains 8 rows of data. Below the table, it shows "60 total" and a pagination control with buttons for "1", "2", "3", "4", "5", and "6". The bottom navigation bar includes "Home" and "Preference" buttons.

Actions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
	AZENTMAIN - Azentio N.	Advance To Employee	ADV_60_2422022	Swapnil Gore	1000	19-Oct-2022	Closed
	AZENTMAIN - Azentio N.	Advance Against PO	ADV_59_2422022	PAUL MCADAMS & Co.	100	19-Oct-2022	Active
	AZENTMAIN - Azentio N.	Advance To Employee	ADV_58_2422022	Swapnil Gore	1000	19-Oct-2022	Active
	AZENTMAIN - Azentio N.	Advance To Employee	ADV_57_2422022	Swapnil Gore	1000	19-Oct-2022	Active
	AZENTMAIN - Azentio N.	Advance To Employee	ADV_56_2422022	Swapnil Gore	1000	19-Oct-2022	Active
	AZENTMAIN - Azentio N.	Advance To Employee	ADV_55_2422022	Swapnil Gore	1000	19-Oct-2022	Active
	AZENTMAIN - Azentio N.	Advance To Employee	ADV_54_2422022	Swapnil Gore	1000	19-Oct-2022	Active
	AZENTMAIN - Azentio N.	Advance To Employee	ADV_53_2422022	Swapnil Gore	1000	19-Oct-2022	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of Advance (Against PO)

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction

Budget

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Accounts receivable (Debit notes)

















Credit notes on invoice

Accounts receivable (Advances)

Receipts

22 Appro... 11 Messa...

Advances

Actions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
	Search Branch Co	Search Receivable	Search ADV Num	Search BP Name	Search Amount	Search Date	Search ADV
 	AZENTMAIN - Azentio N	Advance To Employee	ADV_60_2422022	Swapnil Gore	1000	19-Oct-2022	Closed
 	AZENTMAIN - Azentio N	Advance Against PO	ADV_59_2422022	PAUL MCADAMS & Co.	100	19-Oct-2022	Active
 	AZENTMAIN - Azentio N	Advance To Employee	ADV_58_2422022	Swapnil Gore	1000	19-Oct-2022	Active
 	AZENTMAIN - Azentio N	Advance To Employee	ADV_57_2422022	Swapnil Gore	1000	19-Oct-2022	Active
 	AZENTMAIN - Azentio N	Advance To Employee	ADV_56_2422022	Swapnil Gore	1000	19-Oct-2022	Active
 	AZENTMAIN - Azentio N	Advance To Employee	ADV_55_2422022	Swapnil Gore	1000	19-Oct-2022	Active
 	AZENTMAIN - Azentio N	Advance To Employee	ADV_54_2422022	Swapnil Gore	1000	19-Oct-2022	Active
 	AZENTMAIN - Azentio N	Advance To Employee	ADV_53_2422022	Swapnil Gore	1000	19-Oct-2022	Active

60 total

1 2 3 4 5

Home Preference