


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	50 m 28.186 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Creating Manual payouts for approved Bills of a Vendor	21	9	1	11	50 m 28.183 s

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

FAILED	DURATION - 50 m 28.186 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 7:39:25.640 /	AM // 8:29:53.826 AM /	Pass - 0	1	Pass - 9	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

## (S)- Creating Manual payouts for approved Bills of a Vendor



#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.652 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
2	Then Click on Direction icon	PASSED	2.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		

3 Then Click on Account Payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 When click on eye button of manual payout  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.105 s  PASSED  0.181 s  0.262 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.262 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.355 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 When click on eye button of manual payout  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.181 s  0.355 s		Total   Tota		
screenshot  4 When click on eye button of manual payout  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ###################################	3	Then Click on Account Payable	PASSED	0.105 s
4 When click on eye button of manual payout  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  O.262 s  O.355 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
4 When click on eye button of manual payout  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  The step of		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  O.355 s		© outros 1 =		
Screenshot	4	When click on eye button of manual payout	PASSED	0.262 s
			PASSED	0.355 s
5 And click on add button for manual payout PASSED 0.260 s		1 and   5 d   6 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7 d   7		
	5	And click on add button for manual payout	PASSED	0.260 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.262 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
screenshot		screenshot		
1				
6 And Fill the required fields for manual payout 7.677 s	6	And Fill the required fields for manual payout	PASSED	7.677 s
AFTER STEP - stepdefinitions. Hooks Class. add Screen shot (io. cucumber. java. Scenario)  PASSED 0.144 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
		screenshot		


#	Step / Hook Details	Status	Duration
	With the state of		
7	Then Click on Account Payable Save button	PASSED	0.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
	The state of the s		
8	Then Click on Account Payable Notification	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	■		
9	Then Select the record from Notification	PASSED	0.284 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +	PASSED	0.274 s
10	And Submit the Selected record	FAILED	50 m 1.188 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [ce9b63824b7f235443687b90b29cfcbc, findElement {using=xpath, value=//ion-textarea/div/textarea[@name='remarks']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome:		

#	Step / Hook Details	Status	Duration
	{chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:61268}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61268/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: ce9b63824b7f235443687b90b29cfcbc		
	at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)		
	at java.base/java.tang.StringBuilder.append(StringBuilder.java.109) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673) at java.base/java.lang.String.valueOf(String.java:4215)		
	at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)		
	at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.AccountPayable_VendorPurchaseOrder.submit_the_selected_record(AccountPayable_VendorPurchaseOrder.java:283) at ?.Submit the Selected record(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/ AccountsPayable_ManualPayout.feature:15)		
	* Not displayable characters are replaced by '?'.  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [ce9b63824b7f235443687b90b29cfcbc, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:61268}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:		


#	Step / Hook Details	Status	Duration
	ws://localhost:61268/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: ce9b63824b7f235443687b90b29cfcbc at jdk.internal.reflect.GeneratedConstructorAccessorImpl.mewInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
11	Then log in to the reviewer account	SKIPPED	0.000 s
12	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
13	Then log in to the Checker Account	SKIPPED	0.000 s
14	And then checker claim the record	SKIPPED	0.000 s
15	Then click on the checker Notification	SKIPPED	0.000 s
16	And select the record and Approve by checker	SKIPPED	0.000 s
17	Given Maker Navigate to UAT URL login	SKIPPED	0.000 s
18	Then Click on Direction icon	SKIPPED	0.000 s
19	Then Click on Account Payable	SKIPPED	0.000 s
20	When click on eye button of manual payout	SKIPPED	0.000 s
21	Then Get the payout status	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	2.012 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce9b63824b7f235443687b90b29cfcbc, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45} (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:61268}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61268/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: ce9b63824b7f235443687b90b29cfcbc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		


EXPANDED SECTION -- 10 --



EXPANDED SECTION



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

