

Cucumber Report

Jan 14, 2022, 12:15:11 AM

Start : Jan 14, 12:14:50.572 AM

End : Jan 14, 12:15:11.106 AM

Duration : 20.534 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 7

FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	0	1	0	20.534 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	User should be able to raise supplementary request for Monthly budget	8	7	1	0	20.531 s

(F)- Checking the Supplementary Budget functionality



FAILED	DURATION - 20.534 s	Scenarios		Steps	
/ 12:14:50.572 AM // 12:15:11.106 AM /		Total - 1		Total - 8	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	


(S)- User should be able to raise supplementary request for Monthly budget

<div>FAILED</div> <div>DURATION - 20.531 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 12:14:50.575 AM // 12:15:11.106 AM /				
Checking the Supplementary Budget functionality				
@SupplementaryBudget_BP_SB_08_02				

#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	9.549 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
			
2	And maker should navigate to the budget module	PASSED	0.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And maker click on budget field	PASSED	0.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot 		
4	When maker click on budget supplementary eye icon	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot 		
5	And click on add button on budget supplementary view page	PASSED	2.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot 		
6	Then fill required data	PASSED	1.069 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then fill apportion amount	PASSED	0.452 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		
			
8	Then validate maker can save request for the monthly budget	FAILED	3.456 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-sak-c290="" class="subButton ios button button-solid button-disabled ion-activatable ion-focusable hydrated" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (723, 436). Other element would receive the click: <ion-col _ngcontent-sak-c290="" size-lg="12" size-md="12" size-sm="12" ng-reflect-size="12" class="md hydrated" style="flex: 0 0 calc(calc(12 / var(--ion-grid-columns, 12)) * 100%); width: calc(calc(12 / var(--ion-grid-columns, 12)) * 100%); max-width: calc(calc(12 / var(--ion-grid-columns, 12)) * 100%);">...</ion-col> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23431d6e96745861c2d9fdd4ec7708de, clickElement {id=83240f0c-ae65-4502-a0e5-62c2f3675c85}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:62025}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62025/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (23431d6e96745861c2d9fdd4ec7708de)] -> xpath: //ion-button[contains(text(),'Submit')]] Session ID: 23431d6e96745861c2d9fdd4ec7708de at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.BUDGET_SupplementaryBudget. validate_maker_can_save_request_for_the_monthly_budget(BUDGET_SupplementaryBudget.java:549) at ?.validate maker can save request for the monthly budget(file:///C:/Users/inindc00089/eclipse-workspace/ AzentioAutomationFramework2/src/test/java/features/BUDGET_SupplementaryBudget.feature:94) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User should be able to raise
supplementary request for Monthly budget


(F) Checking the Supplementary Budget
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User should be able to raise
supplementary request for Monthly budget


(F) Checking the Supplementary Budget
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User should be able to raise
supplementary request for Monthly budget


(F) Checking the Supplementary Budget
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User should be able to raise
supplementary request for Monthly budget

(F) Checking the Supplementary Budget
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User should be able to raise
supplementary request for Monthly budget

(F) Checking the Supplementary Budget
functionality

Kastle Universal Banking 21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

General ledger transaction

Budget

Budget request & allocation

Supplementary budget

Budget transfer

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Fixed assets

Inventory management

22 Appro... 11 Messa...

Supplementary Budget Creation

* Budget Code Budget Name * Budget Type

* Budget Year * Branch * Total Budget Amount

Amount Utilized * Supplementary Amount Req EUR x

Comments

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User should be able to raise
supplementary request for Monthly budget

(F) Checking the Supplementary Budget
functionality

Kastle Universal Banking 21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

General ledger transaction

Budget

Budget request & allocation

Supplementary budget

Budget transfer

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Fixed assets

Inventory management

22 Appro... 11 Messa...

Supplementary Budget Creation

* Budget Code 544515 x Budget Name test1 * Budget Type MONTHLY

* Budget Year 2022-2023 x * Branch CO x * Total Budget Amount 12,000,000.00 RUP

Amount Utilized * Supplementary Amount Req RUP x

Comments

Period	Existing	Supplementary Apportion Amount	New Amount
January	1,000,000.00		
January	1,000,000.00		
February	1,000,000.00		
February	1,000,000.00		

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User should be able to raise
supplementary request for Monthly budget

(F) Checking the Supplementary Budget
functionality

Kastle Universal Banking 21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Supplementary Budget Creation

* Budget Code 544515 Budget Name test1 * Budget Type MONTHLY

* Budget Year 2022-2023 * Branch CO * Total Budget Amount 12,000,000.00 RUP

Amount Utilized * Supplementary Amount Req 500.00 RUP

Comments

Period	Existing	Supplementary Apportion Amount	New Amount
January	1,000,000.00	500.00	1,000,500.00
January	1,000,000.00		
February	1,000,000.00		
February	1,000,000.00		

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User should be able to raise
supplementary request for Monthly budget

(F) Checking the Supplementary Budget
functionality

Kastle Universal Banking 21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Supplementary Budget Creation

* Budget Code 544515 Budget Name test1 * Budget Type MONTHLY

* Budget Year 2022-2023 * Branch CO * Total Budget Amount 12,000,000.00 RUP

Amount Utilized * Supplementary Amount Req 500.00 RUP

Comments

Period	Existing	Supplementary Apportion Amount	New Amount
January	1,000,000.00		1,000,000.00
January	1,000,000.00	500.00	1,000,500.00
February	1,000,000.00		1,000,000.00
February	1,000,000.00		1,000,000.00

22 Appro... 11 Messa...

Home Preference

REMARK

Please Enter Remarks *

success

Submit

ViewSummary Submit Cancel