Cucumber Report

| Start : Jan 12, 6:28:22.784 PM	End : Jan 12, 6:28:40.203 PM	Duration : 17.419 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 10

#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	17.419 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify maker can able to multiple budget code in auto auth	17	6	1	10	17.412 s

(F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 17.419 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 6:28:22.784 PM // 6:28:40.203 PM /		Pass - 0	1	Pass - 6	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- To verify maker can able to multiple budget code in auto auth

FAILED	DURATION - 17.412 s		Steps	
			Total - 17	
/ 6:28:22.791 PM // 6:28:40.203 PM /			Pass - 6	17
To check BudgetDefinition moduel feature			Fail - 1	
@AutoAuth_multiple_budgetCode			Skip - 10	

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.581 s
	screenshot		
2	Then click on budget configuration Menu	PASSED	0.080 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And click on budget definition sub menu and click on eye icon	PASSED	0.321 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
4	And click on add icon	PASSED	0.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		
5	Then create first budget code	PASSED	0.719 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		
6	Then select the record from notification	PASSED	0.885 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And approve approve the record	FAILED	0.071 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-textarea/div/textarea[@name='remarks']"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f9a2e8c6f9126cdc06fdbc3f535f2565, findElement {using=xpath, value=//ion-textarea/div/textarea[@name='remarks']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55349}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55349/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f9a2e8c6f9126cdc06fdbc3f535f2565
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)
	   at stepdefinitions.BUDGET_BudgetCreation.approve_approve_the_record(BUDGET_BudgetCreation.java:402)
	   at ?.approve approve the record(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:538)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s

#	Step / Hook Details	Status	Duration
	screenshot 		
8	And click on budget definition sub menu and click on eye icon	SKIPPED	0.000 s
9	And click on add icon	SKIPPED	0.000 s
10	Then create second budget code	SKIPPED	0.000 s
11	Then select the record from notification	SKIPPED	0.001 s
12	And approve approve the record	SKIPPED	0.000 s
13	And click on budget definition sub menu and click on eye icon	SKIPPED	0.000 s
14	And click on add icon	SKIPPED	0.001 s
15	Then create Third budget code	SKIPPED	0.000 s
16	Then select the record from notification	SKIPPED	0.000 s
17	And approve approve the record	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

| | Kastle Universal Banking | | | | 21-Oct-2021 | English | Azentio Software | (AZENT-MAIN) | ANANT |

Finance

- Business partner setup
- Accounting setup
- General ledger configuration
- Expense/AR & AP configurati...
- Budget configuration
- Budget definition
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

← Budget Definition View

Actions	Budget Code	Budget Name	Budget Type	Status	Created By	Create date	Modified By
👁 ✎	BUDG417	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✎	BUDG416	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✎	BUDG415	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✎	BUDG414	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✎	BUDG412	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✎	Budg	Test	QUARTERLY	Active	1002435	12-Jan-2022	1002435
👁 ✎	BUDC4021	Office Expense	MONTHLY	Active	1002435	12-Jan-2022	1002437
👁 ✎	BUDG411	Test	YEARLY	Active	1002437	12-Jan-2022	1002437

76 total |◀ ◀ **1** 2 3 4 5 ▶ ▶|

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

| | Kastle Universal Banking | | | | 21-Oct-2021 | English | Azentio Software | (AZENT-MAIN) | ANANT |

Finance

- Business partner setup
- Accounting setup
- General ledger configuration
- Expense/AR & AP configurati...
- Budget configuration
- Budget definition
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

← Budget Definition

* Budget Code	* Budget Type	* Warning Percentage
* Budget Name	Remark	

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

☰ 🌐 Kastle Universal Banking   21-Oct-2021 English ▾   Azentio Software ▾ (AZENT-MAIN) 🔔 ▶ 👤 ANANT

Finance ▾

← Budget Definition   ⓘ ViewSummary ✓ Approve ↻ Return ✕ Reject

🔧 ⇄ 📋

⊘ Business partner setup   * Budget Code   * Budget Type   * Warning Percentage
                                    BDG5678   YEARLY   ✕ ▾   23
⊘ Accounting setup
                                  * Budget Name   Remark   Status
⊘ General ledger configuration   Home budget   Ok   ACTIVE   ✕ ▾

⊘ Expense/AR & AP configurati...

⊘ Budget configuration

▶ Budget definition ✎ 👁   success   ✕

⊘ Fixed assets configuration

⊘ Inventory maintenance

⊘ Bank recon

⊘ Petty cash configuration

22 Appro... ✕   11 Messa... ✕   ⠿   ➤
                                          Home   Preference