Cucumber Report

Apr 29, 2022, 12:18:48 PM

| Start : Apr 29, 12:18:24.137 PM	End : Apr 29, 12:18:46.891 PM	Duration : 22.754 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 5

Features: 1

Scenarios: 1

Steps: 13

Pass %: 0 %

Pass %: 0 %

Pass %: 53 %

#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	22.754 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	Verify system gives correct unmatced , partial and transposition records from bank statement	13	7	1	5	22.749 s

(F)- testing the fuctionalities of bank reconciliation module

| FAILED	DURATION - 22.754 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 12:18:24.137 PM // 12:18:46.891 PM /		Pass - 0	1	Pass - 7	13
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Verify system gives correct unmatced , partial and transposition records from bank statement

FAILED	DURATION - 22.749 s		Steps	
/ 12:18:24.142 PM // 12:18:46.891 PM /			Total - 13	
testing the fuctionalities of bank reconciliation module			Pass - 7	13
			Fail - 1	
@KUBS_TAX_UAT_009_003TC_001			Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	13.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
2	And user click bank recon module	PASSED	0.081 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And user click eye icon in bank recon module	PASSED	0.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
4	And user click add icon in bank recon	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
5	And user select bank name in bank recon Module	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
6	And user select bank account Number in bank recon Module	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And user click bank recon from date and select the date	PASSED	1.528 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
8	And user click bank recon to date and select the date	FAILED	1.095 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (635, 348). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [429e11f10056061f87cb3d10bf644f98, clickElement {id=899737ab-9243-47ad-83d0-56ab146a67b2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60332}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60332/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (429e11f10056061f87cb3d10bf644f98)] -> xpath: (//span[@class='input-calendar'])[2]] Session ID: 429e11f10056061f87cb3d10bf644f98
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.Bank_ReconModule.user_click_bank_recon_to_date_and_select_the_date(Bank_ReconModule.java:96) at ?.user click bank recon to date and select the date(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/features/Bank_ReconciliationModule.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.121 s
9	And user click choose file and upload the bank statement	SKIPPED	0.000 s
10	And user click save button in bank recon	SKIPPED	0.000 s
11	And user click process button in bank recon	SKIPPED	0.000 s
12	And user click the unmatched data in bank recon process	SKIPPED	0.000 s
13	Then verify unmatched,partially matched and transposition matched records in bank Statment after processing	SKIPPED	0.000 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) Verify system gives correct unmatced , partial and transposition records from bank statement | |
| (F) testing the fuctionalities of bank reconciliation module | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify system gives correct unmatced , partial and transposition records from bank statement	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify system gives correct unmatced , partial and transposition records from bank statement

(F) testing the fuctionalities of bank reconciliation module

| Kastle Universal Banking (Beta) | | | | | 04-Mar-2023 | English | Azentio Software | (AZENTMAIN) | ANANT |

Finance

Bank Reconciliation Details View

Actions	Branch Code - Name	Legal Entity Branch	Bank Name	Account Number	Account Type	Period From	Period To
👁 ✏	AZENTMAIN - Azentio M	3	61	17	1105512	23-Feb-2023	24-Feb-2023
👁 ✏	AZENTMAIN - Azentio M	3	65	21	1105512	19-Feb-2023	20-Feb-2023
👁 ✏	AZENTMAIN - Azentio M	3	65	21	1105512	17-Feb-2023	18-Feb-2023
👁 ✏	AZENTMAIN - Azentio M	3	64	20	1105513	17-Feb-2023	18-Feb-2023
👁 ✏	AZENTMAIN - Azentio M	3	60	16	1105512	15-Feb-2023	16-Feb-2023
👁 ✏	AZENTMAIN - Azentio M	3	58	14	1105512	02-Feb-2023	03-Feb-2023
👁 ✏	AZENTMAIN - Azentio M	3	55	12	1105512	18-Jan-2023	19-Jan-2023
👁 ✏	AZENTMAIN - Azentio M	3	55	12	1105512	16-Jan-2023	17-Jan-2023

8 total

Menu items: General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), Accounts receivable, Fixed assets, Inventory management, Petty cash, Bank recon, Bank reconcilliation

22 Appro... 11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify system gives correct unmatced , partial and transposition records from bank statement

(F) testing the fuctionalities of bank reconciliation module

| Kastle Universal Banking (Beta) | | | | 04-Mar-2023 | English | Azentio Software | (AZENTMAIN) | ANANT |

Finance

Bank Reconciliation Details   PROCESS

* Legal Entity Branch
AZENTMAIN-Azentio Main Branch   × ▾

* Bank Name

* Account Number

* Account Type

* Account Currency

*Recon Period From

*Recon Period To

Upload File
Choose File   No file chosen

File Name *

Closing Balance As Per Bank Statement *   Bank GL Balance *   Recon Date

Menu items: General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), Accounts receivable, Fixed assets, Inventory management, Petty cash, Bank recon, Bank reconcilliation

22 Appro... 11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify system gives correct unmatced , partial and transposition records from bank statement	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify system gives correct unmatced , partial and transposition records from bank statement	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify system gives correct unmatced , partial and transposition records from bank statement

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify system gives correct unmatced , partial and transposition records from bank statement

(F) testing the fuctionalities of bank reconciliation module