


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	0	1	0	17.336 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget	User should be able to raise supplementary request for	8	6	1	1	17.333 s
	functionality	Monthly budget					

DETAILED SECTION -- 4 --

(F)- Checking the Supplementary Budget functionality

FAILED	DURATION - 17.336 s	Scenarios		Steps	
	<u> </u>	Total - 1		Total - 8	
/ 12:12:43.084 A	MM // 12:13:00.420 AM /	Pass - 0	1	Pass - 6	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- User should be able to raise supplementary request for Monthly budget



#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	9.531 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
	#		
2	And maker should navigate to the budget module	PASSED	0.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		


Figure Space Analysis (Figure Space Analysis	
3 And maker click on budget field PASSED	0.101 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.230 s
screenshot	
4 When maker click on budget supplementary eye icon PASSED	0.143 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED	0.110 s
5 And click on add button on budget supplementary view page PASSED	2.200 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Virginia (India)	0.213 s
6 Then fill required data PASSED	1.150 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.117 s
screenshot	


#	Step / Hook Details	Status	Duration
	Particularity Particularit		
7	Then fill apportion amount	FAILED	0.470 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=96.0.4664.45) Build info: version: '40.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', jp: '10.1.47.119', os. name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a48fffa931fa954d7d71518ed689ebad, executeScript (script=return document.querySelector("ion-toast").shadowRoot. querySelector("iof(class="toast-message")").innerText, args=[]] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome; (chromedriverVersion: 96.0.4664.46", userPatablir: C:\UserSiNINDO—1\ppData\L\), goog:chromeOptions: (debuggerAddress: localhost.61956), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost61956/devtoo, sec.dpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000), script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a48ffa931fa954d7d71518ed689ebad at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.ecodec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.edic.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:139) at		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	The state of the		
8	Then validate maker can save request for the monthly budget	SKIPPED	0.000 s

EXPANDED SECTION -- 8 --





EXPANDED SECTION --- 10 --



EXPANDED SECTION -- 11 --

