
Cucumber Report




FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|--------------|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 1 m 20.379 s |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|-------|--------------|--|----|---|---|---|--------------|
| 1 | AR/AP Module | Verify accounting entries post payment settlement approval | 15 | 8 | 1 | 6 | 1 m 20.363 s |

DETAILED SECTION -- 4 --

(F)- AR/AP Module

| FAILED | DURATION - 1 m 20.379 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|------------|----|
| 40.07.07.000.44 | | Total - 1 | | Total - 15 | |
| / 9:27:07.288 AN | M // 9:28:27.667 AM / | Pass - 0 | 1 | Pass - 8 | 15 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 6 | |

(S)- Verify accounting entries post payment settlement approval



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 42.002 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.911 s |
| | screenshot | | |
| | THE R THE R | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 4.638 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.320 s |
| | screenshot | | |
| | Wester Square Association of Advance | | |


| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. | # | Step / Hook Details | Status | Duration |
|---|---|--|--------|----------|
| screenshot 4 And update data set id for accounting entries payment settlement AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And get the approved record from list view AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 FASSED AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.407 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.407 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.407 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.407 s | 3 | And Go to payment settlement module | PASSED | 5.604 s |
| 4 And update data set id for accounting entries payment settlement AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And get the approved record from list view AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then click on report segment button AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.407 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.407 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.407 s | | | PASSED | 1.272 s |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.407 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s | | ### ADDITION Proceeding and Continue of the | | |
| Screenshot 5 And get the approved record from list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then click on report segment button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And click on equiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.407 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.407 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s | 4 | | PASSED | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then click on report segment button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And click on equiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.919 s 0.919 s 0.919 s | | | PASSED | 0.481 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then click on report segment button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And click on equiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.919 s 0.919 s 0.919 s | | ### APP 200 Table 1 Annia Delica 201 An | | |
| Screenshot Then click on report segment button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on equiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.407 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.407 s PASSED O.327 s | 5 | And get the approved record from list view | PASSED | 0.562 s |
| 6 Then click on report segment button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And click on equiry menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.407 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.919 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And click on equiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.392 s 0.407 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.392 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And click on equiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.392 s 0.407 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.392 s | | ### ACTION ACTION | | |
| 7 And click on equiry menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s | 6 | Then click on report segment button | PASSED | 2.893 s |
| 7 And click on equiry menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.392 s |
| 7 And click on equiry menu PASSED 0.407 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s | | AZENTO | | |
| | 7 | And click on equiry menu | PASSED | 0.407 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.327 s |
| | | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | AZENTO | | |
| 8 | Then Click Note iCon near by financial transction | PASSED | 0.534 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.451 s |
| | screenshot | | |
| | ASENTO Whole Signal Annihology A | | |
| 9 | And choose branch codes | FAILED | 0.209 s |
| | java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.ARAP_AccountingEntries.choose_branch_codes(ARAP_AccountingEntries.java:164) at ?.choose branch codes(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp4.feature:290) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ################################### | PASSED | 0.342 s |
| 10 | And click on transaction from date in calender | SKIPPED | 0.000 s |
| 11 | Then Select from date in calender | SKIPPED | 0.000 s |
| 12 | And click on transaction to date in calender icon | SKIPPED | 0.000 s |
| 13 | Then Select To date in calender | SKIPPED | 0.000 s |
| 14 | And Click View HyperLink | SKIPPED | 0.000 s |

DETAILED SECTION -- 7 --


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 15 | Then verify approved settlement reference number is available in the GI report | SKIPPED | 0.000 s |

EXPANDED SECTION -- 8 --





EXPANDED SECTION



EXPANDED SECTION

