


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	30.647 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank	Click on Process button on Bank Recon Process screen	16	10	1	5	30.644 s
	reconciliation module	post creating additional entries					

DETAILED SECTION -- 4 --

(F)- testing the fuctionalities of bank reconciliation module

FAILED	DURATION - 30.647 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 2:42:36.617 F	PM // 2:43:07.264 PM /	Pass - 0	1	Pass - 10	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Click on Process button on Bank Recon Process screen post creating additional entries

FAILED DURATION - 30.644 s	15	 				-¦-		-;		-					-	Steps		
/ 2:42:36.620 PM // 2:43:07.264 PM /	10	 - +									-					Total - 16		N.
testing the fuctionalities of bank reconciliation	-					-	- + -	- -		-					-	Pass - 10	16	
module			-				1	_		1						Fail - 1		,
@text	0	 1 2	3	4	5	6	7	8	9	10	11	12	13	14	15	Skip - 5		

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	15.297 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
	screenshot		
	The Control of Control		
2	And user click bank recon module	PASSED	0.087 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		


After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) And user click add icon in bank recon After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions. Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step definitions Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step step definitions Hooks Class add Screenshot (io.cucumber java. Scenario) After Step step step step step step step step s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click add icon in bank recon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user select bank name in bank recon Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTION TO STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTION TO STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)		The state of the		
Screenshot 4 And user click add icon in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.244 s 0.371 s 0.371 s	3	And user click eye icon in bank recon module	PASSED	0.280 s
4 And user click add icon in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.529 s
4 And user click add icon in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed passed passed 0.307 s PASSED 0.215 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot		© 30000 TO TO T (½ + 1 H		
Screenshot 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.307 s PASSED 0.215 s	4	And user click add icon in bank recon	PASSED	0.244 s
5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.371 s
5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.307 s PASSED 0.215 s		* 0 Machine 28 Martin 28 M	_	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.215 s		© transmitted to the control of the		
screenshot	5	And user select bank name in bank recon Module	PASSED	0.307 s
# Outcombridge Part Part			PASSED	0.215 s
0		screenshot		
6 And year calcut hank account Number in hank room Madula		0 1 1 1 1 1 1 1 1 1		
And user select bank account number in bank recon module	6	And user select bank account Number in bank recon Module	PASSED	0.188 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.204 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	### OF THE PROPERTY OF THE PRO		
7	And user click bank recon from date and select the date	PASSED	1.494 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
	# 10 to 10 t		
8	And user click bank recon to date and select the date	PASSED	1.440 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	Screenshot ***********************************		
9	And user click choose file and upload the bank statement	PASSED	0.137 s
	AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.157 s
10	And user click save button in bank recon	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		


#	Step / Hook Details	Status	Duration
	### OF THE PROPERTY OF THE PRO		
11	And user click process button in bank recon	FAILED	0.205 s
	org.openqa.selenium.NoAlertPresentException: no such alert (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc551tcbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: Windows 10', os.arch: 'am664', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [29448dfb10c6d84fc6c192e5e09b164b, getAlertText {}] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: (chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC-1\AppDataL), goog:chromeOptions: (debuggerAddress: localhost:53752), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformAmer: WINDOWS, proxy. Proxy(), se:cdp: ws://localhost:53752/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, paget-load3 300000), script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension.largeBlob: true, webauthn:virula/Juthenticators: true) Session ID: 29448dfb10c6d84fc6c192e5e09b164b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWihCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.e.W3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.e.remoteWebDriver.exceute(PriverCommandExecutor.java:1		
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.054 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : Bank recon process started} (Session info: chrome=99.0.4844.82): Bank recon process started Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [29448dfb10c6d84fc6c192e5e09b164b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir:		

#	Step / Hook Details	Status	Duration
	C:\Users\ININDC~1\AppData\L\}, goog:chromeOptions: {debuggerAddress: localhost:53752}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53752/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 29448dfb10c6d84fc6c192e5e09b164b at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
12	And user click the unmatched data in bank recon process	SKIPPED	0.000 s
13	And user match the records in unmached tab	SKIPPED	0.001 s
14	And user click matched data tab	SKIPPED	0.000 s
15	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab	SKIPPED	0.000 s
16	Then user verify that Unmatched entry from Bank Side will not be displayed	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.007 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : Bank recon process started} (Session info: chrome=99.0.4844.82): Bank recon process started Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [29448dfb10c6d84fc6c192e5e09b164b, close {}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53752}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53752/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 29448dfb10c6d84fc6c192e5e09b164b at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.service.DriverCommandExecutor.iava:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

