Cucumber Report

| Start : Mar 04, 7:41:18.903 pm	End : Mar 04, 7:41:43.641 pm	Duration : 24.738 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 1 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	24.738 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Verify cancelled advances is not available for payment settlement	15	14	1	0	24.729 s

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 24.738 s	Scenarios		Steps	
/ 7:41:18.903 pm // 7:41:43.641 pm /		Total - 1		Total - 15	
		Pass - 0	**1**	Pass - 14	**15**
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Verify cancelled advances is not available for payment settlement

FAILED	DURATION - 24.729 s		Steps	
/ 7:41:18.912 pm // 7:41:43.641 pm /			Total - 15	
Check the Functionality of AR/AP Module			Pass - 14	**15**
@KUBS_AR_AP_UAT_003_009_TC_02			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.324 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click On Main module Accounts Receivable	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		
4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
	screenshot		
5	And Click On Search Icon	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
6	Then Enter Cancelled Value In Advance Status	PASSED	0.537 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Table Row First Eye Icon	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.367 s
8	And Get The Business Partner and Advance Number	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.136 s
9	And Click On Main module Accounts payable	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.191 s
10	Then Click sub module Payment settlement Eye Icon	PASSED	0.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.313 s

#	Step / Hook Details	Status	Duration
11	And Click Add icon button	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
12	Then Enter payment option	PASSED	0.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
13	And Give stored Business partner Name	PASSED	0.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		
14	Then Choose value date as System current date	PASSED	1.951 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And find the Advance reference number for cancelled Advances is availabe at the billing queue	FAILED	1.104 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d2085c3c8dd19eb2ae1c16fc1b7e42b6, clickElement {id=7f4d6904-3b3e-4f29-b2f5-27d3268fd374}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60441}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60441/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d2085c3c8dd19eb2ae1c16fc1b7e42b6)] -> xpath: (//i[@class='datatable-icon-right'])[2]] Session ID: d2085c3c8dd19eb2ae1c16fc1b7e42b6
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	   at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	   at stepdefinitions.ARAP_CancellationOfGRN. find_the_advance_reference_number_for_cancelled_advances_is_availabe_at_the_billing_queue(ARAP_CancellationOfGRN.java:905)
	   at ?.find the Advance reference number for cancelled Advances is availabe at the billing queue(file:///C:/Users/inindc00075/git/repository/ Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:164)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s

#	Step / Hook Details	Status	Duration
	screenshot		

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify cancelled advances is not available for payment settlement	
(F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify cancelled advances is not available for payment settlement	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Verify cancelled advances is not available for payment settlement (F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Verify cancelled advances is not available for payment settlement (F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify cancelled advances is not available for payment settlement	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify cancelled advances is not available for payment settlement	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) Check the Functionality of AR/AP Module

☰ 🌐 Kastle Universal Banking (Beta)   19-Oct-2022   English ▾   Azentio Software ▾   (AZENTMAIN) 🔔 ▣ 👤 ANANT

Finance ▾

🔧 ⇄ 📋

← Ap Payment Settlement   💾

* Entity Branch	* Payment Option	Business Partner
Azentio Main Branch × ▾	Business Partner wise × ▾	suvarana Pvt Ltd × ▾

Txn Date	*Value Date	* Adjusted Payment Amount
19-Oct-2022 📅	03-Oct-2022 📅	

Tds/Wht	* Net Payable	* Description

Txn Number	Status
	Active ▾

⊙ General ledger transaction

⊙ Budget

⊙ Accounts payable

▶ Vendor contracts ✎ 👁 🗑

▶ Vendor purchase orders ✎ 👁 🗑

▶ Goods received note (GRN) ✎ 👁 🗑

▶ Invoice booking ✎ 👁 🗑

▶ **Payment settlement** ✎ 👁 🗑

▶ Payment settlement cancellation ✎ 👁 🗑

Select	Sr No.	Payable Type	Reference Number	Business Partner	Gross Invoice Amount	Credit Note	Debit Note
☐	1	Advance Against PO	ADV_30_2322022	suvarana Pvt Ltd	30000	0	0

1 total

22 Appro... ✕   11 Messa... ✕

⦂⦂⦂ Home   ➤ Preference