

# Cucumber Report

Feb 11, 2022, 1:28:22 PM

Start : Feb 11, 1:14:15.246 PM

End : Feb 11, 1:28:19.180 PM

Duration : 14 m 3.934 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 10  
FAILED - 1  
SKIPPED - 11







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	14 m 3.934 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Create a GRN</u>	22	10	1	11	14 m 3.926 s





**(F)- Check the Functionality of Inventory**

<b>FAILED</b>	<b>DURATION - 14 m 3.934 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 22 Pass - 10 Fail - 1 Skip - 11	
/ 1:14:15.246 PM // 1:28:19.180 PM /					


**(S)- Create a GRN**

<b>FAILED</b>	<b>DURATION - 14 m 3.926 s</b>		Steps Total - 22 Pass - 10 Fail - 1 Skip - 11	
/ 1:14:15.254 PM // 1:28:19.180 PM /				
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_001_004				

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	14.352 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.753 s
	screenshot 		
2	Then Click on Finance	PASSED	0.003 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.088 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Direction	PASSED	0.396 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot 		
4	Then Click on Accounts Payable	PASSED	0.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot 		
5	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.494 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot 		
6	Then Click on Add button	PASSED	0.407 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Fill the form for GRN	PASSED	1.302 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
			
8	Then Click on save button to save the record	PASSED	3.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
			
9	Then Click on notification & open record which we created for GRN	PASSED	1.281 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
			
10	Then Click on Item Details Tab	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
			

#	Step / Hook Details	Status	Duration
			
11	<p><b>Then Select PO Number</b></p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [59f295e968b58fd86a742a8a8d11a0b9, findElement {using=xpath, value=//ion-grid[1]/ion-row[1]/ion-col[2]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]//ion-col[2]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:55966}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55966/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 59f295e968b58fd86a742a8a8d11a0b9</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) </pre>	FAILED	13 m 25.569 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.InventoryManagment.select_po_number(InventoryManagment.java:603) at ?.Select PO Number(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/InventoryManagement.feature:45) * Not displayable characters are replaced by '?'.		
	<b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [59f295e968b58fd86a742a8a8d11a0b9, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:55966}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55966/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 59f295e968b58fd86a742a8a8d11a0b9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)	<b>FAILED</b>	8.031 s
12	Then Add qty received qty approved	SKIPPED	0.000 s
13	Then Click on GRN item save button	SKIPPED	0.000 s
14	Then Click on Notification button	SKIPPED	0.001 s
15	And Select record which we saved	SKIPPED	0.000 s
16	And Submit the record in maker stage	SKIPPED	0.000 s
17	Then Open Reviewer account	SKIPPED	0.000 s
18	And Click on notification	SKIPPED	0.001 s
19	Then Approve the record which we submitted from maker stage	SKIPPED	0.001 s




#	Step / Hook Details	Status	Duration
20	Then Go to Checker account	SKIPPED	0.005 s
21	And Clam the record	SKIPPED	0.001 s
22	Then Click on notification and approve the record	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.232 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [59f295e968b58fd86a742a8a8d11a0b9, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chrome-win-1069691\profile\default}, goog:chromeOptions: {debuggerAddress: localhost:55966}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55966/devtools, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 59f295e968b58fd86a742a8a8d11a0b9</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)  at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN


(F) Check the Functionality of Inventory



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN


(F) Check the Functionality of Inventory



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN


(F) Check the Functionality of Inventory



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta)

04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN View

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
	AZENTMAIN - Azentio N	GRN-VENDOR-22-75-1	Shisankar Sivanand Lah	11-Feb-2022	ACTIVE	admin	11-Feb-2022
	AZENTMAIN - Azentio N	GRN-VENDOR-22-74-1	Shisankar Sivanand Lah	13-Oct-2022	ACTIVE	admin	09-Feb-2022
	AZENTMAIN - Azentio N	GRN-VENDOR-22-73-1	Shisankar Sivanand Lah	07-Feb-2022	ACTIVE	admin	07-Feb-2022
	AZENTMAIN - Azentio N	GRN-VENDOR-22-72-1	Shisankar Sivanand Lah	21-Jan-2022	ACTIVE	admin	21-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-71-21	DELUXE 001	21-Jan-2022	ACTIVE	admin	21-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-70-20	DELUXE 001	20-Jan-2022	ACTIVE	admin	20-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-69-18	DELUXE 001	18-Jan-2022	ACTIVE	admin	18-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-68-17	DELUXE 001	17-Jan-2022	ACTIVE	admin	17-Jan-2022

75 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta)

04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN View

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
	AZENTMAIN - Azentio N	GRN-VENDOR-22-75-1	Shisankar Sivanand Lah	11-Feb-2022	ACTIVE	admin	11-Feb-2022
	AZENTMAIN - Azentio N	GRN-VENDOR-22-74-1	Shisankar Sivanand Lah	13-Oct-2022	ACTIVE	admin	09-Feb-2022
	AZENTMAIN - Azentio N	GRN-VENDOR-22-73-1	Shisankar Sivanand Lah	07-Feb-2022	ACTIVE	admin	07-Feb-2022
	AZENTMAIN - Azentio N	GRN-VENDOR-22-72-1	Shisankar Sivanand Lah	21-Jan-2022	ACTIVE	admin	21-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-71-21	DELUXE 001	21-Jan-2022	ACTIVE	admin	21-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-70-20	DELUXE 001	20-Jan-2022	ACTIVE	admin	20-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-69-18	DELUXE 001	18-Jan-2022	ACTIVE	admin	18-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-68-17	DELUXE 001	17-Jan-2022	ACTIVE	admin	17-Jan-2022

75 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN

\* BP Name Shisankar Sivanand Lahari x GRN Number \* Invoice Number 1211435

\* GRN Date 11-Feb-2022 GRN Amount INR x \* Delivery Location East Zone x

Upload Delivery challan Choose File No file chosen DOWNLOAD

GRN Status Active TXT Status

Remark

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Created By	Created Date
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Shisankar Sivanand Lahari	11-Feb-2022	ACTIVE	admin	11-Feb-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Shisankar Sivanand Lahari	11-Feb-2022	ACTIVE	admin	11-Feb-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Shisankar Sivanand Lahari	11-Feb-2022	ACTIVE	admin	11-Feb-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Shisankar Sivanand Lahari	11-Feb-2022	ACTIVE	admin	11-Feb-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Shisankar Sivanand Lahari	11-Feb-2022	ACTIVE	admin	11-Feb-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Shisankar Sivanand Lahari	11-Feb-2022	ACTIVE	admin	11-Feb-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Shisankar Sivanand Lahari	11-Feb-2022	ACTIVE	admin	11-Feb-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Shisankar Sivanand Lahari	11-Feb-2022	ACTIVE	admin	11-Feb-2022

121 total

1 2 3 4 5

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	287	GRN_EVENT	MAKER	MAKER	1002435
✓	79	STOCK_RETURN	MAKER	MAKER	1002435
✓	695	ASSET_CREATION	MAKER	MAKER	1002435
✓	693	ASSET_CREATION	MAKER	MAKER	1002435
✓	284	GRN_EVENT	MAKER	MAKER	1002435

596 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	287	GRN_EVENT	MAKER	MAKER	1002435
✓	79	STOCK_RETURN	MAKER	MAKER	1002435
✓	695	ASSET_CREATION	MAKER	MAKER	1002435
✓	693	ASSET_CREATION	MAKER	MAKER	1002435
✓	284	GRN_EVENT	MAKER	MAKER	1002435

596 total