Cucumber Report

| Start : May 04, 2:11:08.886 PM	End : May 04, 2:11:58.696 PM	Duration : 49.810 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 3

#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	49.810 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	Click on Process button on Bank Recon Process screen post creating additional entries	16	12	1	3	49.806 s

(F)- testing the fuctionalities of bank reconciliation module

FAILED	DURATION - 49.810 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 2:11:08.886 PM // 2:11:58.696 PM /		Pass - 0	1	Pass - 12	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Click on Process button on Bank Recon Process screen post creating additional entries

| FAILED	DURATION - 49.806 s		Steps	
/ 2:11:08.890 PM // 2:11:58.696 PM /			Total - 16	16
testing the fuctionalities of bank reconciliation module			Pass - 12	
			Fail - 1	
@text			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	22.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.439 s
	screenshot		
2	And user click bank recon module	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click eye icon in bank recon module	PASSED	0.569 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.688 s
	screenshot		
4	And user click add icon in bank recon	PASSED	0.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.638 s
	screenshot		
5	And user select bank name in bank recon Module	PASSED	0.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.385 s
	screenshot		
6	And user select bank account Number in bank recon Module	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And user click bank recon from date and select the date	PASSED	1.610 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.170 s
8	And user click bank recon to date and select the date	PASSED	1.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.538 s
9	And user click choose file and upload the bank statement	PASSED	0.073 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.469 s
10	And user click save button in bank recon	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.249 s

| #	Step / Hook Details	Status	Duration
11	And user click process button in bank recon	PASSED	3.627 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.335 s
	screenshot 		
12	And user click the unmatched data in bank recon process	PASSED	0.621 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.449 s
	screenshot 		
13	And user match the records in unmached tab	FAILED	0.065 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-grid[1]//datatable-row-wrapper[2]/datatable-body-row/div[2]/datatable-body-cell[6]/div"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [74c1a13406273d7ed8fca3377e2ac23e, findElement {using=xpath, value=//ion-grid[1]//datatable-row-wrapper[2]/datatable-body-row/div[2]/datatable-body-cell[6]/div}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53268}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53268/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 74c1a13406273d7ed8fca3377e2ac23e
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.Bank_ReconModule.user_match_the_records_in_unmached_tab(Bank_ReconModule.java:325) at ?.user match the records in unmached tab(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/features/Bank_ReconciliationModule.feature:37) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.201 s
14	And user click matched data tab	SKIPPED	0.000 s
15	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab	SKIPPED	0.001 s
16	Then user verify that Unmatched entry from Bank Side will not be displayed	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Click on Process button on Bank Recon Process screen post creating additional entries	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Click on Process button on Bank Recon Process screen post creating additional entries	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

Kastle Universal Banking (Beta)

20-Mar-2023   English ▾   Azentio Software ▾   (AZENTMAIN)   ⌀   ⏻   👤 ANANT

Finance

| | Bank Reconciliation Details | Matched Data | **Unmatched Data** | Bank Reconciliation Statement |

🛠   ⇄   📋

← Unmatched Data   MATCH 💾

⊘ General ledger transaction

⊘ Budget

⊘ Accounts payable

⊘ Adjustments (AR and AP)

⊘ Accounts receivable

⊘ Fixed assets

⊘ Inventory management

⊘ Petty cash

⊘ Bank recon

▸ **Bank reconcilliation**   ✎ 👁 🗑

22 Appro... ✕   11 Messa... ✕

Records from Book   🔍

Select	Value Date	Transaction Date	Particulars	Transaction Mode	Instrument No	Dr.Amount	Cr.Amount
☐	2023-02-17	2023-02-17	OK	WIRE	RRN444	560	

1 total

Records from Bank Statement   🔍

Unmatch	Transaction Date	Value Date	Particulars	Transaction Mode	Instrument No	Withdrawal Amount	Deposit Am
☐	2023-02-17	2023-02-17	OK		RRN444		506
☐	2023-02-17	2023-02-17	OK		RRN156		3000
☐	2023-02-17	2023-02-17	OK		RRN157		4000