

Cucumber Report

20 Jan 2023, 4:08:03 PM

Start : Jan 20, 4:07:32.774 PM

End : Jan 20, 4:08:01.774 PM

Duration : 29.000 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 9







#	Feature Name	T	P	F	S	Duration
1	<u>To create Bank Recon details</u>	1	0	1	0	29.000 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To create Bank Recon details	De-activating an approved record	10	0	1	9	28.995 s


(F)- To create Bank Recon details

FAILED	DURATION - 29.000 s	Scenarios		Steps	
/ 4:07:32.774 PM // 4:08:01.774 PM /		Total - 1		Total - 10	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

(S)- De-activating an approved record

<div>FAILED</div> <div>DURATION - 28.995 s</div>			Steps		
/ 4:07:32.779 PM // 4:08:01.774 PM /			Total - 10		
To create Bank Recon details			Pass - 0		
@KUBS_BRS_UAT_001_001_TC_004			Fail - 1		
@MultiAuth				Skip - 9	

#	Step / Hook Details	Status	Duration
1	<p>Given User should go to the kubs url and login as a maker user</p> <pre> java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at resources.ExcelReader.isSheetExist(ExcelReader.java:412) at resources.ExcelReader.getColumnCount(ExcelReader.java:426) at resources.ExcelData.getTestdata(ExcelData.java:24) at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:38) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:49) at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/BankRecon.feature:61) * Not displayable characters are replaced by '?'. </pre>	FAILED	22.183 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	1.221 s

#	Step / Hook Details	Status	Duration
			
2	Then Click on Direction Left	SKIPPED	0.000 s
3	Then Click on Bank Recon	SKIPPED	0.000 s
4	Then click on Bank Recon format eye button	SKIPPED	0.000 s
5	Then user update the Excel sheet testdata for BankRecon1	SKIPPED	0.001 s
6	Then select the active record	SKIPPED	0.000 s
7	Then Inactivate the record	SKIPPED	0.000 s
8	Then Click on Inventory Item Save button	SKIPPED	0.001 s
9	Then Click on Inventory Item Notification	SKIPPED	0.000 s
10	And Select and Submit the records	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) De-activating an approved record

(F) To create Bank Recon details

