Cucumber Report

| *Start : Feb 23, 3:22:35.509 AM*	*End : Feb 23, 3:22:56.948 AM*	*Duration : 21.439 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 0

Features: 1 — Pass % 0 %

Scenarios: 1 — Pass % 0 %

Steps: 7 — Pass % 85 %

#	Feature Name	T	P	F	S	Duration
1	_Checking the Acount Receivable Advances functionality_	1	0	1	0	21.439 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Receivable Advances functionality	Advance to employee must be created and displayed in approved list view.	7	6	1	0	21.436 s

(F)- Checking the Acount Receivable Advances functionality

FAILED	DURATION - 21.439 s	Scenarios		Steps	
/ 3:22:35.509 AM // 3:22:56.948 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 7 Pass - 6 Fail - 1 Skip - 0	7

(S)- Advance to employee must be created and displayed in approved list view.

| FAILED	DURATION - 21.436 s		Steps	
/ 3:22:35.512 AM // 3:22:56.948 AM /			Total - 7	
Checking the Acount Receivable Advances functionality			Pass - 6	7
@KUBS_AR/AP_UAT_002_003_TC_01 @MultiAuth			Fail - 1 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.246 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.319 s
	screenshot		
2	Then Click on Direction icon	PASSED	2.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click on Account Recivable button	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
4	Then Click on Account Recivable Advances eye button	PASSED	0.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
5	Then Click to add record in Account Recivable	PASSED	0.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
6	Then Fill the form for Account Recivable	PASSED	4.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.083 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	**Then Click on save button to save the Record for Account Recivable**	FAILED	1.102 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [de88f2cac3ffd3a4c297651257ed7864, clickElement {id=f5ef3c1e-7adb-4c12-8f1e-91d5babf5721}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58454}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58454/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (de88f2cac3ffd3a4c297651257ed7864)] -> xpath: (//ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: de88f2cac3ffd3a4c297651257ed7864
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.AccountReceivable_AccountReceivableAdvances. click_on_save_button_to_save_the_record_for_account_recivable(AccountReceivable_AccountReceivableAdvances.java:110)		

#	Step / Hook Details	Status	Duration
	at ?.Click on save button to save the Record for Account Recivable(file:///C:/Users/inindc00089/git/repository/ Priyanka_AzentioAutomationFramework/src/test/java/features/AccountReceivable_AccountReceivableAdvances.feature:12) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.084 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Advance to employee must be created and displayed in approved list view.

(F) Checking the Acount Receivable Advances functionality

≡ 🌐 Kastle Universal Banking (Beta)	19-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ⊒ 👤 ANANT
Finance ▾	Welcome, anant
Configuration ⦿	
Finance ○	

22 Appro... ⊗   11 Messa... ⊗   ⠿ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Advance to employee must be created and displayed in approved list view.

(F) Checking the Acount Receivable Advances functionality

≡ 🌐 Kastle Universal Banking (Beta)	19-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ⊒ 👤 ANANT
Finance ▾	Welcome, anant
🛠 ⮂ 📋	
⟩ General ledger transaction	
⟩ Budget	
⟩ Accounts payable	
⟩ Adjustments (AR and AP)	
⟩ Accounts receivable	
⟩ Fixed assets	
⟩ Inventory management	
⟩ Petty cash	
⟩ Bank recon	

22 Appro... ⊗   11 Messa... ⊗   ⠿ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Advance to employee must be created and displayed in approved list view.	
(F) Checking the Acount Receivable Advances functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Advance to employee must be created and displayed in approved list view.	
(F) Checking the Acount Receivable Advances functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Advance to employee must be created and displayed in approved list view.

(F) Checking the Acount Receivable Advances functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Advance to employee must be created and displayed in approved list view.

(F) Checking the Acount Receivable Advances functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Advance to employee must be created
and displayed in approved list view.

(F) Checking the Acount Receivable
Advances functionality