

Cucumber Report

21-Mar-2022, 11:59:55 am

Start : Mar 21, 11:59:34.109 am

End : Mar 21, 11:59:53.813 am

Duration : 19.704 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 5


FAILED - 1

SKIPPED - 18







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL2 Module</u>	1	0	1	0	19.704 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL2 Module</u>	<u>Modify the accounting book</u>	24	5	1	18	19.699 s





(F)- Check the Functionality of the GL2 Module


FAILED	DURATION - 19.704 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 24 Pass - 5 Fail - 1 Skip - 18	
/ 11:59:34.109 am // 11:59:53.813 am /					

(S)- Modify the accounting book

FAILED	DURATION - 19.699 s		Steps Total - 24 Pass - 5 Fail - 1 Skip - 18	
/ 11:59:34.114 am // 11:59:53.813 am /				
Check the Functionality of the GL2 Module				
@KUBS_GL_UAT_002_004				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	12.561 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
			
2	And Click on Accounting Setup module	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click sub module Accounting book definition	PASSED	0.392 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot 		
4	Then Click on Table Row First Edit Icon	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot 		
5	And Enter Modify Book Name	PASSED	0.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot 		
6	And Save the Record	FAILED	1.193 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		


#	Step / Hook Details	Status	Duration
	<p>name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cc31189e36190f6e275386cad15e6593, clickElement {id=ee69f5b8-de02-46e7-a536-5764e980ed7b}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:60829}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60829/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (cc31189e36190f6e275386cad15e6593)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: cc31189e36190f6e275386cad15e6593</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.GL2_Accounting_Book_Definition.save_the_record(GL2_Accounting_Book_Definition.java:136) at ?.Save the Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/GL2_Accounting_Setup.feature:86) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.113 s

#	Step / Hook Details	Status	Duration
7	Then Goto The Notification Icon	SKIPPED	0.001 s
8	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
9	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
10	Given Navigate as a Reviewer	SKIPPED	0.000 s
11	Then click on Notify icon	SKIPPED	0.000 s
12	And Click First record Action icon	SKIPPED	0.001 s
13	Then Approve the record in Reviewer	SKIPPED	0.000 s
14	And Give Remark and Submit	SKIPPED	0.000 s
15	Given Navigate as a Checker	SKIPPED	0.000 s
16	Then Click module security management	SKIPPED	0.000 s
17	And Claim the Record in Checker	SKIPPED	0.001 s
18	Then Goto the Checker notification Icon	SKIPPED	0.000 s
19	And Click the First Action Icon	SKIPPED	0.000 s
20	Then Approve the Record in checker stage	SKIPPED	0.000 s
21	And Give the Remark and Submit it	SKIPPED	0.001 s
22	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
23	And Click on Accounting Setup module	SKIPPED	0.001 s
24	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modify the accounting book


(F) Check the Functionality of the GL2
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2
Module

The screenshot displays the 'Accounting template grid view' in the Kastle Universal Banking (Beta) application. The interface includes a top navigation bar with the date '31-Oct-2022', language 'English', and user 'ANANT'. A left sidebar lists various setup options, with 'Accounting setup' selected and its sub-items expanded. The main area shows a table of accounting templates.

Actions	Legal Entity Name	Accounting Book Name	Code	Book Type	Template Type	Txn Date	Created By
	Azentio Software	Testing_02	ACCB00K-08	IFRS Book	Base Template	10-Nov-2022	1002435
	Azentio Software	Testing02	ACCB00K-07	IFRS Book	CUSTOM_TEMPLATE	10-Nov-2022	1002435
	Azentio Software	Testing01	ACCB00K-06	IFRS Book	Base Template	10-Nov-2022	1002435
	Azentio Software	ledger		GAAP	CUSTOM_TEMPLATE	18-Mar-2022	1002435
	Azentio Software	aCC BOOK	ACCB00K-04	IFRS Book	Base Template	18-Mar-2022	1002435
	Azentio Software	Account_Base		IFRS Book	Base Template	17-Mar-2022	1002435
	Azentio Software	CUSTOM BOOK2	ACCB00K-02	IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435
	Azentio Software	CUSTOM BOOK		IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435

12 total

Navigation: Home, Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2
Module

This screenshot is identical to the one above, showing the 'Accounting template grid view' in the Kastle Universal Banking (Beta) application. It displays the same table of accounting templates and navigation elements.

Actions	Legal Entity Name	Accounting Book Name	Code	Book Type	Template Type	Txn Date	Created By
	Azentio Software	Testing_02	ACCB00K-08	IFRS Book	Base Template	10-Nov-2022	1002435
	Azentio Software	Testing02	ACCB00K-07	IFRS Book	CUSTOM_TEMPLATE	10-Nov-2022	1002435
	Azentio Software	Testing01	ACCB00K-06	IFRS Book	Base Template	10-Nov-2022	1002435
	Azentio Software	ledger		GAAP	CUSTOM_TEMPLATE	18-Mar-2022	1002435
	Azentio Software	aCC BOOK	ACCB00K-04	IFRS Book	Base Template	18-Mar-2022	1002435
	Azentio Software	Account_Base		IFRS Book	Base Template	17-Mar-2022	1002435
	Azentio Software	CUSTOM BOOK2	ACCB00K-02	IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435
	Azentio Software	CUSTOM BOOK		IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435

12 total

Navigation: Home, Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

Code *	Template Type	Book Name
ACCB00K-08	Base Template	IFRS Book

Special character are not allowed

Effective Date	Book Type	Status
10-Nov-2022	IFRS Book	ACTIVE

Remarks
Okay

BookName already exists!!!

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

Code *	Template Type	Book Name
ACCB00K-08	Base Template	IFRS Book

Special character are not allowed

Effective Date	Book Type	Status
10-Nov-2022	IFRS Book	ACTIVE

Remarks
Okay

BookName already exists!!!