Cucumber Report

| Start : Mar 04, 4:10:46.282 pm	End : Mar 04, 4:11:10.063 pm	Duration : 23.781 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 13 FAILED - 1 SKIPPED - 3

#	Feature Name	T	P	F	S	Duration
1	*Check the Functionality of AR/AP Module*	1	0	1	0	23.781 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Verify No accounting entries are posted post payment settlement approval	17	13	1	3	23.772 s

(F)- Check the Functionality of AR/AP Module

| FAILED	DURATION - 23.781 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 4:10:46.282 pm // 4:11:10.063 pm /		Pass - 0	1	Pass - 13	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

## (S)- Verify No accounting entries are posted post payment settlement approval

FAILED	DURATION - 23.772 s		Steps	
/ 4:10:46.291 pm // 4:11:10.063 pm /			Total - 17	
			Pass - 13	17
Check the Functionality of AR/AP Module			Fail - 1	
@KUBS_AR_AP_UAT_004_003_TC_02			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	13.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click On Main module Accounts payable	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot 		
4	Then Click sub module Payment settlement Eye Icon	PASSED	0.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot 		
5	And Click On Search Icon	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot 		
6	Then Enter Txn Number in payment Settlement	PASSED	0.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Table Row First Eye Icon	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.393 s
	screenshot 		
8	Then Third Segment report Icon	PASSED	0.358 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot 		
9	And Choose Enquiry Module	PASSED	0.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot 		
10	Then Click Note iCon near by financial transction	PASSED	0.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And choose branch code	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot 		
12	And click on transaction from date in calender	PASSED	0.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot 		
13	Then Select from date in calender	PASSED	0.296 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot 		
14	And click on transaction to date in calender icon	FAILED	1.162 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1011, 262). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration

	[2b38e00d19f0f3c4fc1cc34973f48884, clickElement {id=b88ff16f-c594-409a-bb96-0deb9bdfc21a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56722}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56722/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (2b38e00d19f0f3c4fc1cc34973f48884)] -> xpath: (//span[@class='input-calendar'])[2]] Session ID: 2b38e00d19f0f3c4fc1cc34973f48884
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.ARAP_CancellationOfGRN.click_on_transaction_to_date_in_calender_icon(ARAP_CancellationOfGRN.java:149)
	    at ?.click on transaction to date in calender icon(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:274)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.117 s
15	Then Select To date in calender	SKIPPED	0.000 s
16	And Click View HyperLink	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
17	Then Verify Accounting entries are posted post payment settlement approval	SKIPPED	0.001 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) Verify No accounting entries are posted post payment settlement approval | |
| (F) Check the Functionality of AR/AP Module | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entries are posted post payment settlement approval	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entries are
posted post payment settlement approval

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entries are
posted post payment settlement approval

(F) Check the Functionality of AR/AP
Module

Actions	Branch Code - Name	Payment Option	TXN Number	Business Partner	Payment Amount	Txn Date	Txn Status
👁	AZENTMAIN - Azentio N	Bill Wise	PAN-104-2022-03-03		1798	03-Mar-2022	ACTIVE
👁	AZENTMAIN - Azentio N	Business Partner wise	PAN-103-2022-03-03	Bonton Agency	17591	03-Mar-2022	ACTIVE
👁	AZENTMAIN - Azentio N	Bill Wise	PAN-102-2022-03-03		1990	03-Mar-2022	ACTIVE
👁	AZENTMAIN - Azentio N	Bill Wise	PAN-101-2022-03-03		1000	03-Mar-2022	ACTIVE
👁	AZENTMAIN - Azentio N	Business Partner wise	PAN-99-2022-03-03	Bonton Agency	186725	03-Mar-2022	ACTIVE
👁	AZENTMAIN - Azentio N	Bill Wise	PAN-100-2022-03-03		29063	03-Mar-2022	ACTIVE
👁	AZENTMAIN - Azentio N	Bill Wise	PAN-97-2022-03-03		29063	03-Mar-2022	ACTIVE
👁	AZENTMAIN - Azentio N	Business Partner wise	PAN-95-2022-03-02	Bonton Agency	1990	02-Mar-2022	ACTIVE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entries are
posted post payment settlement approval

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entries are
posted post payment settlement approval

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entries are
posted post payment settlement approval

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entries are
posted post payment settlement approval

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entries are
posted post payment settlement approval

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entries are
posted post payment settlement approval

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entries are posted post payment settlement approval

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entries are posted post payment settlement approval

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entries are posted post payment settlement approval

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entries are posted post payment settlement approval

(F) Check the Functionality of AR/AP Module