Cucumber Report

| Start : Mar 01, 1:43:17.460 pm	End : Mar 01, 1:43:41.673 pm	Duration : 24.213 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 13 FAILED - 1 SKIPPED - 32

Features: 1

Scenarios: 1

Steps: 46

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 28 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	24.213 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	46	13	1	32	24.205 s

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 24.213 s	Scenarios		Steps	
/ 1:43:17.460 pm // 1:43:41.673 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 46 Pass - 13 Fail - 1 Skip - 32	46

(S)- Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

FAILED	DURATION - 24.205 s		Steps	
/ 1:43:17.468 pm // 1:43:41.673 pm /			Total - 46 Pass - 13 Fail - 1 Skip - 32	46
Check the Functionality of AR/AP Module				
@KUBS_AR_AP_UAT_004_007_TC_01				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	13.060 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.337 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click On Main module Accounts Receivable	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.213 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.392 s
	screenshot		
5	And Click Add icon button	PASSED	0.302 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		
6	Then Enter the Receivable Name as Advance to employee	PASSED	0.424 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And Enter Business partner Value	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
8	Then Enter the PO Number	PASSED	0.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
9	And Enter Payment mode	PASSED	0.297 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
10	Then Enter Amount value	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And Choose Needed Currancy	PASSED	0.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
12	Then Choose cost center	PASSED	0.301 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
13	And Enter Description value	PASSED	0.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
14	Then Save the Advance Record	FAILED	1.130 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		

#	Step / Hook Details	Status	Duration

	name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0cde7cf60328aa6fa6c2eda55da986a, clickElement {id=d59f69bd-8784-4a0d-82cb-86b0eb2e2a98}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58952}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58952/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c0cde7cf60328aa6fa6c2eda55da986a)] -> xpath: (//ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: c0cde7cf60328aa6fa6c2eda55da986a
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	  at stepdefinitions.ARAP_CancellationOfGRN.save_the_advance_record(ARAP_CancellationOfGRN.java:1004)
	  at ?.Save the Advance Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:371)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.116 s

#	Step / Hook Details	Status	Duration
15	Then Goto The Notification Icon	SKIPPED	0.001 s
16	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
17	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
18	Given Navigate as a Reviewer	SKIPPED	0.000 s
19	Then click on Notify icon	SKIPPED	0.001 s
20	And Click First record Action icon	SKIPPED	0.000 s
21	Then Approve the record in Reviewer	SKIPPED	0.001 s
22	And Give Remark and Submit	SKIPPED	0.000 s
23	Given Navigate as a Checker	SKIPPED	0.000 s
24	Then Click module security management	SKIPPED	0.001 s
25	And Claim the Record in Checker	SKIPPED	0.000 s
26	Then Goto the Checker notification Icon	SKIPPED	0.001 s
27	And Click the First Action Icon	SKIPPED	0.000 s
28	Then Approve the Record in checker stage	SKIPPED	0.001 s
29	And Give the Remark and Submit it	SKIPPED	0.000 s
30	Given Navigate The Azentio Url	SKIPPED	0.000 s
31	Then Choose the second Tab Segment	SKIPPED	0.000 s
32	And Click On Main module Accounts Receivable	SKIPPED	0.000 s
33	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.000 s
34	And Click On Search Icon	SKIPPED	0.001 s
35	Then Enter Active Value In Advance Status	SKIPPED	0.000 s
36	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
37	And Get The Business Partner and Advance Number	SKIPPED	0.000 s
38	And Click On Main module Accounts payable	SKIPPED	0.000 s
39	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.000 s
40	And Click Add icon button	SKIPPED	0.000 s
41	Then Enter payment option	SKIPPED	0.000 s
42	And Give stored Business partner Name	SKIPPED	0.001 s
43	Then Choose value date as System current date	SKIPPED	0.000 s
44	And find the Advance reference number and Net Adjustable value in the billing queue	SKIPPED	0.000 s
45	Then Click the Checkbox As Tick	SKIPPED	0.000 s
46	And Verify the Net Adjusted Value is correctly displayed	SKIPPED	0.000 s

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Advance to employee is
adjusted against the selected bill and Net
Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Advance to employee is
adjusted against the selected bill and Net
Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP
Module

Actions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
👁	AZENTMAIN - Azentio N	Advance Against PO	ADV_64_132022	Bonton Agency	1000	19-Oct-2022	Active
👁	AZENTMAIN - Azentio N	Advance Against PO	ADV_63_2822022	DELUXE 001	50000	19-Oct-2022	Active
👁	AZENTMAIN - Azentio N	Advance Against PO	ADV_62_2822022	DELUXE 001	50000	19-Oct-2022	Active
👁	AZENTMAIN - Azentio N	Advance Against PO	ADV_61_2822022	DELUXE 001	5000	19-Oct-2022	Active
👁	AZENTMAIN - Azentio N	Advance To Employee	ADV_60_2422022	Swapnil Gore	1000	19-Oct-2022	Closed
👁	AZENTMAIN - Azentio N	Advance Against PO	ADV_59_2422022	PAUL MCADAMS & Co.	100	19-Oct-2022	Closed
👁	AZENTMAIN - Azentio N	Advance To Employee	ADV_58_2422022	Swapnil Gore	1000	19-Oct-2022	Closed
👁	AZENTMAIN - Azentio N	Advance To Employee	ADV_57_2422022	Swapnil Gore	1000	19-Oct-2022	Active

64 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	
(F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed (F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed (F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	
(F) Check the Functionality of AR/AP Module	