
Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	1 m 4.651 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Checking of downloaded payment files for online payment	8	6	1	1	1 m 4.643 s
		where create file basis is Bank & Account Number Wise					

DETAILED SECTION -- 4 --

(F)- AR_AP Module

FAILED	DURATION - 1 m 4.651 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 10:48:16.316 A	AM // 10:49:20.967 AM /	Pass - 0	1	Pass - 6	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Checking of downloaded payment files for online payment where create file basis is Bank & Account Number Wise



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	38.978 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.857 s
	screenshot		
	The first opening of the first opening opening of the first opening opening of the first opening ope		
2	And click on arap configuration main menu	PASSED	1.649 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		


3 And click on payment file generation setup sub menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And user update the Excelsheet Testdata for payment file download AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.453 s 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.802 s 5 And configure the file format as Bank & Account Number Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.451 s 6 And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.451 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) And user update the Excelsheet Testdata for payment file download AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot ACTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.453 s 0.454 s				
screenshot 4 And user update the Excelsheet Testdata for payment file download AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And configure the file format as Bank & Account Number Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.310 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.045 s	3	And click on payment file generation setup sub menu	PASSED	0.311 s
And user update the Excelsheet Testdata for payment file download AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And configure the file format as Bank & Account Number Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.310 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.310 s PASSED 0.045 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.453 s
4 And user update the Excelsheet Testdata for payment file download AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And configure the file format as Bank & Account Number Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.310 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.045 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And configure the file format as Bank & Account Number Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.310 s PASSED 0.254 s		#		
Screenshot 5 And configure the file format as Bank & Account Number Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.310 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.254 s	4	And user update the Excelsheet Testdata for payment file download	PASSED	0.045 s
5 And configure the file format as Bank & Account Number Wise PASSED 1.787 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And save the arap configure record PASSED 3.310 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.254 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.802 s
5 And configure the file format as Bank & Account Number Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.310 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.254 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.310 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.451 s		**************************************		
Screenshot 6 And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.254 s	5	And configure the file format as Bank & Account Number Wise	PASSED	1.787 s
6 And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.254 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.451 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.254 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.254 s		ACCOUNTS Section Sect		
	6	And save the arap configure record	PASSED	3.310 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
		screenshot		

#	Step / Hook Details	Status	Duration
The state of the s			
7 Then	Click on Update Deposited Cheque Notification	FAILED	1.854 s
org.oprirouterli activati class="info: ch" 10.200 Chrom {accep (1e0e3 javasci Proxy({implic webau (abc4b abc4b) at ja at ja at ja at on at ja a	enqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button_ngcontent-klt-c278="" (1734,="" 28).="" <di="" at="" button="" button-clear="" button-has-icon-only="" class="" click:="" clickable="" color="" element="" hydrated"="" in-toolbar="" inbale="" ink="inbox" ion-="" ion-button ="" ion-focusable="" is="" md="" ng-reflect-router-link="inbox" not="" other="" point="" receive="" tabindex="0" the="" would="">vione="alent" "ng-ins-c136-0 toast-message ng-star-inserted" aria-label="Workflow initiated submit record from inbox." style=""> inbox." click inbox." click intercept of click intercept intercept</ion-button_ngcontent-klt-c278="">		

DETAILED SECTION --- 7 -

#	Step / Hook Details	Status	Duration
	AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:736) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
	*** A STATE *** *** *** *** *** *** *** *** *** *		
8	And Select and Submit the Update Deposited Cheque records	SKIPPED	0.000 s

EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) Checking of downloaded payment
files for online payment where create file
basis is Bank & Account Number Wise

(F) AR AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank & Account Number Wise

(F) AR_AP Module



EXPANDED SECTION -- 10 --

