

# Cucumber Report

24-Mar-2022, 4:45:45 pm

**Start : Mar 24, 4:45:01.657 pm**

**End : Mar 24, 4:45:42.748 pm**

**Duration : 41.091 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 9**


**FAILED - 1**

**SKIPPED - 15**







| # | Feature Name                                     | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>Check the Functionality of the GL2 Module</u> | 1 | 0 | 1 | 0 | 41.091 s |






| # | Feature Name                                     | Scenario Name                     | T  | P | F | S  | Duration |
|---|--|-----------------------------------|----|---|---|----|----------|
| 1 | <u>Check the Functionality of the GL2 Module</u> | <u>Modify the accounting book</u> | 25 | 9 | 1 | 15 | 41.085 s |





**(F)- Check the Functionality of the GL2 Module**





|                                      |                            |           |   |            |   |
|--------------------------------------|----------------------------|-----------|---|------------|---|
| <b>FAILED</b>                        | <b>DURATION - 41.091 s</b> | Scenarios |  | Steps      |  |
| / 4:45:01.657 pm // 4:45:42.748 pm / |                            | Total - 1 |   | Total - 25 |   |
|                                      |                            | Pass - 0  |   | Pass - 9   |   |
|                                      |                            | Fail - 1  |   | Fail - 1   |   |
|                                      |                            | Skip - 0  |   | Skip - 15  |   |

**(S)- Modify the accounting book**

|  |  |  |   |   |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 41.085 s</div> |  |  | <div>Steps</div> <div>Total - 25</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 15</div> |  |
| / 4:45:01.663 pm // 4:45:42.748 pm /             |  |  |   |   |
| Check the Functionality of the GL2 Module        |  |  |   |   |
| @KUBS_GL_UAT_002_004                             |  |  |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to Azentio Kubs  | PASSED | 13.076 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.192 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 2 | And Click on Accounting Setup module  | PASSED | 0.106 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.221 s  |
|   | screenshot  |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   |                  |        |          |
| 3 | Then Click sub module Accounting book definition  | PASSED | 0.391 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                  | PASSED | 0.297 s  |
|   | screenshot<br>   |        |          |
| 4 | Then Click on Table Row First Edit Icon   | PASSED | 0.221 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                  | PASSED | 0.498 s  |
|   | screenshot<br>   |        |          |
| 5 | And Enter Modify Book Name  | PASSED | 0.332 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                  | PASSED | 0.210 s  |
|   | screenshot<br> |        |          |
| 6 | And Save the Record   | PASSED | 0.156 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                  | PASSED | 0.464 s  |
|   | screenshot  |        |          |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
|    |   |        |          |
| 7  | Then Goto The Notification Icon  | PASSED | 0.220 s  |
|    | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>   | PASSED | 0.321 s  |
| 8  | And Store the Reference Id and Open the Record   | PASSED | 0.750 s  |
|    | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>   | PASSED | 0.601 s  |
| 9  | Then Click submit button and Enter Remark submit it  | PASSED | 2.201 s  |
|    | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>   | PASSED | 0.199 s  |
| 10 | <p>Given Navigate as a Reviewer</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eb15cb4b2a4726c12a664a253b42d83b, findElement {using=xpath, value=//input[@name='username']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}}</p> | FAILED | 4.728 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>goog:chromeOptions: {debuggerAddress: localhost:63485}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:63485/devtoo..., se.cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: eb15cb4b2a4726c12a664a253b42d83b</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br/> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br/> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)<br/> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br/> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br/> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br/> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br/> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br/> at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source)<br/> at stepdefinitions.KUBS_Login.logintoAzentioappReviewer(KUBS_Login.java:68)<br/> at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable.navigate_as_a_reviewer(ARAP_AccountsReceivable_AccountsPayable.java:1868)<br/> at ?.Navigate as a Reviewer(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/GL1_Accounting_Setup.feature:91)<br/> * Not displayable characters are replaced by '?'. </p> |        |          |
|   | <p><b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b></p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eb15cb4b2a4726c12a664a253b42d83b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:63485}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:63485/devtoo..., se.cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: eb15cb4b2a4726c12a664a253b42d83b<br/> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </p>  | FAILED | 12.188 s |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)<br>at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)   |         |          |
| 11 | Then click on Notify icon  | SKIPPED | 0.001 s  |
| 12 | And Click First record Action icon   | SKIPPED | 0.004 s  |
| 13 | Then Approve the record in Reviewer  | SKIPPED | 0.001 s  |
| 14 | And Give Remark and Submit   | SKIPPED | 0.001 s  |
| 15 | Given Navigate as a Checker  | SKIPPED | 0.002 s  |
| 16 | Then Click module security management  | SKIPPED | 0.000 s  |
| 17 | And Claim the Record in Checker  | SKIPPED | 0.001 s  |
| 18 | Then Goto the Checker notification Icon  | SKIPPED | 0.000 s  |
| 19 | And Click the First Action Icon  | SKIPPED | 0.000 s  |
| 20 | Then Approve the Record in checker stage   | SKIPPED | 0.000 s  |
| 21 | And Give the Remark and Submit it  | SKIPPED | 0.000 s  |
| 22 | Given Navigate to Azentio Kubs   | SKIPPED | 0.000 s  |
| 23 | And Click on Accounting Setup module   | SKIPPED | 0.000 s  |
| 24 | Then Click sub module Accounting book definition   | SKIPPED | 0.000 s  |
| 25 | Then Click on Table Row First Eye Icon   | SKIPPED | 0.000 s  |
|    | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)   | FAILED  | 0.202 s  |
|    | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eb15cb4b2a4726c12a664a253b42d83b, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog.chromeOptions: {debuggerAddress: localhost:63485}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63485/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: eb15cb4b2a4726c12a664a253b42d83b<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) |         |          |




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</pre> |        |          |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modify the accounting book


(F) Check the Functionality of the GL2  
Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2  
Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2  
Module

The screenshot shows the 'Accounting template grid view' in the Kastle Universal Banking (Beta) application. The interface includes a top navigation bar with the date '04-Nov-2022', language 'English', and user 'ANANT'. A left sidebar lists various setup options under 'Finance', with 'Accounting book definition' highlighted. The main area displays a table of accounting templates.

| Actions | Legal Entity Name | Accounting Book Name | Code        | Book Type | Template Type   | Txn Date    | Created By |
|---------|-------------------|----------------------|-------------|-----------|-----------------|-------------|------------|
|         | Azentio Software  | Modify_01            | ACCB00K-019 | IFRS Book | CUSTOM_TEMPLATE | 02-Jan-2023 | 1002435    |
|         | Azentio Software  | Testing_07           | ACCB00K-018 | IFRS Book | Base Template   | 02-Jan-2023 | 1002435    |
|         | Azentio Software  | Testing_06           | ACCB00K-017 | IFRS Book | Base Template   | 02-Jan-2023 | 1002435    |
|         | Azentio Software  | Modify_00            | ACCB00K-016 | IFRS Book | Base Template   | 21-Mar-2022 | 1002435    |
|         | Azentio Software  | Testing_05           | ACCB00K-015 | IFRS Book | Base Template   | 02-Jan-2023 | 1002435    |
|         | Azentio Software  | Testing_02           | ACCB00K-014 | IFRS Book | Base Template   | 02-Jan-2023 | 1002435    |
|         | Azentio Software  | test-d2              | ACCB00K-013 | IFRS Book | Base Template   | 21-Mar-2022 | 1002435    |
|         | Azentio Software  | Custom               | ACCB00K-012 | GAAP      | CUSTOM_TEMPLATE | 21-Mar-2022 | 1002435    |

At the bottom of the table, it indicates '23 total' records. A pagination bar shows '1' of 23 records. A blue circular button with a '+' sign is located at the bottom right of the table area.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2  
Module

The screenshot shows the 'Accounting Template' form in the Kastle Universal Banking (Beta) application. The interface includes the same top navigation bar and left sidebar as the previous screenshot. The main area displays a form for editing an accounting template.

Code: ACCBOOK-019

\* Template Type: CUSTOM\_TEMPLATE

\* Book Name: Modify\_01

\* Effective Date: 02-Jan-2023

\* Book Type: IFRS Book

Status: ACTIVE

\* Remarks: Okay

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2  
Module

Kastle Universal Banking (Beta) 04-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

Code \* ACCBOOK-019

Template Type CUSTOM\_TEMPLATE

Book Name \* Modify\_01

Effective Date 02-Jan-2023

Book Type IFRS Book

Status ACTIVE

Remarks Okay

BookName already exists!!!

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2  
Module

Kastle Universal Banking (Beta) 04-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

| Actions | Legal Entity Name | Accounting Book Name | Code        | Book Type | Template Type   | Txn Date    | Created By |
|---------|-------------------|----------------------|-------------|-----------|-----------------|-------------|------------|
|         | Azentio Software  | Modify_01            | ACCB00K-019 | IFRS Book | CUSTOM_TEMPLATE | 02-Jan-2023 | 1002435    |
|         | Azentio Software  | aCC BOOK             |             | IFRS Book | Base Template   | 18-Mar-2022 | 1002435    |
|         | Azentio Software  | CUSTOM_BOOK1         |             | IFRS Book | CUSTOM_TEMPLATE | 28-Jan-2022 | le4maker   |
|         | Azentio Software  | Testing              |             | IFRS Book | CUSTOM_TEMPLATE | 12-Oct-2022 | le4maker   |
|         | Azentio Software  | dummy 1              |             | GAAP      | Base Template   | 03-Sep-2021 | 1002435    |
|         | Azentio Software  | IFRS_001             |             | IFRS Book | Base Template   | 02-Sep-2021 | le4maker   |
|         | Azentio Software  | IFRS-BOOK            |             | IFRS Book | CUSTOM_TEMPLATE | 28-Oct-2021 | 1002435    |

AccountingTemplate updated successfully.

9 total

BookName already exists!!!

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2  
Module

Kastle Universal Banking (Beta) 04-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

| Actions                             | Legal Entity Name | Accounting Book Name | Code        | Book Type | Template Type   | Txn Date    | Created By |
|-------------------------------------|-------------------|----------------------|-------------|-----------|-----------------|-------------|------------|
| No data to display                  |                   |                      |             |           |                 |             |            |
| <input checked="" type="checkbox"/> | Azentio Software  | Modify_01            | ACCB00K-019 | IFRS Book | CUSTOM_TEMPLATE | 02-Jan-2023 | 1002435    |
| <input checked="" type="checkbox"/> | Azentio Software  | aCC BOOK             |             | IFRS Book | Base Template   | 18-Mar-2022 | 1002435    |
| <input checked="" type="checkbox"/> | Azentio Software  | CUSTOM_BOOK1         |             | IFRS Book | CUSTOM_TEMPLATE | 28-Jan-2022 | le4maker   |
| <input checked="" type="checkbox"/> | Azentio Software  | Testing              |             | IFRS Book | CUSTOM_TEMPLATE | 12-Oct-2022 | le4maker   |
| <input checked="" type="checkbox"/> | Azentio Software  |                      |             |           | CUSTOM_TEMPLATE | 18-Jan-2022 | 1002435    |
| <input checked="" type="checkbox"/> | Azentio Software  | dummy 1              |             | GAAP      | Base Template   | 03-Sep-2021 | 1002435    |
| <input checked="" type="checkbox"/> | Azentio Software  | IFRS_001             |             | IFRS Book | Base Template   | 02-Sep-2021 | le4maker   |
| <input checked="" type="checkbox"/> | Azentio Software  | IFRS-BOOK            |             | IFRS Book | CUSTOM_TEMPLATE | 28-Oct-2021 | 1002435    |
| 9 total                             |                   |                      |             |           |                 |             |            |

AccountingTemplate updated successfully.

BookName already exists!!!

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2  
Module

Kastle Universal Banking (Beta) 04-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

| Actions                             | Legal Entity Name | Accounting Book Name | Code        | Book Type | Template Type   | Txn Date    | Created By |
|-------------------------------------|-------------------|----------------------|-------------|-----------|-----------------|-------------|------------|
| <input checked="" type="checkbox"/> | Azentio Software  | Modify_01            | ACCB00K-019 | IFRS Book | CUSTOM_TEMPLATE | 02-Jan-2023 | 1002435    |
| <input checked="" type="checkbox"/> | Azentio Software  | aCC BOOK             |             | IFRS Book | Base Template   | 18-Mar-2022 | 1002435    |
| <input checked="" type="checkbox"/> | Azentio Software  | CUSTOM_BOOK1         |             | IFRS Book | CUSTOM_TEMPLATE | 28-Jan-2022 | le4maker   |
| <input checked="" type="checkbox"/> | Azentio Software  | Testing              |             | IFRS Book | CUSTOM_TEMPLATE | 12-Oct-2022 | le4maker   |
| <input checked="" type="checkbox"/> | Azentio Software  |                      |             |           | CUSTOM_TEMPLATE | 18-Jan-2022 | 1002435    |
| <input checked="" type="checkbox"/> | Azentio Software  | dummy 1              |             | GAAP      | Base Template   | 03-Sep-2021 | 1002435    |
| <input checked="" type="checkbox"/> | Azentio Software  | IFRS_001             |             | IFRS Book | Base Template   | 02-Sep-2021 | le4maker   |
| <input checked="" type="checkbox"/> | Azentio Software  | IFRS-BOOK            |             | IFRS Book | CUSTOM_TEMPLATE | 28-Oct-2021 | 1002435    |
| 9 total                             |                   |                      |             |           |                 |             |            |

SUCCESS

BookName already exists!!!

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2  
Module

Finance

Business partner setup

General ledger configurat...

Accounting setup

Accounting book definition

Account Category

Chart of accounts definition

Accounting scheme definition

Accounting scheme event mapping

Financial statements configuration

Kastle Universal Banking (Beta)

04-Nov-2022 English Azentio Software

Accounting Template

Code \*  
ACCB00K-019

\* Template Type  
CUSTOM\_TEMPLATE

\* Effective Date  
02-Jan-2023

\* Book Name  
Modify\_01

\* Book Type  
IFRS Book

Status  
ACTIVE

\* Remarks  
Okay

Record APPROVED

Successfully, and Current Stage is REVIEWER with status PENDING from 1002436.

22 Appro...

11 Messa...

Home

Preference