Cucumber Report

Start : Feb 12, 6:04:10.166 AM	*End : Feb 12, 6:06:25.442 AM*	*Duration : 2 m 15.276 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 21 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	1	0	0	2 m 15.276 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Check if other centre can accept the asset once received in their branch	21	21	0	0	2 m 15.271 s

(F)- FIXED ASSETS

PASSED	DURATION - 2 m 15.276 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 6:04:10.166 AM // 6:06:25.442 AM /		Pass - 1	1	Pass - 21	21
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check if other centre can accept the asset once received in their branch

PASSED	DURATION - 2 m 15.271 s		Steps	
/ 6:04:10.171 AM // 6:06:25.442 AM /			Total - 21	
FIXED ASSETS			Pass - 21	21
			Fail - 0	
@KUBS_FAT_UAT_005_005			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	14.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.969 s
	screenshot		
2	And user should navigate to fixed assets menu	PASSED	1.213 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	When click on eye button of asset transfer	PASSED	0.740 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.670 s
	screenshot		
4	And click on add button for asset transfer	PASSED	0.495 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.490 s
	screenshot		
5	And Fill the required fields for asset transfer	PASSED	21.568 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
6	Then Save and submit the asset transfer	PASSED	6.482 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	PASSED	13.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.415 s
	screenshot 		
8	Then Click on notification button in reviewer	PASSED	0.423 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.536 s
	screenshot 		
9	And approve the record by the reviewer user	PASSED	4.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot 		
10	Given User should go to the kubs url and login as a maker user for FAUM	PASSED	8.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then click on notification in checker	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.446 s
	screenshot		
12	And Maker user should received the transferred asset	PASSED	6.175 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
13	Then maker user should submit in undertaking	PASSED	3.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
14	And User should go to the kubs url and login as a reviewer user	PASSED	7.620 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot		

| #	Step / Hook Details	Status	Duration
15	Then Click on notification button in reviewer	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.457 s
	screenshot		
16	And approve the record by the final checker user	PASSED	4.628 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
17	Given User should go to the kubs url and login as a maker user	PASSED	9.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
18	And user should navigate to fixed assets menu	PASSED	0.990 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	When click on eye button of asset undertaking	PASSED	0.468 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.371 s
20	Then click on first view button to see the Transferred to Branch	PASSED	0.568 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.230 s
21	And maker should logout	PASSED	0.317 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.239 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the
asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the
asset once received in their branch

(F) FIXED ASSETS

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✎	874	FIXED_ASSET_TRANSFER	FATC	FACHK	in00027
✎	862	FIXED_ASSET_TRANSFER	FAUC	FACHK	in00027
✎	589	ASSET_REPLACEMENT	REVIEWER	REVIEWER	in00027
✎	839	FIXED_ASSET_TRANSFER	FAUC	FACHK	in00027
✎	345	GRN_EVENT	REVIEWER	REVIEWER	in00027

67 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if other centre can accept the asset once received in their branch	
(F) FIXED ASSETS	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if other centre can accept the asset once received in their branch	
(F) FIXED ASSETS	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

| | Kastle Universal Banking (Beta) | | | | 04-Oct-2022 | English ⌄ | Azentio Software ⌄ | (BR0004) | VISHWA |

Configuration ⌄

← Inbox 🔍

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Event Desc	Workflow Desc	Created Date	Workflow Code
	874		FIXED_ASSET_TRANSFER	FAUC			FACHK		in00027
	862		FIXED_ASSET_TRANSFER	FAUC			FACHK		in00027
	589		ASSET_REPLACEMENT	REVIEWER			REVIEWER		in00027
	839		FIXED_ASSET_TRANSFER	FAUC			FACHK		in00027
	345		GRN_EVENT	REVIEWER			REVIEWER		in00027

67 total |◁ ◁ **1** 2 3 4 5 ▷ ▷|

- Entity maintenance
- Security management
- User management
- Job scheduler
- Reference data
- Tax configuration

22 Appro... ⊗   11 Messa... ⊗

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

| | Kastle Universal Banking (Beta) | | | | 04-Oct-2022 | English ⌄ | Azentio Software | (BR0004) | |

✓ Record APPROVED Successfully ✕

Configuration ⌄

← Fixed Asset Undertaking

Asset Reference Number
01-001-desk_BOB667_4   ✕ ⌄

Asset code
01-001-desk

Asset Description
desk

Asset Value
100,000.000 INR

Total Asset Value
100,000.000 INR

Transfer Initiated Branch
Dadar Branch

Item Number	Item Description	Item Value	Depreciation Amount	Items Received
56891	desk1	100000		Yes ⌄

1 total

- Entity maintenance
- Security management
- User management
- Job scheduler
- Reference data
- Tax configuration

22 Appro... ⊗   11 Messa... ⊗

⊞ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the
asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the
asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

☰ 🌐 Kastle Universal Banking (Beta)   04-Oct-2022 English ▾   Azentio Software ▾   (AZENTMAIN) ⚪ 🔲 | 👤 ANANT

Finance ▾		

🛠 ⬆ 📋

← Fixed Asset Undertaking

Change Password

Change PIN

Logout ↪

| General ledger transaction |
| Budget |
| Accounts payable |
| Adjustments (AR and AP) |
| Accounts receivable |
| Fixed assets |

Asset Reference Number
ELECTRONICS-LAP001-lappy_BR0003_1   × ▾

Asset code
ELECTRONICS-LAP001-lappy

Asset Description
DELL laptop

Asset Value
550,000.000 INR

Total Asset Value
0.000 INR

Transfer Initiated Branch
Dadar Branch

Item Number	Item Description	Item Value	Depreciation Amount	Items Received
111	Dell-01	250000		Yes ▾
112	Dell-02	300000		Yes ▾

2 total

▶ Asset creation	✏ 👁 🗑
▶ Asset transfer	✏ 👁 🗑
▶ **Asset undertaking**	✏ 👁 🗑
▶ Asset sale	✏ 👁 🗑
▶ Asset allocation	✏ 👁 🗑

22 Appro... ⊗   11 Messa... ⊗

▦ Home   ➤ Preference