
Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	1 m 6.107 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Checking of downloaded payment files for online payment	8	6	1	1	1 m 6.100 s
		where create file basis is Bank & Account Number Wise					

DETAILED SECTION -- 4 --

(F)- AR_AP Module

FAILED	DURATION - 1 m 6.107 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 11:02:15.456 A	AM // 11:03:21.563 AM /	Pass - 0	1	Pass - 6	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Checking of downloaded payment files for online payment where create file basis is Bank & Account Number Wise



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	42.975 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.609 s
	screenshot		
2	And click on arap configuration main menu	PASSED	2.075 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.381 s
	screenshot		


3 And click on payment file generation setup sub menu AFTER_STEP - stepdefinitions HooksClass addScreenshot(io.cucumber.java.Scenario) Screenshot And user update the Excelsheet Testdata for payment file download AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 2.139 s PASSED 2.228 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And user update the Excelsheet Testdata for payment file download AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And configure the file format as Bank & Account Number Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot creenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		ACTIVE PARTY OF THE PARTY AND ADDRESS OF THE PARTY ADDRESS OF THE PARTY ADDRESS OF THE PARTY AND ADDRESS OF THE PARTY AND ADDRESS OF THE PARTY AN		
screenshot And user update the Excelsheet Testdata for payment file download AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 2.139 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 2.23 s	3	And click on payment file generation setup sub menu	PASSED	0.409 s
And user update the Excelsheet Testdata for payment file download AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.139 s PASSED 0.228 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.671 s
And user update the Excelsheet Testdata for payment file download AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And configure the file format as Bank & Account Number Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.139 s PASSED 0.228 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And configure the file format as Bank & Account Number Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.139 s PASSED 0.228 s		+		
screenshot And configure the file format as Bank & Account Number Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.139 s PASSED 0.228 s	4	And user update the Excelsheet Testdata for payment file download	PASSED	0.135 s
5 And configure the file format as Bank & Account Number Wise PASSED 1.580 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And save the arap configure record PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.139 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.026 s
5 And configure the file format as Bank & Account Number Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.139 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED 0.228 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.139 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.273 s 0.273 s		Company Comp		
Screenshot 6 And save the arap configure record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s	5	And configure the file format as Bank & Account Number Wise	PASSED	1.580 s
6 And save the arap configure record PASSED 2.139 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s				
	6	And save the arap configure record	PASSED	2.139 s
screenshot			PASSED	0.228 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
	## A PARTY 15 15 15 15 15 15 15 1		
7	Then Click on Update Deposited Cheque Notification	FAILED	1.746 s
	org. openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <in-button_ngcontent-tjf-c278="" class="md button button-clear in-toolbar in-toolbar-color button-has-icon-only ion-activatable ion-focusable hydrated" ng-reflect-router-link="/inbox" routerlink="/inbox" tabindex="0"> ion-fon-button-has-icon-has-icon-button-has-icon-has-i</in-button_ngcontent-tjf-c278="">		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:736) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
	*** AND *** *** *** *** *** *** *** *** *** *		
8	And Select and Submit the Update Deposited Cheque records	SKIPPED	0.000 s

EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

