Cucumber Report

Start : Mar 09, 4:34:47.999 PM	End : Mar 09, 4:35:09.523 PM	Duration : 21.524 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	_Check the Functionality of Inventory_	1	1	0	0	21.524 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Check inventory access details report	6	6	0	0	21.514 s

(F)- Check the Functionality of Inventory

PASSED	DURATION - 21.524 s	Scenarios		Steps	
/ 4:34:47.999 PM // 4:35:09.523 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 6 Pass - 6 Fail - 0 Skip - 0	6

(S)- Check inventory access details report

PASSED	DURATION - 21.514 s		Steps	
/ 4:34:48.009 PM // 4:35:09.523 PM /			Total - 6	
Check the Functionality of Inventory			Pass - 6 Fail - 0	6
@KUBS_INV_MGMT_UAT_007_001			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	11.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		
2	Then click on report button	PASSED	0.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Report Tab	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
4	Then Click on Inventory access detail report edit grid	PASSED	0.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
5	Then Fill the form for Inventory access detail report	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
6	And click on view button to view report	PASSED	3.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check inventory access details report

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory access details report

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory access details report	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory access details report	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory access details report

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory access details report

(F) Check the Functionality of Inventory