Cucumber Report

| Start : Mar 31, 4:17:22.555 PM	End : Mar 31, 4:17:41.336 PM	Duration : 18.781 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 43

Features: 1

Scenarios: 1

Steps: 56

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 21 %

#	Feature Name	T	P	F	S	Duration
1	testing the General Ledger Module	1	0	1	0	18.781 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the General Ledger Module	Create a accounting Schemes for different products	56	12	1	43	18.778 s

(F)- testing the General Ledger Module

| FAILED	DURATION - 18.781 s	Scenarios		Steps	
/ 4:17:22.555 PM // 4:17:41.336 PM /		Total - 1	1	Total - 56	56
		Pass - 0		Pass - 12	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 43	

(S)- Create a accounting Schemes for different products

FAILED	DURATION - 18.778 s		Steps	
/ 4:17:22.558 PM // 4:17:41.336 PM /			Total - 56	56
testing the General Ledger Module			Pass - 12	
@KUBS_GL_UAT_006_001			Fail - 1	
			Skip - 43	

#	Step / Hook Details	Status	Duration
1	Given Login as a Azentio Maker	PASSED	10.302 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		
2	When user click the Accounting setup	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click the accounting scheme definition eye icon	PASSED	0.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
4	And click add icon in Gl	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		
5	And select accounting book name	PASSED	0.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
6	And enter the Accounting Scheme Code	PASSED	0.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And enter the Accounting Scheme name	PASSED	0.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot 		
8	And select expand indicator	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot 		
9	And select Transaction Type	PASSED	0.244 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot 		
10	And click save button	PASSED	0.056 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And Click on notification icon	PASSED	1.087 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
12	And select the first record	PASSED	0.635 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		
13	And click add icon in accounting scheme details	FAILED	0.065 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//page-accounting-scheme-update[1]/ion-content[1]/app-data-grid[1]/ion-content[1]/ion-fab[1]/ion-fab-button[1]/ion-icon[1]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e6d7581eb830e84e0398876325541779, findElement {using=xpath, value=//page-accounting-scheme-update[1]/ion-content[1]/app-data-grid[1]/ion-content[1]/ion-fab[1]/ion-fab-button[1]/ion-icon[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60777}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60777/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e6d7581eb830e84e0398876325541779 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.GL_Module.click_add_icon_in_accounting_scheme_details(GL_Module.java:432) at ?.click add icon in accounting scheme details(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/features/GL_Module.feature:104) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.184 s
14	And select GL resource	SKIPPED	0.000 s
15	And select CrDr flag	SKIPPED	0.000 s
16	And select parameter String	SKIPPED	0.001 s
17	And select expand indicator in accounting Scheme details	SKIPPED	0.000 s
18	And select parameter	SKIPPED	0.000 s
19	And click add icon in table	SKIPPED	0.000 s
20	And click save button in accounting scheme	SKIPPED	0.000 s
21	And click edit icon in accounting schemes	SKIPPED	0.000 s
22	And select the status in accounting Scheme details	SKIPPED	0.000 s
23	And click save button in accounting scheme	SKIPPED	0.000 s
24	And click add icon in accounting scheme details	SKIPPED	0.000 s
25	And select GL resource	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
26	And select Cr flag	SKIPPED	0.000 s
27	And select parameter String	SKIPPED	0.001 s
28	And select expand indicator in accounting Scheme details	SKIPPED	0.000 s
29	And select parameter	SKIPPED	0.000 s
30	And click add icon in table	SKIPPED	0.000 s
31	And click save button in accounting scheme	SKIPPED	0.000 s
32	And click edit icon in accounting schemes	SKIPPED	0.000 s
33	And select the status in accounting Scheme details	SKIPPED	0.000 s
34	And click save button in accounting scheme	SKIPPED	0.000 s
35	And Click on notification icon	SKIPPED	0.000 s
36	And select the first record	SKIPPED	0.000 s
37	And click on submit button	SKIPPED	0.000 s
38	And enter remark in alert tab	SKIPPED	0.000 s
39	And click on submit	SKIPPED	0.000 s
40	Given Navigate to Url and login as a reviewer	SKIPPED	0.000 s
41	Then Click on Notification button	SKIPPED	0.001 s
42	Then Click on action button	SKIPPED	0.000 s
43	Then Approve the record in Reviewer	SKIPPED	0.000 s
44	And Give Remark and Submit	SKIPPED	0.000 s
45	Given Navigate to Url and login as a Checker	SKIPPED	0.000 s
46	Then Click the Notification icon	SKIPPED	0.000 s
47	And Click on security management	SKIPPED	0.000 s
48	Then Click on open pool	SKIPPED	0.000 s
49	And Click on claim button	SKIPPED	0.000 s
50	Then click on notification	SKIPPED	0.000 s
51	Then approve the records	SKIPPED	0.000 s
52	Given Login as a Azentio Maker	SKIPPED	0.000 s
53	When user click the Accounting setup	SKIPPED	0.000 s
54	And click the Accounting Scheme Event Mapping Eye icon	SKIPPED	0.000 s
55	And click add icon in GI	SKIPPED	0.000 s
56	Then verify System should triggered the applied rule for the accounting scheme	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a accounting Schemes for
different products

(F) testing the General Ledger Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a accounting Schemes for
different products

(F) testing the General Ledger Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a accounting Schemes for different products

(F) testing the General Ledger Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a accounting Schemes for different products

(F) testing the General Ledger Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a accounting Schemes for different products	
(F) testing the General Ledger Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a accounting Schemes for different products	
(F) testing the General Ledger Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a accounting Schemes for different products

(F) testing the General Ledger Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a accounting Schemes for different products

(F) testing the General Ledger Module

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Create a accounting Schemes for different products (F) testing the General Ledger Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Create a accounting Schemes for different products (F) testing the General Ledger Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a accounting Schemes for different products

(F) testing the General Ledger Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a accounting Schemes for different products

(F) testing the General Ledger Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a accounting Schemes for different products

(F) testing the General Ledger Module