

# Cucumber Report

18-Jan-2022, 9:01:49 am

**Start : Jan 18, 9:01:05.540 am**

**End : Jan 18, 9:01:47.571 am**

**Duration : 42.031 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 14**







| # | Feature Name                              | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>Check The Azentio UAT functionaliy</u> | 1 | 0 | 1 | 0 | 42.031 s |





| # | Feature Name                              | Scenario Name                             | T  | P | F | S  | Duration |
|---|---|---|----|---|---|----|----------|
| 1 | <u>Check The Azentio UAT functionaliy</u> | <u>budget for Budgetcode type monthly</u> | 15 | 0 | 1 | 14 | 42.026 s |

**(F)- Check The Azentio UAT functionaliy**

|                                      |                            |           |   |            |   |
|--------------------------------------|----------------------------|-----------|---|------------|---|
| <b>FAILED</b>                        | <b>DURATION - 42.031 s</b> | Scenarios |  | Steps      |  |
| / 9:01:05.540 am // 9:01:47.571 am / |                            | Total - 1 |   | Total - 15 |   |
|                                      |                            | Pass - 0  |   | Pass - 0   |   |
|                                      |                            | Fail - 1  |   | Fail - 1   |   |
|                                      |                            | Skip - 0  |   | Skip - 14  |   |

**(S)- budget for Budgetcode type monthly**

|  |  |  |            |  |   |
|--|--|--|------------|--|---|
| <div>FAILED</div> <div>DURATION - 42.026 s</div> |  |  | Steps      |  |  |
| / 9:01:05.545 am // 9:01:47.571 am /             |  |  | Total - 15 |  |   |
| Check The Azentio UAT functionaliy               |  |  | Pass - 0   |  |   |
| @KUBS_UAT_Monthly_KUBS_BP_UAT_002_001            |  |  | Fail - 1   |  |   |
|  |  |  | Skip - 14  |  |   |

| # | Step / Hook Details   | Status        | Duration |
|---|---|---------------|----------|
| 1 | <p>Given Navigate to the Azentio Url</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d660d3b30e9eed5873d03a4cab2877b9, findElement {using=xpath, value=//ion-title[contains(text(),'Welcome')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:59095}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59095/devtoo..., se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d660d3b30e9eed5873d03a4cab2877b9</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> | <b>FAILED</b> | 25.658 s |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.KUBS_Login.loginToAzentioUAT(KUBS_Login.java:126) at stepdefinitions.KUBS_UAT_Requestandallocation.navigate_to_the_azentio_url(KUBS_UAT_Requestandallocation.java:48) at ?.Navigate to the Azentio Url(file:///C:/Users/inindc00075/eclipse-workspace/AzentioFramework/AzentioAutomationFramework/src/test/ java/features/Budget_UAT_RequestandAllocation.feature:4) * Not displayable characters are replaced by '?'. </pre>  |        |          |
|   | <p><b>AFTER_STEP</b> - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d660d3b30e9eed5873d03a4cab2877b9, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:59095}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59095/devtoo..., se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d660d3b30e9eed5873d03a4cab2877b9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) </pre> | FAILED | 12.168 s |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)<br>at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)   |         |          |
| 2  | Then click the Two Direction Icon   | SKIPPED | 0.001 s  |
| 3  | And click to the Budget   | SKIPPED | 0.003 s  |
| 4  | Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon   | SKIPPED | 0.003 s  |
| 5  | And click on the Add icon in Request and Allocation   | SKIPPED | 0.001 s  |
| 6  | Then select the Budget Code   | SKIPPED | 0.000 s  |
| 7  | And select the Budget Year  | SKIPPED | 0.001 s  |
| 8  | Then click on the Branch  | SKIPPED | 0.001 s  |
| 9  | And select to one Branch  | SKIPPED | 0.001 s  |
| 10 | Then click on the Branch ok button  | SKIPPED | 0.000 s  |
| 11 | Then select one currency we need  | SKIPPED | 0.000 s  |
| 12 | And Enter the Amount for Monthly Budget type  | SKIPPED | 0.000 s  |
| 13 | And click on the save button  | SKIPPED | 0.000 s  |
| 14 | Then click on the Action button   | SKIPPED | 0.000 s  |
| 15 | And click on the Record submit  | SKIPPED | 0.001 s  |
|    | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)  | FAILED  | 0.227 s  |
|    | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1',<br>revision: 'bc5511cbda' System info: host: 'INMUVP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0',<br>java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d660d3b30e9eed5873d03a4cab2877b9, close {}]<br>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 96.0.4664.45<br>(76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:59095},<br>javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:<br>Proxy(), se:cdp: ws://localhost:59095/devtools, se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts:<br>{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,<br>webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d660d3b30e9eed5873d03a4cab2877b9<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) |         |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)<br>at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) |        |          |