Cucumber Report

| Start : Feb 16, 4:20:59.559 AM	End : Feb 16, 4:22:19.047 AM	Duration : 1 m 19.488 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 16

#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	0	1	0	1 m 19.488 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Asset Creation	16	0	0	16	1 m 19.482 s

(F)- FIXED ASSETS

FAILED	DURATION - 1 m 19.488 s	Scenarios		Steps	
	/ 4:20:59.559 AM // 4:22:19.047 AM /	Total - 1	1	Total - 16	16
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 16	

(S)- Asset Creation

FAILED	DURATION - 1 m 19.482 s		Steps	
	/ 4:20:59.565 AM // 4:22:19.047 AM /		Total - 16	16
	FIXED ASSETS		Pass - 0	
	@KUBS_FAT_UAT_005_Creation		Fail - 0	
			Skip - 16	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1 m 19.221 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: DevToolsActivePort file doesn't exist Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	  at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)		

#	Step / Hook Details	Status	Duration
	at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.001 s
2	And user should navigate to fixed asset menu	SKIPPED	0.000 s
3	When click on eye button of asset creation	SKIPPED	0.001 s
4	And click on add button to create asset record	SKIPPED	0.001 s
5	And Fill the required fields to create asset	SKIPPED	0.001 s
6	Then Save and submit the asset creation record	SKIPPED	0.000 s
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.001 s
9	And approve the record by reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.001 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.000 s
13	And Click on claim button in checker	SKIPPED	0.000 s
14	And capture claimed status	SKIPPED	0.000 s
15	Then click on notification in checker	SKIPPED	0.001 s
16	Then checker should approved the asset creation record	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.016 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		