


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	2 m 7.160 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type	21	21	0	0	2 m 7.155 s
		<u>Purchases</u>					

DETAILED SECTION -- 4 --

(F)- AR/AP Module

PASSED	DURATION - 2 m 7.160 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 10:29:44.750 Al	M // 10:31:51.910 AM /	Pass - 1	1	Pass - 21	21
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Create a contract for an active vendor with expense type Purchases

PASSED DURATION - 2 m 7.155 s	20 -					Ė		<u> </u>						† -		Steps		
/ 10:29:44.755 AM // 10:31:51.910 AM /	15 -	-				ľ		Ė								Total - 21 Pass - 21		
AR/AP Module	5 -	-								▮				-		Fail - 0	21	
@KUBS_AR/AP_UAT_001_001_TC_001	0 1	1	2	3	4	5	6	7	8 9	10	11	12	13	14	15	Skip - 0		

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	20.042 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.566 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	0.689 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.362 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click on add button to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passeb AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passeb AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.266 s		The state of the		
5. creenshot PASSED 0.506 s 4. And click on add button to create contract PASSED 0.506 s AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.788 s 5. And Fill the required fields to create contract PASSED 20.341 s AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.357 s screenshot PASSED 0.368 s 6. Then Save and submit the creation contract record PASSED 6.794 s AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 6.794 s 6. Then Save and submit the creation contract record PASSED 0.266 s	3	·	PASSED	
And click on add button to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.195 s
And click on add button to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Fill the required fields to create contract FASSED And Fill the required fields to create contract FASSED And Fill the required fields to create contract FASSED And Fill the required fields to create contract FASSED And Fill the required fields to create contract FASSED And Fill the required fields to create contract FASSED AND SERVED AND SE		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Save and submit the creation contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.788 s 0.788 s 0.788 s		© 10 may round ○ 10 may round ○ 10 may round □ 10 may roun		
screenshot And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Save and submit the creation contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.794 s PASSED 0.266 s	4	And click on add button to create contract	PASSED	0.506 s
And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Save and submit the creation contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.794 s PASSED 0.266 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.788 s
And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Save and submit the creation contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.794 s PASSED 0.266 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Save and submit the creation contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.794 s O.266 s		****** ***** **** **** **** **** **** **** **** **** ****		
Screenshot 6 Then Save and submit the creation contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.266 s	5	And Fill the required fields to create contract	PASSED	20.341 s
6 Then Save and submit the creation contract record PASSED 6.794 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.266 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
6 Then Save and submit the creation contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.266 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.266 s		The state of the		
	6	Then Save and submit the creation contract record	PASSED	6.794 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
		screenshot		


*** ***	
7 And User should go to the kubs url and login as a reviewer user PASSED 15.170	70 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130) s
screenshot	
© Quantization State Stat	
8 Then Click on notification button in reviewer 0.237	7 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.791	
screenshot	
■	
	_
9 And approve the record by reviewer user AFTER STEP, standaffinitions Masker Class add Care and Care	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.170	JS
Screenshot	
10 Given User should go to the kubs url and login as a checker user PASSED 12.355	55 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.187	7 s
screenshot	

#	Step / Hook Details	Status	Duration
	■ © SECTIONAL STATE OF SECTION STATE OF		
	and the barrier of th		
11	And Click on security management in checker	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
	■ © NOTOTOTOTOTOTO NO TO THE STATE OF THE S		
	© Interpret E de		
12	Then Click on open pool in checker	PASSED	0.240 s
12	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot	11710022	0.020 3
		-	
	The Contraction of the Contracti		
	Nume # Nume #		
13	And Click on claim button in checker	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		
	* O AND PROCESSOR OF THE PROCESSOR OF TH		
	© to report 1 1 1 1 1 1 1 1 1		
	Direct record		
14	And capture claimed status	PASSED	0.320 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot	1	

15 Then click on notification in checker AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) screenshot PASSED 0.169 step 1.169 step 1.1	
15 Then click on notification in checker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.169	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.475	
screenshot	S
55.55.15.15.	
16 Then checker should approved the contract record PASSED 5.335	S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.143	
screenshot	
# Out of Automations	
17 Given User should go to the kubs url and login as a maker user PASSED 10.848	8 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.573	S
screenshot	
■ © Control C	
18 And user should navigate to accounts payable menu PASSED 0.655	S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.197	S
screenshot	


#	Step / Hook Details	Status	Duration
	*** O AND ADDRESS		
19	When click on eye button of vendor contract	PASSED	0.244 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.563 s
	screenshot]	
	Company Comp		
20	Then Get the contract and Txn status by searching the record via business partner	PASSED	0.640 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
	See		
21	And maker should logout	PASSED	0.348 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot		

EXPANDED SECTION -- 10 --





EXPANDED SECTION

-- 11 --





EXPANDED SECTION -- 12 --






EXPANDED SECTION -- 14 --







EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION --- 19 --



EXPANDED SECTION -- 20 --

