


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	26.049 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify cancelled advances is not available for payment	15	14	1	0	26.035 s
	Module	settlement					

DETAILED SECTION -- 4 --

## (F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 26.049 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 6:35:30.364	pm // 6:35:56.413 pm /	Pass - 0	1	Pass - 14	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- Verify cancelled advances is not available for payment settlement



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	13.070 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
	The description of the second		
2	Then Choose the second Tab Segment	PASSED	0.353 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		

3 And Click On Main module Accounts Receivable  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then Click on Accounts Receive Advances Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		The control of the		
screenshot  4 Then Click on Accounts Receive Advances Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then Click on Accounts Receive Advances Eye Icon  PASSED  0.362 s  PASSED  0.313 s  0.155 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.267 s	3	And Click On Main module Accounts Receivable	PASSED	0.114 s
Then Click on Accounts Receive Advances Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
4 Then Click on Accounts Receive Advances Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.313 s  0.313 s  PASSED  0.267 s		Promise © C		
Screenshot  5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  O.155 s  PASSED  O.267 s	4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.362 s
5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.155 s  0.267 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.155 s  0.267 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  University of the step of the st		0 / 0.000 mode and search spect 0.000 mode   0.000 mode		
Screenshot	5	And Click On Search Icon	PASSED	0.155 s
### Descriptions   Section   Section		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
I state of the sta		screenshot		
6 Then Enter Cancelled Value In Advance Status PASSED 0.557 s	6	Then Enter Cancelled Value In Advance Status	PASSED	0.557 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.191 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	*** *** *** *** *** *** *** *** *** **		
7	Then Click on Table Row First Eye Icon	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		
	Company		
8	And Get The Business Partner and Advance Number	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	Screenshot		
9	And Click On Main module Accounts payable	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.177 s
10	Then Click sub module Payment settlement Eye Icon	PASSED	0.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		

#	Step / Hook Details	Status	Duration
	1		
11	And Click Add icon button	PASSED	0.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
12	Then Enter payment option	PASSED	0.386 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot	_	
13	And Give stored Business partner Name	PASSED	0.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		
14	Then Choose value date as System current date	PASSED	1.946 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		


#	Step / Hook Details	Status	Duration
15	And find the Advance reference number for cancelled Advances is availabe at the billing queue	FAILED	1.031 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":xpath":selector"://ldiv/contains(text()/ADV_70_232022)]* (Session info: chrome=99.0.4844.51) For documentation on this error, please visit: https://selenium.dev/exceptions//mo_such_element Build info: version: "4.0.0-c-1; revision: "bc5511.bdda" System info: host: "INMUVADP014547", ip: "10.1.47.111", os.name: "Windows 10", os.arch: 'amd64", os.version: "10.0", java.version: "17.0.1" Driver info: org.openqa. selenium.chrome. ChromeDriver Commant [sa0d461e474994af33a12926667ecba, findElement (using-xpath, value=//div/contains(text().ADV_70_232022)]]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: (chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\NiNINDC=1\text{AppDataLi}) goog: chromeOptions: (debuggerAddress: localhost:58763), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), ser-dcp: ws://localhost:58763/devtoo, se.cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBiols: true, webauthn:virtualAuthenticators: true) Session ID: a80d461e474994af33a129cf6e67ecba at java.base/jdx.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdx.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdx.internal.reflect.Constructor.newInstance(Winterlander) at java.base/jdx.internal.reflect.Constructor.newInstance(Winterlander) at java.base/jdx.internal.reflect.Constructor.newInstance(Winterlander) at java.base/jdx.internal.reflect.Onstructor.newInstance(Constructor.java:499) at java.base/jdx.internal.reflect.Adva.000000000000000000000000000000000000		
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		

#	Step / Hook Details	Status	Duration
	*** *** *** *** *** *** *** *** *** **		

EXPANDED SECTION -- 10 --




**EXPANDED SECTION** 




EXPANDED SECTION


-- 12 --




EXPANDED SECTION -- 13 --




**EXPANDED SECTION** 



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

