

Cucumber Report

7 Feb 2023, 2:13:31 PM

Start : Feb 07, 2:12:28.010 PM

End : Feb 07, 2:13:29.404 PM

Duration : 1 m 1.394 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 6







| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|-------------|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 1 m 1.394 s |







| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|--|----|---|---|---|-------------|
| 1 | AR/AP Module | Check creating GRN against cancelled PO is not allowed | 12 | 5 | 1 | 6 | 1 m 1.387 s |




(F)- AR/AP Module


| | | | | | |
|--------------------------------------|-------------------------------|--|---|---|---|
| FAILED | DURATION - 1 m 1.394 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 12 Pass - 5 Fail - 1 Skip - 6 |  |
| / 2:12:28.010 PM // 2:13:29.404 PM / | | | | | |

(S)- Check creating GRN against cancelled PO is not allowed


| | | | | |
|---|--|--|--|---|
| <div>FAILED</div> <div>DURATION - 1 m 1.387 s</div> | |  | <div>Steps</div> <div>Total - 12</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 6</div> |  |
| / 2:12:28.017 PM // 2:13:29.404 PM / | | | | |
| AR/AP Module | | | | |
| @KUBS_AR/AP_UAT_003_002_TC_03 @AR/AP | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 39.514 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.158 s |
| | screenshot | | |
| |  | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 3.178 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.224 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|--|--|--------|----------|
| 3 | Then Click on purchase order Eye Icon | PASSED | 0.911 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.808 s |
| | screenshot | | |
| |  | | |
| 4 | Then click on search | PASSED | 1.332 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.414 s |
| | screenshot | | |
| |  | | |
| 5 | And user update the data set ID for GRN against cancelled PO | PASSED | 0.021 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.280 s |
| | screenshot | | |
| |  | | |
| 6 | And search for cancelled po | FAILED | 1.149 s |
| <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@placeholder='Search PO Status']"} (Session info: chrome=109.0.5414.74) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1811f29e8cc3e41c594a6553c1178720, findElement {using=xpath, value=//input[@placeholder='Search PO Status']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56677}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:56677/devtoo..., se.cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1811f29e8cc3e41c594a6553c1178720</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor37.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27) at helper.JavascriptHelper.scrollToView(JavascriptHelper.java:49) at stepdefinitions.AccountsPayable_GRN.search_for_cancelled_po(AccountsPayable_GRN.java:576) at ?.search for cancelled po(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/ AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp3.feature:173) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.271 s |
| 7 | Then Click on Good Recived Note GRN Eye buutton | SKIPPED | 0.000 s |
| 8 | Then Click on Good Recived Note GRN Add button | SKIPPED | 0.000 s |
| 9 | And check GRN can be created for that perticular po | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 10 | And click notification button | SKIPPED | 0.000 s |
| 11 | Then choose first record in the notification record | SKIPPED | 0.000 s |
| 12 | Then go to Item details and enter po number | SKIPPED | 0.000 s |


| | |
|--|--|
| <p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p> |  |
| <p><u>(S) Check creating GRN against cancelled PO is not allowed</u></p> | |
| <p><u>(F) AR/AP Module</u></p> | |

| | |
|--|---|
| <p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p> |  |
| <p><u>(S) Check creating GRN against cancelled PO is not allowed</u></p> | |
| <p><u>(F) AR/AP Module</u></p> | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check creating GRN against
cancelled PO is not allowed


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check creating GRN against
cancelled PO is not allowed

(F) AR/AP Module



(F) AR/AP Module

AZENTIO
ONEBanking
10-Dec-2022 English AZentio Software (AZENTMAIN) ANANT

Finance

- General ledger transaction
- Budget
- Accounts payable
- Vendor contracts
- Vendor purchase orders**
- Goods received note (GRN)
- Invoice booking

22 Appro... 11 Mess...

PO Creation View

| Actions | Branch Code - Name <small>Search Branch Code</small> | PO Number <small>Search PO Number</small> | PO Date <small>Search PO Date</small> | PO Type <small>Search PO Type</small> | Contract No <small>Search Contract No</small> | Business <small>Search Business</small> |
|---------|---|--|--|--|--|--|
| | AZENTMAIN - Azentio I | Azentio_Soft-Bank-9-P | 05-Dec-2022 | Purchases Contract | Bank-9-22-02022023 | Shasheel |
| | AZENTMAIN - Azentio I | Azentio_Soft-Agency-8- | 02-Dec-2022 | Purchases Contract | | Bonton A |
| | AZENTMAIN - Azentio I | Azentio_Soft-Agency-8- | 02-Dec-2022 | Purchases Contract | | Bonton A |
| | AZENTMAIN - Azentio I | Azentio_Soft-Agency-8- | 25-Nov-2022 | Purchases Contract | | Bonton A |
| | AZENTMAIN - Azentio I | Azentio_Soft-Agency-8- | 21-Nov-2022 | Purchases Contract | Agency-8-55-2001202 | Bonton A |
| | AZENTMAIN - Azentio I | Azentio_Soft-Agency-8- | 20-Nov-2022 | Purchases Contract | Agency-8-52-1901202 | Bonton A |
| | AZENTMAIN - Azentio I | Azentio_Soft-Agency-8- | 20-Nov-2022 | Purchases Contract | Agency-8-51-1901202 | Bonton A |
| | AZENTMAIN - Azentio I | Azentio_Soft-Agency-8- | 20-Nov-2022 | Purchases Contract | Agency-8-45-1801202 | Bonton A |
| | AZENTMAIN - Azentio I | Azentio_Soft-Agency-8- | 20-Nov-2022 | Purchases Contract | Agency-8-49-1901202 | Bor |

138 total

(F) AR/AP Module

AZENTIO
 ONEBanking

10-Dec-2022 English ▾ Azentio Software ▾ (AZENTMAIN) ANANT

Finance ▾

- General ledger transaction
- Budget
- Accounts payable

Vendor contracts
- Vendor purchase orders
- Goods received note (GRN)
- Invoice booking

22 Appro...
11 Mess...

← PO Creation View

| Actions | Branch Code - Name | PO Number | PO Date | PO Type | Contract No | Business |
|---------|------------------------|------------------------|-------------|--------------------|---------------------|----------|
| | AZENTMAIN - Azentio I. | Azentio_Soft-Bank-9-P | 05-Dec-2022 | Purchases Contract | Bank-9-22-02022023 | Shasheel |
| | AZENTMAIN - Azentio I. | Azentio_Soft-Agency-8- | 02-Dec-2022 | Purchases Contract | | Bonton A |
| | AZENTMAIN - Azentio I. | Azentio_Soft-Agency-8- | 02-Dec-2022 | Purchases Contract | | Bonton A |
| | AZENTMAIN - Azentio I. | Azentio_Soft-Agency-8- | 25-Nov-2022 | Purchases Contract | | Bonton A |
| | AZENTMAIN - Azentio I. | Azentio_Soft-Agency-8- | 21-Nov-2022 | Purchases Contract | Agency-8-55-2001202 | Bonton A |
| | AZENTMAIN - Azentio I. | Azentio_Soft-Agency-8- | 20-Nov-2022 | Purchases Contract | Agency-8-52-1901202 | Bonton A |
| | AZENTMAIN - Azentio I. | Azentio_Soft-Agency-8- | 20-Nov-2022 | Purchases Contract | Agency-8-51-1901202 | Bonton A |
| | AZENTMAIN - Azentio I. | Azentio_Soft-Agency-8- | 20-Nov-2022 | Purchases Contract | Agency-8-45-1801202 | Bonton A |
| | AZENTMAIN - Azentio I. | Azentio_Soft-Agency-8- | 20-Nov-2022 | Purchases Contract | Agency-8-49-1901202 | Bont |

138 total

⏮
<
1
2
3
4
5
>
⏭