Cucumber Report

| Start : Jan 17, 4:54:51.523 PM	End : Jan 17, 4:55:29.077 PM	Duration : 37.554 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 21 FAILED - 1 SKIPPED - 12

Features: 1

Scenarios: 1

Steps: 34

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 61 %

#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	37.554 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify checker can able to reject the budget code after the record approved from reviewer	34	21	1	12	37.549 s

(F)- To check BudgetDefinition moduel feature

| FAILED	DURATION - 37.554 s	Scenarios		Steps	
/ 4:54:51.523 PM // 4:55:29.077 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 34 Pass - 21 Fail - 1 Skip - 12	34

(S)- To verify checker can able to reject the budget code after the record approved from reviewer

FAILED	DURATION - 37.549 s		Steps	
/ 4:54:51.528 PM // 4:55:29.077 PM /			Total - 34	34
To check BudgetDefinition moduel feature			Pass - 21	
@Updated_Budget_Code_rejected_By_Checker			Fail - 1 Skip - 12	

| #	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.689 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
2	Then click on budget configuration Menu	PASSED	0.733 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click on budget definition sub menu and click on eye icon	PASSED	0.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.483 s
	screenshot		
4	Then search the budget code want to update	PASSED	0.850 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		
5	And select the budget code	PASSED	0.087 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
6	And update the budget code	PASSED	3.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then update the budget budget type	PASSED	0.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
8	Then update warning percentage	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
9	Then update budget name	PASSED	0.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
10	Then update remark	PASSED	0.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And click on save after update all the details	PASSED	3.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
12	Then Click on notification icon	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
13	And select the first record	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
14	Then click on submit button	PASSED	0.790 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And enter remark in alert tab	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
16	And click on submit	PASSED	0.054 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
17	When click on submit button save the reviewer id	PASSED	0.663 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
18	Given navigate to URL and login as a reviewer	PASSED	6.573 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	Then click on notification icon	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
	screenshot		
20	When click on notification icon to check reviewer can get a record which is submited by maker	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
21	And click on action button	PASSED	0.049 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
22	Then verify the updated budget record is matched with maker submited record	FAILED	1.065 s
	org.junit.ComparisonFailure: expected:<[HALF]YEARLY> but was:<[]YEARLY> at org.junit.Assert.assertEquals(Assert.java:115) at org.junit.Assert.assertEquals(Assert.java:144) at stepdefinitions.BUDGET_BudgetDefinitionReviewer. verify_the_updated_budget_record_is_matched_with_maker_submited_record(BUDGET_BudgetDefinitionReviewer.java:188)		

#	Step / Hook Details	Status	Duration
	at ?.verify the updated budget record is matched with maker submited record(file:///C:/Users/inindc00076/git/ AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:529) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.097 s
23	And approve the record in reviewer stage	SKIPPED	0.000 s
24	Then enter remark then submit	SKIPPED	0.000 s
25	Given navigate to URL and login as a checker	SKIPPED	0.000 s
26	Then click on security management menu	SKIPPED	0.000 s
27	And click on Action icon in security management	SKIPPED	0.000 s
28	Then clime the record	SKIPPED	0.000 s
29	And click on notification icon in checker stage	SKIPPED	0.000 s
30	When checker click on notification icon record might be showed in notification area	SKIPPED	0.000 s
31	And click on action button in checker stage	SKIPPED	0.000 s
32	Then validate the updated budget record	SKIPPED	0.000 s
33	Then reject the record	SKIPPED	0.000 s
34	And write negative remark and submit it	SKIPPED	0.000 s

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code after the record approved from reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code after the record approved from reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code after the record approved from reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code after the record approved from reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code after the record approved from reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code after the record approved from reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker can able to reject the budget code after the record approved from reviewer (F) To check BudgetDefinition moduel feature	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker can able to reject the budget code after the record approved from reviewer (F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

	Kastle Universal Banking				21-Oct-2021	English	(AZENT-MAIN)	SARVESH

No Module Mapped

← Inbox

Actions	referenceId	eventCode	stageCode	roleCode	employeeName	eventDesc	workflowDesc	createdDate	workflowCode
	484		BUDGET_REGISTER	REVIEWER	REVIEWER	12345		Budget Defination	LIMIT
	442		BUDGET_REGISTER	REVIEWER	REVIEWER	12345		Budget Defination	LIMIT
	472		BUDGET_REGISTER	REVIEWER	REVIEWER	12345		Budget Defination	LIMIT
	473		BUDGET_REGISTER	REVIEWER	REVIEWER	12345		Budget Defination	LIMIT
	474		BUDGET_REGISTER	REVIEWER	REVIEWER	12345		Budget Defination	LIMIT

17 total |◁ ◁ 1 2 3 4 ▷ ▷|

22 Appro... ⊗   11 Messa... ⊗

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

	Kastle Universal Banking				21-Oct-2021	English	(AZENT-MAIN)	SARVESH

No Module Mapped

← Inbox

Actions	referenceId	eventCode	stageCode	roleCode	employeeName	eventDesc	workflowDesc
✎	484	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✎	442	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✎	472	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✎	473	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✎	474	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT

17 total |◁ ◁ 1 2 3 4 ▷ ▷|

22 Appro... ⊗   11 Messa... ⊗

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code after the record approved from reviewer	
(F) To check BudgetDefinition moduel feature	

Kastle Universal Banking — 21-Oct-2021 English (AZENT-MAIN) SARVESH

No Module Mapped

← Inbox

Actions	referenceId	eventCode	stageCode	roleCode	employeeName	eventDesc	workflowDesc
✏	484	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✏	442	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✏	472	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✏	473	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✏	474	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT

17 total |◀ ◀ 1 2 3 4 ▶ ▶|

22 Appro... ✕   11 Messa... ✕

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code after the record approved from reviewer	
(F) To check BudgetDefinition moduel feature	

Kastle Universal Banking — 21-Oct-2021 English (AZENT-MAIN) SARVESH

No Module Mapped

← Budget Definition   ⓘ ViewSummary ✓ Approve ↻ Return ✕ Reject

* Budget Code	* Budget Type	* Warning Percentage
BUDG810	HALFYEARLY	20

* Budget Name	Remark	Status
Office Expense	Budget Code Updated	ACTIVE

22 Appro... ✕   11 Messa... ✕

Home   Preference