

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | To check BudgetDefinition moduel feature | 1 | 1 | 0 | 0 | 15.925 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------------|--|----|----|---|---|----------|
| 1 | To check BudgetDefinition moduel | To verify user can able to see modification history of | 11 | 11 | 0 | 0 | 15.919 s |
| | <u>feature</u> | updated budget code in autoauth | | | | | |

DETAILED SECTION -- 4 --

(F)- To check BudgetDefinition moduel feature

| PASSED | DURATION - 15.925 s | Scenarios | | Steps | |
|------------------|------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 11 | |
| / 11:32:30.416 A | M // 11:32:46.341 AM / | Pass - 1 | 1 | Pass - 11 | 11 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- To verify user can able to see modification history of updated budget code in autoauth

| PASSED DURATION - 15.919 s | 10 | |
|--|-------------------------|----|
| / 11:32:30.422 AM // 11:32:46.341 AM / | 8 Total - 11 | |
| 7 11.32.30.422 AW // 11.32.40.341 AW / | 6 - Pass - 11 | 11 |
| To check BudgetDefinition moduel feature | 2 - Fail - 0 | |
| @Modification_history_autoAuth | Skip - 0 | |
| | 1 2 3 4 5 6 7 8 9 10 11 | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given navigate to URL and login as a maker and choose finance option | PASSED | 10.371 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.561 s |
| | screenshot | | |
| | PO SET SAME A SET OF SAME A SE | | |
| 2 | Then click on budget configuration Menu | PASSED | 0.091 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.216 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | Prince Space Annables and the Space Annables | | |
| 3 | And click on budget definition sub menu and click on eye icon | PASSED | 0.145 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.461 s |
| | screenshot | | |
| | ### O MATCHINGTON ### O | | |
| 4 | And Find the budet code in the list | PASSED | 0.057 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.209 s |
| | Screenshot Print lags Prin | - | |
| 5 | Then verify system should display the status of the record | PASSED | 0.073 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Ten_Step - step | PASSED | 0.120 s |
| 6 | And verify system should display the name or id who created the record | PASSED | 0.024 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.121 s |
| | screenshot |] | |

| 7 And verify system should display record created date AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8. And verify system should display the name or id who made changes the record at last AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.025 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.080 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) | # | Step / Hook Details | Status | Duration |
|--|----|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And verify system should display the name or id who made changes the record at last AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.029 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.080 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.125 s | | District Space in the first Spac | | |
| 8 And verify system should display the name or id who made changes the record at last AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.025 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.080 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.080 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.125 s | 7 | And verify system should display record created date | PASSED | 0.022 s |
| 8 And verify system should display the name or id who made changes the record at last AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And verify system should display record modified date AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.025 s PASSED 0.026 s PASSED 0.080 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.117 s |
| 8 And verify system should display the name or id who made changes the record at last AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.025 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) To Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.080 s PASSED O.080 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Screenshot 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.120 s | | This is a second of the control of | | |
| screenshot 9 And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.080 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.125 s | 8 | And verify system should display the name or id who made changes the record at last | PASSED | 0.029 s |
| 9 And verify system should display record modified date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.025 s 0.144 s 0.145 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.120 s |
| 9 And verify system should display record modified date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.025 s 0.144 s 0.144 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.144 s PASSED 0.080 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.125 s | | Page | | |
| Screenshot 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.080 s 0.125 s | 9 | And verify system should display record modified date | PASSED | 0.025 s |
| 10 Then verify system should display name or id of the authorized person of that record PASSED 0.080 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.125 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.144 s |
| 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.080 s 0.125 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.125 s | | Part Species | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.125 s | 10 | Then verify system should display name or id of the authorized person of that record | PASSED | 0.080 s |
| screenshot | | | PASSED | 0.125 s |
| | | screenshot | 1 | |


DETAILED SECTION -- 7 --

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | Comparison Com | | |
| 11 | And verify system should diplay the authorized date | PASSED | 0.057 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.131 s |
| | screenshot | | |
| | Part | | |


EXPANDED SECTION --- 8 --



EXPANDED SECTION




EXPANDED SECTION --- 10 --



EXPANDED SECTION

-- 11 --



EXPANDED SECTION -- 12 --

