# Cucumber Report

| Start : Dec 23, 2:50:11.638 PM | End : Dec 23, 2:51:22.518 PM | Duration : 1 m 10.880 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 3<br>FAILED - 1<br>SKIPPED - 11 |

Features: 1

Scenarios: 1

Steps: 15

Pass % (Features): 0 %

Pass % (Scenarios): 0 %

Pass % (Steps): 20 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | AR_AP Module | 1 | 0 | 1 | 0 | 1 m 10.880 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | AR_AP Module | Login as Maker | 15 | 3 | 1 | 11 | 1 m 10.864 s |

## (F)- AR_AP Module

| FAILED | DURATION - 1 m 10.880 s | Scenarios | | Steps | |
|--------|-------------------------|-----------|---|-------|---|
| | / 2:50:11.638 PM // 2:51:22.518 PM / | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Total - 15<br>Pass - 3<br>Fail - 1<br>Skip - 11 | 15 |

## (S)- Login as Maker

| FAILED | DURATION - 1 m 10.864 s | | Steps | |
|--------|-------------------------|---|-------|---|
| | / 2:50:11.654 PM // 2:51:22.518 PM / | | Total - 15 | |
| | AR_AP Module | | Pass - 3<br>Fail - 1 | 15 |
| | @KUBS_AR_AP_UAT_008_001_TC_02_3 | | Skip - 11 | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 38.924 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br> + | PASSED | 0.593 s |
| 2 | And click on arap configuration main menu | PASSED | 2.999 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br> + | PASSED | 0.336 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | And click on payment file generation setup sub menu | PASSED | 0.377 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.841 s |
| 4 | And verify payment file download format is in bank and accont number wise | FAILED | 1.635 s |
| | java.lang.NullPointerException: Cannot invoke "java.util.Map.get(Object)" because "this.testData" is null<br>  at stepdefinitions.ACCOUNTSPAYBLE_PaymentFileDownload.<br>verify_payment_file_download_format_is_in_bank_and_accont_number_wise(ACCOUNTSPAYBLE_PaymentFileDownload.java:86)<br>  at ?.verify payment file download format is in bank and accont number wise(file:///C:/Users/ININDC00075/git/<br>Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:802)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.457 s |
| 5 | And click on accounts Payable module | SKIPPED | 0.001 s |
| 6 | When click on eye button of manual payout | SKIPPED | 0.000 s |
| 7 | Then click on search | SKIPPED | 0.000 s |
| 8 | And search the transfer as payment mode | SKIPPED | 0.000 s |
| 9 | And goto payment file download module | SKIPPED | 0.000 s |
| 10 | And enter branch name | SKIPPED | 0.001 s |
| 11 | And click on calendar in the payment file download module | SKIPPED | 0.000 s |
| 12 | And enter the payout date | SKIPPED | 0.001 s |
| 13 | And click on go button | SKIPPED | 0.000 s |
| 14 | And download the payment file | SKIPPED | 0.004 s |
| 15 | And verify Where payment mode is Wire Transfer | SKIPPED | 0.000 s |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| --- | --- |
| (S) Login as Maker | |
| (F) AR_AP Module | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| --- | --- |
| (S) Login as Maker | |
| (F) AR_AP Module | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Login as Maker

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Login as Maker

(F) AR_AP Module