

Cucumber Report

Mar 11, 2022, 7:54:08 PM

Start : Mar 11, 7:52:15.371 PM

End : Mar 11, 7:54:05.036 PM

Duration : 1 m 49.665 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 10


FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	1 m 49.665 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Check accounting entries</u>	11	10	1	0	1 m 49.653 s


(F)- Check the Functionality of Inventory


FAILED	DURATION - 1 m 49.665 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 11 Pass - 10 Fail - 1 Skip - 0	
/ 7:52:15.371 PM // 7:54:05.036 PM /					

(S)- Check accounting entries

<div>FAILED</div> <div>DURATION - 1 m 49.653 s</div>			<div>Steps</div> <div>Total - 11</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 7:52:15.383 PM // 7:54:05.036 PM /				
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_006_002				

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	26.657 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.478 s
	screenshot		
			
2	Then click on report button	PASSED	0.846 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.450 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And click Enquiry menu	PASSED	0.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
			
4	Then click on Edit icon near by financial transaction	PASSED	0.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
			
5	And choose branch code Id	PASSED	0.429 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
			
6	And click on transaction from date in calender icon	PASSED	0.281 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then choose from date in calender	PASSED	0.750 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.446 s
	screenshot		
			
8	And click on the transaction to date in calender icon	PASSED	0.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.577 s
	screenshot		
			
9	Then choose the To date in calender	PASSED	0.800 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
			
10	And click on view button to see the Record	PASSED	2.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	<p>Then validate voucher number</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [425ff34852665a600dddf7ed4047bdf4, findElement {using=xpath, value="//span[contains(text(),'REC_92_732022')]}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:56348}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:56348/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 425ff34852665a600dddf7ed4047bdf4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.InventoryManagment.validate_voucher_number(InventoryManagment.java:1219) at ?.validate voucher number(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/ InventoryManagement.feature:415) * Not displayable characters are replaced by '?'. </pre>	FAILED	1 m 6.083 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [425ff34852665a600dddf7ed4047bdf4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: </pre>	FAILED	0.003 s


#	Step / Hook Details	Status	Duration
	<p>C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:56348}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56348/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 425ff34852665a600dddf7ed4047bdf4</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)</p>		
	<p>AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [425ff34852665a600dddf7ed4047bdf4, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:56348}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56348/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 425ff34852665a600dddf7ed4047bdf4</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p>	FAILED	0.223 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check accounting entries


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check accounting entries


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check accounting entries


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check accounting entries

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check accounting entries

(F) Check the Functionality of Inventory

The screenshot displays the Kastle Universal Banking (Beta) application interface. The top header shows the date (26-Oct-2022), language (English), software version (Azentio Software - (AZENTMAIN)), and user profile (ANANT). The left sidebar contains a navigation menu with options: Reports, Financial reporting, Enquiry, Financial transaction (highlighted), and Petty cash. The main content area is titled "Financial Transaction" and includes a "VIEW" link. The form contains several input fields: Branch Code (AZENTMAIN-Azentio Main Branch), Branch Name (Azentio Main Branch), GI Code, Transaction From Date, Transaction To Date, Transaction Ref No, and Account Number. The bottom of the interface features a blue bar with "Home" and "Preference" buttons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check accounting entries

(F) Check the Functionality of Inventory

This screenshot is identical to the one above, showing the Kastle Universal Banking (Beta) application interface. The top header, left sidebar, and main content area are the same. The "Financial Transaction" form is visible, with the same input fields for Branch Code, Branch Name, GI Code, Transaction From Date, Transaction To Date, Transaction Ref No, and Account Number. The bottom blue bar with "Home" and "Preference" buttons is also present.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check accounting entries

(F) Check the Functionality of Inventory

The screenshot displays the Kastle Universal Banking (Beta) application. The top navigation bar includes the date 26-Oct-2022, language English, software version Azentio Software (AZENTMAIN), and a user profile for ANANT. The left sidebar shows a menu with options: Reports, Financial reporting, Enquiry, Financial transaction (highlighted), and Petty cash. The main content area is titled 'Financial Transaction' and contains a form with the following fields: Branch Code (AZENTMAIN-Azentio Main Branch), Branch Name (Azentio Main Branch), GI Code, Transaction From Date (01-May-2022), Transaction To Date, Transaction Ref No, and Account Number. A 'VIEW' link is located in the top right corner. At the bottom, there are buttons for 'Home' and 'Preference'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check accounting entries

(F) Check the Functionality of Inventory

This screenshot is identical to the one above, showing the Kastle Universal Banking (Beta) application. The top navigation bar includes the date 26-Oct-2022, language English, software version Azentio Software (AZENTMAIN), and a user profile for ANANT. The left sidebar shows a menu with options: Reports, Financial reporting, Enquiry, Financial transaction (highlighted), and Petty cash. The main content area is titled 'Financial Transaction' and contains a form with the following fields: Branch Code (AZENTMAIN-Azentio Main Branch), Branch Name (Azentio Main Branch), GI Code, Transaction From Date (01-May-2022), Transaction To Date, Transaction Ref No, and Account Number. A 'VIEW' link is located in the top right corner. At the bottom, there are buttons for 'Home' and 'Preference'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check accounting entries

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 26-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

Branch Code: AZENTMAIN-Azentio Main Branch Branch Name: Azentio Main Branch GI Code: Transaction From Date: 01-May-2022 Transaction To Date: 19-Oct-2022 Transaction Ref No: Account Number:

22 Appro... 11 Messa... Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check accounting entries

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 26-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

Branch Code: AZENTMAIN-Azentio Main Branch Branch Name: Azentio Main Branch GI Code: Transaction From Date: 01-May-2022 Transaction To Date: 19-Oct-2022 Transaction Ref No: Account Number:

Financial Transaction Report

Voucher No	Transaction date	Value Date	GL Code	GL Description	Transaction Type	Amount	Curre
ADJ-30-22022	19-Oct-2022	19-Oct-2022	IFRS-LIAB-LI3000003	Accounts Payable	Debit	420080	INR
ADJ-30-22022	19-Oct-2022	19-Oct-2022	IFRS-LIAB-LI3000005	Accrued Purchase GL	Credit	356000	INR
ADJ-30-22022	19-Oct-2022	19-Oct-2022	IFRS-AS-AS1000028	IGST	Credit	64080	INR

22 Appro... 11 Messa... Home Preference