Cucumber Report

08-Feb-2023, 4:11:52 pm

Start : Feb 08, 4:10:32.751 pm	End : Feb 08, 4:11:50.463 pm	Duration : 1 m 17.712 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 10 FAILED - 1 SKIPPED - 2









#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	1	0	1	0	1 m 17.712 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	Check Asset Serial Number	13	10	1	2	1 m 17.705 s

(F)- Check the Functionality of Fixed Asset

FAILED	DURATION - 1 m 17.712 s	Scenarios		Steps	
/ 4:10:32.751 pm // 4:11:50.463 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 13 Pass - 10 Fail - 1 Skip - 2	

(S)- Check Asset Serial Number

FAILED	DURATION - 1 m 17.705 s		Steps	
/ 4:10:32.758 pm // 4:11:50.463 pm /			Total - 13 Pass - 10 Fail - 1 Skip - 2	
Check the Functionality of Fixed Asset				
@KUBS_FAT_UAT_013_006				

#	Step / Hook Details	Status	Duration
1	And User get the test data for check assert serial number	PASSED	4.348 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.541 s
	screenshot +		
2	Given User should go to the kubs url and login as a maker user	PASSED	48.423 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.716 s
	screenshot +		

#	Step / Hook Details	Status	Duration
3	And User click the fixed assert config button	PASSED	0.261 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
			
4	And User click the assert serial number setup tempview	PASSED	0.365 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.072 s
	screenshot		
			
5	And User get the assert code in fixed assert config	PASSED	1.924 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
	screenshot		
			
6	Then click on report icon	PASSED	2.925 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.403 s
	screenshot		
			
7	And user should navigate to master reports menu	PASSED	0.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then click on temp grid button of asset serial number	PASSED	0.402 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	screenshot		
			
9	And User enter the assert code	PASSED	0.806 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
			
10	And User enter the start assert serial number	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot		
			
11	And User select the date in assert report	FAILED	6.095 s
	java.lang.AssertionError: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'2023')]//ancestor::td"} (Session info: chrome=109.0.5414.120) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.176', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [73ca6be2bfcbf46bf53e1ccbd5368148, findElement {using=xpath, value=//span[contains(text(),'2023')]//ancestor::td}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50820},		

#	Step / Hook Details	Status	Duration
	javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50820/devtoo..., se:cdpVersion: 109.0.5414.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 73ca6be2bfcbf46bf53e1ccbd5368148 at org.testng.Assert.fail(Assert.java:99) at stepdefinitions.Reports_AssetCreationCommon.user_select_the_date_in_assert_report(Reports_AssetCreationCommon.java:986) at ?.User select the date in assert report(file:///C:/Users/ININDC00071/git/AzentioAutomationFramework_KarthiM/AzentioAutomationFramework_ExcelKUBSKarthiM2/src/test/java/features/FixedAssetCreation.feature:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.283 s
12	Then click in the view button to check	SKIPPED	0.000 s
13	Then the report is displaying all the asset codes details for a branch	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)
(S) Check Asset Serial Number
(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Check Asset Serial Number	
(F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check Asset Serial Number (F) Check the Functionality of Fixed Asset	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check Asset Serial Number (F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset