Cucumber Report

14 Jan 2023, 9:20:52 AM

Start : Jan 14, 9:19:48.381 AM	End : Jan 14, 9:20:50.430 AM	Duration : 1 m 2.049 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 12 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	1 m 2.049 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	approved record from invoice bill booking	12	12	0	0	1 m 2.042 s

(F)- AR/AP Module

PASSED	DURATION - 1 m 2.049 s	Scenarios		Steps	
/ 9:19:48.381 AM // 9:20:50.430 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 12 Pass - 12 Fail - 0 Skip - 0	

(S)- approved record from invoice bill booking

PASSED	DURATION - 1 m 2.042 s		Steps	
/ 9:19:48.388 AM // 9:20:50.430 AM /			Total - 12 Pass - 12 Fail - 0 Skip - 0	
AR/AP Module				
@AR/AP @KUBS_AR_AP_UAT_004_005_TC_01_04				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	27.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.935 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	3.257 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When click on eye button of invoice booking	PASSED	1.501 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.773 s
	screenshot		
4	And select the approved record from invoice bill booking	PASSED	2.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
			
5	And goto accouts receivable module	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
			
6	And goto credit notet module	PASSED	0.493 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.628 s
	screenshot		
			
7	And click on add button for invoice booking	PASSED	0.890 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.594 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user update the data set ID for Invoice against Expense	PASSED	0.004 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
	screenshot		
			
9	And Fill the form for credit note	PASSED	3.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot		
			
10	Then click on the Notification icon	PASSED	6.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.475 s
	screenshot		
			
11	Then store the Reference ID and open the credit note record	PASSED	1.755 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.092 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
12	Then click submit and enter remark for credit note	PASSED	3.752 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) approved record from invoice bill booking	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) approved record from invoice bill booking	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) approved record from invoice bill booking	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) approved record from invoice bill booking	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) approved record from invoice bill booking	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) approved record from invoice bill booking	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) approved record from invoice bill booking

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) approved record from invoice bill booking

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) approved record from invoice bill booking	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) approved record from invoice bill booking	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) approved record from invoice bill booking

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) approved record from invoice bill booking

(F) AR/AP Module