Cucumber Report

Start : Feb 04, 12:02:55.889 pm	End : Feb 04, 12:03:19.801 pm	Duration : 23.912 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 15 FAILED - 0 SKIPPED - 0

1

1

15

Pass %

100 %

Pass %

100 %

Pass %

100 %

#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionaliy	1	1	0	0	23.912 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionaliy	Check the rejected budget can be used	15	15	0	0	23.907 s

## (F)- Check The Azentio UAT Budget Request and Allocation functionaliy

| PASSED	DURATION - 23.912 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 12:02:55.889 pm // 12:03:19.801 pm /					

(S)- Check the rejected budget can be used

PASSED	DURATION - 23.907 s		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 12:02:55.894 pm // 12:03:19.801 pm /				
Check The Azentio UAT Budget Request and Allocation functionaliy				
@KUBS_UAT_KUBS_BP_UAT_002_007				

#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	11.918 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
2	Then click the Two Direction Icon	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click to the Budget	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
5	And click on the Add icon in Request and Allocation	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		
6	Then Current Budget Code	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And select the Budget Year	PASSED	0.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
8	Then click on the Branch	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.711 s
	screenshot		
9	And Select Branch checkbox	PASSED	0.077 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
10	Then click on the Branch ok button	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.546 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then select one currency we need	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
12	And Budget Amount for Budget Type Show in Budget type field	PASSED	0.406 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
13	And click on the save button	PASSED	2.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		
14	Then click on the Maker icon button	PASSED	0.855 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And click on the Record Reject	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the rejected budget can be used	
(F) Check The Azentio UAT Budget Request and Allocation functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the rejected budget can be used	
(F) Check The Azentio UAT Budget Request and Allocation functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the rejected budget can be used	
(F) Check The Azentio UAT Budget Request and Allocation functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the rejected budget can be used	
(F) Check The Azentio UAT Budget Request and Allocation functionaliy	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be
used

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be
used

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the rejected budget can be used	
(F) Check The Azentio UAT Budget Request and Allocation functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the rejected budget can be used	
(F) Check The Azentio UAT Budget Request and Allocation functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

Budget Creation						
Actions	Budget Code	Budget Name	Budget Year	Budget Type	Total Budget Amount	Status
	BUD8898	Yerly printing budget	2022-2023	YEARLY	1000000	Active
	BU0055	AG	2022-2023	HALFYEARLY	500	Active
	BDG001	Head Office And Branch R	2022-2023	MONTHLY	500	Active
	BUD111	Yearly budget for Laptops	2022-2023	YEARLY	500	Active
					500	Active
	BDG001	Head Office And Branch R	2022-2023	MONTHLY	500	Active
	BUD111	Yearly budget for Laptops	2022-2023	YEARLY	100	Active
	BUD111	Yearly budget for Laptops	2022-2023	YEARLY	100	Active

success

46 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

Inbox					
Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
	353	BUDGET_CREATION	MAKER	MAKER	1002435
	292	AP_BILL_BOOKING	MAKER	MAKER	1002435
	284	POCREATION_EVENT	MAKER	MAKER	1002435
			MAKER	MAKER	1002435
	143	INVENTORY_REQ	MAKER	MAKER	1002435

success

486 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy